

CAMERAS  
LENSES  
ACCESSORIES

# PRICE LIST 04/2006



All sales are subject to our General Sale and Delivery Terms and Conditions for Merchants dated 01.01.2006.  
Prices, specifications and technical data contained herein are subject to change without notice.  
Terms of delivery: Ex factory Munich, packing, shipping and insurance charges not included. VAT not included.  
Export of all ARRI products to other countries only with ARRI's previous consent in writing.  
Effective April 01, 2006. All previous price lists are obsolete.

Technical Data are subject to change without notice.

## TABLE OF CONTENT

ARRIFLEX 16SR 3 Advanced	5 - 9
ARRIFLEX 235	10 - 18
ARRIFLEX 435 XTREME	19 - 29
ARRIFLEX 535 B	30 - 37
ARRICAM	38 - 53
LENSES (new Master Primes / 8 mm Ultra Prime / Ultra 16 and Lightweight Zoom)	54 - 60
POWER SUPPLIES AND ACCESSORIES (for all Cameras)	61
ELECTRONIC ACCESSORIES	62 - 64
SUPPORT SYSTEMS	65 - 67
FOLLOW FOCUS (new FF-5HD)	68 - 70
MATTE BOXES (new Compact Matte Box MB-20)	71 - 81
MATTE BOXES ACCESSORIES	82 - 88
WIRELESS REMOTE SYSTEM	89 - 93
LENSE CONTROL SYSTEMS	94
LENSE DATA SYSTEM	95 - 96
ARRIMOTION SYSTEM	97 - 99
FILMIDENT SYNC SYSTEM (ARRI-FIS)	100
TRIPODS AND HEADS (ARRIHEAD)	101
APPENDIX	102 - 103
DISCONTINUED ITEMS	104 - 107
GENERAL SALE AND DELIVERY TERMS	108 - 111



## ARRIFLEX 16SR 3

Cameras; Fiber Optic Screens; Magazines and Tools

Ident. No.	Description	Price / EURO
<b>CAMERAS</b>		
K1.47003.0	<b>ARRIFLEX 16SR 3 Advanced</b> 16 mm silent production camera frame rate 5-75 fps - LCD-display and manually adjustable mirror shutter - PL-mount relocatable for Super 16 - ARRIGLOW and integrated time code generator - Eyepiece (K4.46439.0) and plug-on adapter for battery (K4.45285.0) - All covers and a tool set for Super 16 conversion (K4.47056.0)	€ 38.700,00
K1.47002.0	<b>ARRIFLEX 16SR 3 HS Advanced</b> 16 mm high speed camera frame rate 10-150 fps - LCD-display and manually adjustable mirror shutter - PL-mount relocatable for Super 16 - ARRIGLOW and integrated time code generator - Eyepiece (K4.46439.0) and plug-on adapter for battery (K4.45285.0) - All covers and a tool set for Super 16 conversion (K4.47056.0)	€ 41.900,00
<b>FIBER SCREEN FOR 16SR 3 ADVANCED WITHOUT EXPOSURE METER</b>		
K4.48012.0	<b>Fiber screen 1.37/TV 1.33</b>	€ 1.030,00
K2.47353.0	<b>Fiber screen TV 1.33</b>	€ 1.030,00
K2.47354.0	<b>Fiber screen 1.37</b>	€ 1.030,00
K2.47355.0	<b>Fiber screen (S16) 1.66</b>	€ 1.030,00
K2.47356.0	<b>Fiber screen (S16) 1.66/TV1.33</b>	€ 1.030,00
K2.47357.0	<b>Fiber screen (S16) 1.85</b>	€ 1.030,00
K2.47358.0	<b>Fiber screen (S16) HDTV 1.78/TV1.33</b>	€ 1.030,00
K2.47359.0	<b>Fiber screen (S16) HDTV 1.78</b>	€ 1.030,00
K2.47360.0	<b>Fiber screen (S16) 1.66/1.85 and TV 1.33/1.78</b>	€ 1.030,00
<b>FIBER SCREEN FOR 16SR II AND SR 3 WITH EXPOSURE METER</b>		
K4.47386.0	<b>Fiber screen 1.37-TV 1.33</b>	€ 1.030,00
K2.47173.0	<b>Fiber screen TV 1.33</b>	€ 1.030,00
K2.47174.0	* <b>Fiber screen 1.37</b>	€ 1.030,00
K2.47209.0	<b>Fiber screen (S16) 1.66</b>	€ 1.030,00
K2.47210.0	<b>Fiber screen (S16) 1.66/TV1.33</b>	€ 1.030,00
K2.47211.0	<b>Fiber screen (S16) 1.85</b>	€ 1.030,00
K2.47213.0	<b>Fiber screen (S16) HDTV 1.78/TV1.33</b>	€ 1.030,00
K2.47034.0	<b>Fiber screen (S16) HDTV 1.78</b>	€ 1.030,00
K2.47214.0	<b>Fiber screen (S16) 1.66/1.85 and TV 1.33/1.78</b>	€ 1.030,00
<b>MAGAZINES AND TOOLS</b>		
K2.45161.0	<b>Magazine for 16SR 3</b> 120m/400ft coaxial	€ 5.200,00
K2.45162.0	<b>Magazine for 16SR 3</b> 120m/400ft coaxial with TC- Exposure module	€ 5.900,00
K2.45164.0	<b>HS Magazine for 16SR 3 HS</b> 120m/400ft coaxial	€ 5.300,00
K2.45165.0	<b>HS Magazine for 16SR 3 HS</b> 120m/400ft coaxial with TC- Exposure module	€ 6.000,00
K2.47336.0	* <b>Magazine for 16SR 3</b> 240m/800ft coaxial with TC- Exposure module up to 75fps for 16SR and 16SR 3	€ 5.570,00
K2.26100.0	<b>Tool Set</b> for adjusting magazine friction	net price € 130,00

## ARRIFLEX 16SR 3

Viewfinders and Accessories; Integrated Video System (IVS); Video Monitors

Ident. No.	Description	Price / EURO
<b>VIEWFINDER EXTENSIONS AND ACCESSORIES</b>		
K2.45296.0	<b>Viewfinder extension FE-2</b> 190mm long, with magnifier	€ 2.230,00
K2.47085.0	<b>Viewfinder extension FE-4</b> for ARRIFLEX 16 SR 3 (270mm) with magnifier and swing-in contrast filter ND 6	€ 2.930,00
K2.42533.0	<b>Eyepiece leveler EL-3</b>	€ 400,00
K2.42210.0	<b>Heated eyecup HE-4 (new version)</b> A robust heated eyecup with 2 power settings. Includes cable KC-27 (K4.44549.0) 2-pin	€ 1.010,00
<b>INTEGRATED VIDEO SYSTEM - IVS FOR 16SR3</b>		
K2.51103.0	<b>Videoset PAL</b> consisting of: - video handgrip - beamsplitter 80/20 - video electronic PAL - RS-cable K4.47800.0	€ 10.630,00
K2.51104.0	<b>Videoset NTSC</b> consisting of: - video handgrip - beamsplitter 80/20 - video electronic NTSC - RS-cable K4.47800.0	€ 10.630,00
K2.51100.0	<b>Optic Normal 16</b>	€ 1.550,00
K2.51101.0	<b>Optic Super 16</b>	€ 1.550,00
K4.47800.0	<b>RS-cable for IVS</b>	€ 220,00
<b>16SR ONBOARD BATTERY</b>		
K2.46550.0	<b>24V / 1.2Ah Onboard Battery</b>	€ 500,00
K2.47014.0	<b>Double charger NCL 24/7R</b> for onboard batteries K2.46550.0	€ 480,00
K2.43196.0	<b>Adapter Cable KC-38</b> to charge onboard battery K2.46550.0 with charger K2.41950.0	€ 130,00
<b>BLOCK BATTERY</b>		
K2.41950.0	<b>24V / 7Ah NC Block Battery (NC24/7R)</b> switchable to 12V / 14Ah (12V outlet has 5 pins)	€ 1.100,00
K2.42010.0	<b>Battery charger NCL 24 R</b> for Block Battery K2.41950.0	€ 1.000,00
<b>MAINS POWER SUPPLY</b>		
K2.47351.0	<b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin, 115-120V/60Hz, 220-240V/50Hz	€ 1.440,00
<b>24 VOLT POWER CABLES</b>		
K2.41966.0	<b>Power cable straight KC-20</b> 2m long, for 3-pin 24V outlet	€ 130,00
K2.44693.0	<b>Power cable coiled KC-29</b> for 3-pin 24V outlet	€ 160,00

## ARRIFLEX 16SR 3

Support Systems and Handheld

Ident. No.	Description	Price / EURO
<b>SUPPORT SYSTEMS - BRIDGE PLATES - SETS</b>		
K2.42572.0	<b>Set Bridge Plate BP-6 for 19mm rods</b> With adjustment for N16 / S16. Includes Bridge Plate K4.42564.0, Base Plate K4.54362.0 and one pair of 340mm support rods (K4.47347.0)	€ 1.060,00
K2.41010.0	<b>Set Bridge Plate BP-7 for 15mm rods</b> With adjustment for N16 / S16. Includes Bridge Plate K4.41006.0, Base Plate K4.54362.0 and one pair of 340mm support rods (K4.47348.0)	€ 1.060,00
K2.47199.0	<b>Low Mode support for Steadicam</b> also for general underslinging	€ 750,00
For separate Bridge Plate components and other support rod options, see Camera Accessories -- Bridge Plates and Support Rods		
<b>SUPPORT SYSTEMS - LIGHTWEIGHT SUPPORT</b>		
K0.60028.0	<b>Lightweight Support LWS-4 - Set for 16mm Film Lenses</b> convertible to Super 16, compatible with accessory rods from previous Lightweight Support LWS-3; includes Ø98mm and Ø170mm rods Compatible accessories: - 4"x4" matte box MB 17 B (K2.47247.0), - 4"x5.65" matte box MB-19 (K2.47099.0), - 5.65"x5.65" matte box MB-20 (set K0.60022.0 or console K2.65025.0) - follow focus FF-4 (K2.47121.0)	€ 640,00
K2.65077.0	<b>Lightweight Support LWS-4 - Basic Unit only, without extension rods</b> convertible to Super 16, compatible with accessory rods from previous Lightweight Support LWS-3 Compatible accessories: - 4"x4" matte box MB 17 B (K2.47247.0), - 4"x5.65" matte box MB-19 (K2.47099.0), - 5.65"x5.65" matte box MB-20 (set K0.60022.0 or console K2.65025.0) - follow focus FF-4 (K2.47121.0)	€ 440,00
<b>ACCESSORY RODS FOR LIGHTWEIGHT SUPPORT</b>		
K2.47111.0	<b>Support rods No.3 (5 mm)</b> for Prime lenses 16-85 mm	€ 60,00
K2.47112.0	<b>Support rods No.4 (27 mm)</b> for Prime lenses 28/100/135mm	€ 60,00
K2.47114.0	<b>Support rods No.5 (113 mm)</b> for Canon 11.5-138mm	€ 90,00
K2.47113.0	<b>Support rods No.6 (126 mm)</b> for Canon 8-64, Vario Sonnar 10-100/11-110 mm with Mutar 2x	€ 90,00
K2.47199.0	<b>HANDHELD for 16SR3</b>	€ 750,00
K2.41460.0	<b>Shoulder set S-3</b> with left and right grips, shoulder cushion and run/stop switch via cable to RS port.	€ 1.280,00
K2.45886.0	<b>Standard Arriflex right-hand camera handgrip</b> with run/stop switch via cable to RS port. Not needed with K2.41460.0	€ 580,00
K2.47136.0	<b>Extension for Standard handgrip</b> for use with K2.45886.0	€ 110,00
K2.21860.0	<b>Shoulder cushion</b> not needed with K2.41460.0	€ 180,00

## ARRIFLEX 16SR 3

### Accessories and Cases

Ident. No.	Description	Price / EURO
<b>ELECTRONIC ACCESSORIES</b>		
K2.47145.0	<b>16SR3 Power Distribution Box</b> with two 24V connectors, two 12V connectors and run button. Attaches to camera right side.	€ 1.250,00
K2.54177.0	<b>Accessory Power Box (APB)</b> Provides additional 24V and 12V accessory power outlets. Must be powered with a splitter cable (Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62) from the camera battery or through a separate battery. Note: The Accessory Power Box can also be used on all other cameras.	€ 2.720,00
K2.54191.0	<b>Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62</b> Supplies camera and Accessory Power Box from one single battery. Use for maximum power from Accessory Power Box.	€ 700,00
K2.55013.0	<b>External Display (EXD-1)</b> An external display that duplicates the information of the camera mounted display; connects to CCU socket. Includes MODE, SEL, SET, RUN and PHASE buttons. External Display to CCU/REMOTE cable (K4.65207.0) is included with display. For flexible mounting of external display to any 3/8"-16 UNC threaded hole, Universal Mounting Arm UMA-120 (K2.65020.0) is recommended.	€ 1.330,00
K4.65207.0	<b>EXD-1 Cable Short (0.8m/2'7") KC-100-S</b> Connects the External Display EXD-1 to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.	€ 475,00
K2.65067.0	<b>EXD-1 Cable Long (20m/66feet) KC-122-S</b> Connects the External Display EXD-1 to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.	€ 165,00
K2.65020.0	<b>Universal Mounting Arm UMA-120</b> Articulated accessory holder arm, 120mm / 4.7" long, with two swivel ball joints and one elbow joint. Has combination fastener system for use with plain 3/8"-16 UNC threaded holes or ARRI 3/8-16" mounting points with locating pins.	€ 350,00
K2.46942.0	<b>Remote Switch RS-4: also compatible with ARRICAM, 235, 435 and 535B</b> Remote camera run/stop. Unit has universal clip mechanism for attachment to tripod head pan bar or other round object. Connects via RS socket.	€ 490,00
K2.47207.0	<b>KC-40 Extension Cable(3m/9 ft)</b> for RS-4	€ 180,00
K2.47122.0	<b>External Time code memory battery</b>	€ 880,00
K2.43197.0	<b>Work light WL-2</b> Mounts to left or right side rosette	€ 330,00
<b>CAMERA SPEED CONTROL</b>		
K2.47197.0	<b>Remote Control Unit 1 (RCU-1)</b> A wired remote with LCD display. Connects to CCU connector (435, 535B, 16SR3) or REMOTE connector (235). Allows manual and automatic control of frame rate, shutter angle and ramps. Control of shutter angle only for cameras with electronically adjustable mirror shutters. Includes RCU cable (1.5m/5feet) KC-39 (K4.47329.0).	€ 2.680,00
K4.47329.0	<b>RCU Cable Short (1.5m/5feet) KC-39</b> (spare)	€ 230,00
K2.47350.0	<b>RCU Cable Long (20m/60feet) KC-41</b>	€ 320,00
K2.47148.0	<b>Variable Speed Unit VSU-4</b> Allows for variable camera speed control via handwheel, speed limit settings, and remote RUN/STOP. Connects to ACC Connector. For other speed control and ramping options, see Wireless Remote System - Wireless Remote Control WRC-1.	€ 990,00

## ARRIFLEX 16SR 3

Accessories and Cases

Ident. No.	Description	Price / EURO
K2.46006.0	<p><b>MONITOR SYNCHRONIZATION</b>  <b>External Sync Unit ESU-1</b>            Allows for external synchronization of camera to other equipment such as CRT monitors. Includes Pickup (frequency sensor) Box (K4.43313.0) and connection cable KC-32-S for pickup box (K4.43536.0). Camera-side connection via included cable KC-33-S (K4.43567.0) to ACC connector.</p>	€ 3.210,00
K2.45955.0	<p><b>LENS MOUNT ADAPTER</b>  <b>Adapter for B-Mount (bayonet) lenses for use with 16SR3 (PL Mount)</b></p>	€ 1.120,00
K2.49000.0	<p><b>TRANSPORT CASES</b>  <b>Camera transport case, alum.</b>            for ARRIFLEX 16 SR 3 ready for operation with one 120m/400ft magazine, handgrip, matte box, battery and small accessories</p>	€ 640,00
K2.43944.0	<p><b>Magazine transport case, alum.</b>            for two 120m/400ft magazines and accessories</p>	€ 440,00
K2.47337.0	<p><b>Magazine transport case, alum.</b></p>	€ 660,00

## ARRIFLEX 235

### CAMERAS

Ident. No.	Description	Price / EURO
K1.55000.0	<p><b>ARRIFLEX 235 camera body 4P</b></p> <p>A small and lightweight, yet fully featured 35 mm MOS camera with a crystal controlled motor (1-60 fps forward, 20 - 30 fps reverse), a manually adjustable mirror shutter (45° to 180°) and a single pulldown claw, single registration pin 4 perforation movement.</p> <p>Compatible with all ARRI 60m/200' and 120m/400' 235, 435, 35-3 or 35-2C magazines.</p> <p>Camera price includes: 235 Shutter Tool, filmgate, video assist port cover, viewfinder port cover, lens port cover &amp; magazine</p> <p>Viewfinders, handles, magazines and other accessories port cover have to be ordered separately.</p>	€ 29.400,00
K4.65170.0	<p><b>3 Perforation Conversion Kit</b></p> <p>3-perforation movement for ARRIFLEX 235</p> <p>For conversion please contact your local authorized ARRI Service Center</p>	€ 12.000,00
K1.55000.3	<p><b>ARRIFLEX 235 camera body 3P</b></p> <p>A small and lightweight, yet fully featured 35 mm MOS camera with a crystal controlled motor (1-60 fps forward, 20 - 30 fps reverse), a manually adjustable mirror shutter (45° to 180°) and a single pulldown claw, single registration pin 3 perforation movement.</p> <p>Compatible with all ARRI 60m/200' and 120m/400' 235, 435, 35-3 or 35-2C magazines.</p> <p>Camera price includes: 235 Shutter Tool, filmgate, video assist port cover, viewfinder port cover, lens port cover &amp; magazine</p> <p>Viewfinders, handles, magazines and other accessories port cover have to be ordered separately.</p>	€ 29.900,00
K4.65226.0	<p><b>4 Perforation Conversion Kit</b></p> <p>4-perforation movement for ARRIFLEX 235</p> <p>For conversion please contact your local authorized ARRI Service Center</p>	€ 11.600,00
K5.65361.0	<p><b>235 Shutter Tool</b></p> <p>A tool needed to change the open shutter angle of the ARRIFLEX 235.</p>	(spare) 20,00

## ARRIFLEX 235

Ground Glasses - Also compatible with ARRIFLEX 435 and ARRIFLEX 535B

Ident. No.	Description	Price / EURO
K2.47397.0	Blank Ground Glass for all Formats	€ 520,00
	<b>GROUND GLASSES ACADEMY 35</b>	
	Maximum camera aperture: 22mm x 16mm / 0.866" x 0.630"	
K2.44420.0	<b>Normal format 1:1.37</b>	€ 520,00
K2.44420.A	<b>Wide screen format 1:1.66</b>	€ 520,00
K2.44420.B	<b>Wide screen format 1:1.85</b>	€ 520,00
K2.44420.C	<b>Scope (F2) format 1:2.35</b>	€ 520,00
K2.44420.D	<b>TV-ISO-format 1:1.33</b>	€ 520,00
K2.44420.K	<b>Combined format 1.37/1.85</b>	€ 520,00
K2.44420.L	<b>Combined format 1.37/1.85/TV</b>	€ 520,00
K2.44420.M	<b>Combined format 1.37/1.66</b>	€ 520,00
K2.44420.N	<b>Combined format 1.37/1.66/TV</b>	€ 520,00
K2.44420.P	<b>Combined format 1.66/TV</b>	€ 520,00
K2.44420.S	<b>Combined format 1.85/TV</b>	€ 520,00
K2.44420.V	<b>Combined format 1.66/1.85</b>	€ 520,00
K2.44420.X	<b>HDTV 1:1.78</b>	€ 520,00
K2.41200.D	<b>Combined format 1.78/1.55/1.33</b>	€ 520,00
	<b>GROUND GLASSES DIN SUPER 35</b>	
	Maximum camera aperture: 24mm x 18mm / 0.944" x 0.7087"	
K2.44420.E	<b>S35 Full aperture format 1:1.33</b>	€ 520,00
K2.44420.F	<b>S35 Format 1:2.35</b>	€ 520,00
K2.44420.G	<b>S35 Wide screen format 1:1.85</b>	€ 520,00
K2.44420.H	<b>S35 Combined format 2.35/1.85</b>	€ 520,00
K2.44420.I	<b>S35 Combined format 1.85/TV</b>	€ 520,00
K2.44420.W	<b>S35 centric 1:2.35</b>	€ 520,00
K2.44420.2	<b>S35 HDTV 1:1.78</b>	€ 520,00
K2.41200.F	<b>S35 TV-Safe</b>	€ 520,00
	<b>GROUND GLASSES ANSI SUPER 35</b>	
	Maximum camera aperture: 24.9mm x 18.7mm / 0.980" x 0.7362"	
K2.47433.0	<b>S35 Silent 1.33</b>	€ 520,00
K2.47413.0	<b>S35 TV 1,33 safe</b>	€ 520,00
K2.47414.0	<b>S35 TV 1.78 transmitted</b>	€ 520,00
K2.47410.0	<b>S35 TV 1.78+TV 1,33 transmitted</b>	€ 520,00
K2.47415.0	<b>S35 TV 1.78 safe</b>	€ 520,00
K2.47419.0	<b>S35 1.78 + 1.55 + 1.33 CGG</b>	€ 520,00
K2.47409.0	<b>S35 1.85</b>	€ 520,00
K2.47411.0	* <b>S35 2.35 + 1,85+TV 1,33 transm.</b>	€ 520,00
K2.47416.0	<b>S35 2.35 centric</b>	€ 520,00
K2.47417.0	<b>S35 2.35 + 1.85 1/4 offset</b>	€ 520,00
K2.47420.0	<b>S35 2.35 + 1.85 centric</b>	€ 520,00
K2.47418.0	<b>S35 2.35 + 1.85 common top</b>	€ 520,00
K2.47412.0	<b>3P-S35 TV 1.78+TV 1,33 transm.</b>	€ 520,00

## ARRIFLEX 235

### Magazines and Viewfinders

Ident. No.	Description	Price / EURO
<b>MAGAZINES</b>		
K2.55001.0	<b>235 Shoulder Magazine 60/200 (SHM-1)</b> 60m/200' lightweight magazine with mechanical raw stock indicator. Compatible with ARRIFLEX 235 and all ARRIFLEX 435 models. Includes loop protector.	€ 4.700,00
K2.55016.0	<b>235 Shoulder Magazine 120/400 (SHM-2)</b> 120m/400' lightweight magazine with mechanical raw stock indicator. Compatible with ARRIFLEX 235 and all ARRIFLEX 435 models. Includes loop protector.	€ 5.000,00
K2.55008.0	<b>235 Steadicam Magazine 120/400 (STM-1)</b> 120m/400' Steadicam magazine with mechanical raw stock indicator. Compatible with ARRIFLEX 235 and all ARRIFLEX 435 models. Includes loop protector.	€ 7.830,00
K2.47083.0	<b>435 ARRIMAG 120/400</b> 120m/400ft magazine with mechanical raw stock counter, mechanical take-up controls, runs forward and reverse, includes loop protector. Compatible with all 435 models and the ARRIFLEX 235.	€ 5.200,00
<b>VIEWFINDERS</b>		
K2.55009.0	<b>235 Spherical Viewfinder set (SV-1)</b> A small and lightweight spherical viewfinder that can be used camera left and right. The image is kept upright automatically or can be rotated manually. The viewfinder arm telescopes closer/farther from the camera body. Accepts 235 Medium or Long Eyepiece Extensions. Includes 235 eyepiece (K4.65028.0) & eyecup (K4.42203.0).	€ 7.500,00
K4.65030.0	<b>235 Spherical Viewfinder arm</b> Does not include eyepiece, eyecup or optical tower.	(spare) € 4.780,00
K2.55010.0	<b>235 Universal Viewfinder set (UV-1)</b> A small and lightweight viewfinder that can be switched between spherical and anamorphic viewing. Can be used camera left and right. The image is kept upright automatically or can be rotated manually. The viewfinder arm telescopes closer/farther from the camera body. Accepts 235 Medium or Long Eyepiece Extensions. Includes 235 eyepiece (K4.65028.0) & eyecup (K4.42203.0).	€ 10.900,00
K2.55007.0	<b>235 Universal Viewfinder arm</b> Does not include eyepiece, eyecup or optical tower	(spare) € 8.630,00
K2.55000.0	<b>235 Medium Eyepiece Extension (MEE-1)</b> A 12,5 cm/5 inches long eyepiece extension. Fits on 235 Spherical Viewfinder and 235 Universal Viewfinder. Includes front and rear caps.	€ 1.500,00
K2.55012.0	<b>235 Long Eyepiece Extension (LEE-1)</b> A 27,0 cm/10.6 inches long eyepiece extension with 2x zoom magnification. Fits on 235 Spherical Viewfinder and 235 Universal Viewfinder. Includes front and rear caps.	€ 3.350,00
K4.65028.0	<b>235 Eyepiece</b> 8x magnification eyepiece that fits on 235 Spherical Viewfinder, 235 Universal Viewfinder, 235 Medium Eyepiece Extension and 235 Long Eyepiece Extension. Includes eyecup.	(spare) € 1.440,00
K2.47527.0	<b>Heated Eyecup (HE-4)</b> A robust heated eyecup with two power settings. Fits all ARRICAM and ARRIFLEX eyepieces. Includes Heated Eyecup Cable for 235 and 435 cameras KC-42-SP-S.	€ 1.010,00
K4.47473.0	<b>Heated Eyecup Cable for 235 and 435 cameras KC-42-SP-S</b> A coiled cable that connects the RS socket of the 235 or 435 to the Heated Eyecup HE-4.	(spare) € 259,00

## ARRIFLEX 235

Integrated Video System IVS; Camera Power Supplies

Ident. No.	Description	Price / EURO
	<b>INTEGRATED VIDEO SYSTEM - IVS FOR 235</b>	
K2.47525.0	<b>235 Integrated Video System NTSC (IVS-2)</b> A color video assist that attaches directly to the 235 camera body, independently of the viewfinder. Includes IVS cover plate	€ 11.800,00
K2.47524.0	<b>235 Integrated Video System PAL (IVS-2)</b> A color video assist that attaches directly to the 235 camera body, independently of the viewfinder. Includes IVS cover plate	€ 11.800,00
	<b>VIDEO MONITORS</b>	
K2.54031.0	<b>6.6" Video Monitor</b> Automatically switches for PAL and NTSC. Includes cable KCV-2 (K4.47299.0) for 4-pin combined video / power socket. Includes integrated swivel arm with 18.65mm square shoe base for attachment to 3/8" Accessory Shoe Adapter K2.54077.0. Also includes Dovetail Insert Adapter K4.48218.0 for use with 26mm camera dovetail shoes.	€ 3.600,00
K4.47299.0	<b>Cable for 6,6 Video Monitor (0.4m/1.3ft) KCV-2</b> (spare)	€ 330,00
K2.54035.0	<b>2" Video Monitor, for NTSC</b> Academy Format only. A coiled cable (4-pin, combined video / power) is permanently attached. Mounts to 18.65mm shoe K2.54077.0.	€ 1.840,00
K2.54040.0	<b>2" Video Monitor, for PAL</b> Academy Format only. A coiled cable (4-pin, combined video / power) is permanently attached. Mounts to 18.65mm shoe K2.54077.0.	€ 1.840,00
K2.54077.0	<b>3/8" Accessory Shoe Adapter, 18.65mm square</b> Attaches via 3/8" UNC thread with two locating pins for stability. For use with ARRI 18,65mm shoe-mounted accessories. With 235, can be mounted on all camera handles including Low Mode Support LMS-1.	€ 130,00
K2.54030.0	<b>Accessory Shoe Expander, 18.65mm square</b> Attaches to 18,65mm ARRI shoe, allows for attachment of two 18,65mm ARRI shoe-mounted accessories.	€ 240,00
K2.52083.0	<b>Dovetail Shoe, 3/8" thread</b> All purpose 26mm dovetail shoe. Can be attached to 3/8" thread mounting points having standard ARRI Ø15,5mm counterbore. For use with 26mm dovetail inserts.	€ 110,00
K4.48218.0	<b>Dovetail Insert Adapter</b> For use with 18.65mm shoe mounted accessories in 26mm dovetail shoes.	€ 180,00
	<b>235 ON BOARD BATTERY</b>	
K2.47553.0	<b>235 On Board Battery (OBB-1)</b> 25.2 VDC, 1.6Ah. Attaches via thumb-screw to 3/8" UNC thread with two locating pins for stability. Requires Onboard Battery Cable K2.47555.0.	€ 390,00
K2.47554.0	<b>235 On Board Battery Charger</b> Processor-controlled smart double charger. Charge time per battery < 2 hrs.	€ 625,00
K2.47555.0	<b>235 On Board Battery Cable</b> A cable that connects the 235 On Board battery to the BAT connector of the 235.	€ 190,00
	<b>BLOCK BATTERY</b>	
K2.41950.0	<b>24V / 7Ah NC Block Battery (NC24/7R)</b> switchable to 12V / 14Ah (12V outlet has 5 pins)	€ 1.100,00
K2.42010.0	<b>Battery charger NCL 24 R</b> for Block Battery K2.41950.0	€ 1.000,00
	<b>MAINS POWER SUPPLY</b>	
K2.47351.0	<b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin, 115-120V/60Hz, 220-240V/50Hz	€ 1.440,00
	<b>24 VOLT POWER CABLES</b>	
K2.41966.0	<b>Power cable straight KC-20</b> 2m long, for 3-pin 24V outlet	€ 130,00
K2.44693.0	<b>Power cable coiled KC-29</b> for 3-pin 24V outlet	€ 160,00

## ARRIFLEX 235

### Camera Handles and Support Systems

Ident. No.	Description	Price / EURO
	<b>CAMERA HANDLES</b>	
K2.55004.0	<b>235 Standard Camera Handle (SCH-1)</b> A single post camera handle that attaches to the 235 camera body and is compatible with all magazines. When used with the Shoulder Magazine 60/200 or Shoulder Magazine 120/400, the SCH-1 can be reversed so the handgrip is in the center of gravity (left/right).	€ 590,00
K2.55006.0	<b>235 Low Mode Handle (LMH-1)</b> A sturdy triple post camera handle that attaches to the 235 camera body. Compatible with all magazines. Includes Handle Extension Block (HEB-1, K4.65107.0)	€ 790,00
K2.55014.0	<b>235 Low Mode Support (LMS-1)</b> A sturdy triple post camera handle with integrated low mode plate for Steadicam or underslung use. Consists of the Low Mode Bracket (K4.65142.0), Low Mode Support Handle (K4.65140.0) and Low Mode Riser (K4.65141.0). Compatible with all magazines.	€ 1.260,00
	<b>HANDHELD FOR 235</b>	
K2.45886.0	<b>Standard Arriflex right-hand camera handgrip</b> with run/stop switch via cable to RS port.	€ 580,00
K2.47136.0	<b>Extension for Standard handgrip</b> for use with K2.45886.0	€ 110,00
K2.55005.0	<b>235 Shoulder Pad (SP-1)</b> A soft pad that attaches with velcro to the bottom of the ARRIFLEX 235 camera.	€ 175,00
K2.65052.0	<b>235 Left Rod Bracket (LRB-1)</b> Bracket screws into left side of 235 Riser Plate and allows for use of left handgrip and one 19mm support rod. Requires Riser Plate K2.55002.0. When used with Lightweight Follow Focus LFF-1, use Focus Knob Right K2.47250.0.	€ 280,00
K2.47735.0	<b>15mm Reduction Set for 235 Left Rod Bracket</b> allows use of 15mm support rod with Left Rod Bracket K2.65052.0.	€ 75,00
	<b>SUPPORT SYSTEM - RISER PLATE (REQUIRED FOR BRIDGE PLATE)</b>	
K2.55002.0	<b>235 Riser Plate (RP-1)</b> Brings the 235 optical axis to the same height as other 35mm ARRIFLEX cameras.	€ 490,00
	<b>SUPPORT SYSTEMS - BRIDGE PLATES - SETS</b>	
K2.47090.0	<b>Set Bridge Plate BP-8 for 19mm rods</b> With adjustment for N35 / S35. Includes Bridge Plate K4.47460.0, Base Plate K4.54362.0 and one pair of 440mm support rods (K5.42904.0)	€ 1.060,00
K2.47091.0	<b>Set Bridge Plate BP-9 for 15mm rods</b> With adjustment for N35 / S35. Includes Bridge Plate K4.47461.0, Base Plate K4.54362.0 and one pair of 440mm support rods (K5.21957.0)	€ 1.060,00
	For separate Bridge Plate components and other support rod options, see Camera Accessories -- Bridge Plates and Support Rods	

## ARRIFLEX 235

Camera Handles and Support Systems; Lightweight Follow-Focus

Ident. No.	Description	Price / EURO
	<b>SUPPORT SYSTEMS</b>	
K2.55015.0	<b>235 Side Bracket (SBR-1)</b> The 235 Side Bracket offers two adjustable 19mm support rods positioned camera right for attachment of lens motors, Lightweight Follow Focus LFF-1 and other accessories with rod mounts. It attaches to the 235 via the right-side 3/8" thread and the handgrip rosette.	€ 700,00
K2.55023.0	<b>Lightweight rod (19mm) set 165mm for SBR-1</b> One pair 19mm support rods, 165mm long, out of lightweight high-strength aluminum alloy with an extra hard coating. For use with older ARRI primes, also usable with Ultra Primes.	€ 40,00
K2.55024.0	<b>Lightweight rod (19mm) set 185mm for SBR-1</b> One pair 19mm support rods, 185mm long, out of lightweight high-strength aluminum alloy with an extra hard coating. For use with Master Primes, Ultra Primes and Cooke S4 lenses.	€ 40,00
K2.55020.0	<b>15mm Reduction Set for Side Bracket SBR-1</b> Kit to adapt K2.55015.0 for use with 15mm support rods.	€ 270,00
K2.65052.0	<b>235 Left Rod Bracket (LRB-1)</b> Bracket screws into left side of 235 Riser Plate and allows for use of left handgrip and one 19mm support rod. Requires Riser Plate K2.55002.0. When used with Lightweight Follow Focus LFF-1, use Focus Knob Right K2.47250.0.	€ 280,00
K2.47735.0	<b>15mm Reduction Set for Left Rod Bracket LRB-1</b> Kit to adapt K2.65052.0 for use with 15mm support rod.	€ 75,00
K2.55014.0	<b>235 Low Mode Support (LMS-1)</b> See Camera Handles above.	€ 1.260,00
K2.65037.0	<b>235 Compact Rod Holder (CRH-1)</b> Bracket attaches in place of viewfinder and allows for attachment of two 19mm support rods in an extremely narrow and compact configuration.	€ 600,00
K2.65078.0	<b>15mm Reduction Set for 235 Compact Rod Holder</b> allows use of two 15mm support rods with Compact Rod Holder K2.65037.0.	€ 75,00

## ARRIFLEX 235

Camera Handles and Support Systems; Lightweight Follow-Focus

Ident. No.	Description	Price / EURO
<p><b>FOLLOW-FOCUS FOR 235</b>            Lightweight Follow-Focus LFF-1 can be used on Side Bracket SBR-1 or on Left Rod Bracket LRB-1.</p>		
K0.60021.0	<p><b>Lightweight Follow Focus Set for 19mm (LFF-1/19)</b>            A compact, lightweight, high-precision modular follow focus designed for small and lightweight cameras like the 235, but also compatible with the other ARRI cameras. The LFF-1 attaches to 19mm support rods via the Rod Mounting Bracket (RMB-1, K2.55017.0). Its unique features include a 360° rotatable focus arm and internally reversible drive direction, making it easily usable above or below the lens. It is compatible with the focus knobs from the Lightweight Focus Drive (LFD) system. The LFF-1 set consists of the LFF-1 Drive (K2.57249.0), focus knob left FK-1 (K2.47246.0, includes 1 bevelled Marking Disk K4.47621.0), the Rod Mounting Bracket RMB-1 (K2.55017.0) and small gear for prime lenses and 16mm zooms (K2.47252.0)</p> <p>NOTE: when used with the 235, the LFF-1 requires the 235 Side Bracket SBR-1 (K2.55015.0), or 19mm bridge plate.</p>	€ 3.455,00
K2.57249.0	<p><b>LFF-1 Drive</b>            Can be driven directly with flexible shaft or focus lever.</p>	€ 2.210,00
K2.55017.0	<p><b>Rod Mounting Bracket (RMB-1)</b>            This bracket mounts the LFF-1 to a single 19mm support rod.</p>	€ 520,00
K2.55021.0	<p><b>15mm Reduction Set for Rod Mounting Bracket RMB-1</b>            Kit to adapt K2.55017.0 for use with a single 15mm support rod.</p>	€ 75,00
K2.47246.0	<p><b>Focus Knob Left (FK-1)</b>            With backlash-free coupling. Includes 1 bevelled Marking Disk K4.47621.0.</p>	€ 620,00
K2.47250.0	<p><b>Focus Knob Right (FK-2)</b>            With backlash-free coupling. For use with LFF-1 when working with a rod mounted mattebox on the camera right side. Includes 1 bevelled Marking Disk K4.47621.0. Required for use of LFF-1 with 235 Left Rod Bracket K2.65052.0.</p>	€ 620,00
K4.47621.0	<p><b>Marking disk bevelled</b></p>	(spare) € 20,00
K2.47292.0	<p><b>Marking disk flat</b></p>	€ 40,00
K2.47252.0	<p><b>35 tooth, 0.8 Metric Module Gear for smaller prime lenses and 16mm zooms</b>            10mm face, replaces Gear for Prime Lenses K2.32990.0.</p>	€ 105,00
K2.47002.0	<p><b>43 tooth, 0.8 Metric Module Gear for larger prime lenses and 35mm zooms</b>            6mm face, replaces Cooke Zoom Gear K2.32981.0.</p>	€ 105,00
K2.47557.0	<p><b>35 tooth, 0.8 Metric Module Gear for external focus lenses</b>            25mm face, replaces Angenieux Zoom Gear K2.32992.0.</p>	€ 130,00

## ARRIFLEX 235

### Accessories and Cases

Ident. No.	Description	Price / EURO
<b>ELECTRONIC ACCESSORIES</b>		
K2.55011.0	<b>235 Accessory Expansion Cable (0,3m/1ft) KC88-S</b> Plugs into the 235 REMOTE connector and provides a 435 ACC and a 435 CCU compatible connector	€ 475,00
K2.65002.0	<b>235 Update Cable</b> Connects ARRIFLEX 235 REMOTE connector to PC - for update purposes only	€ 170,00
K2.55013.0	<b>External Display (EXD-1)</b> An external display that duplicates the information of the camera mounted display; connects to REMOTE socket when used with 235 (CCU with other cameras). Includes MODE, SEL, SET, RUN and PHASE buttons. External Display to CCU/REMOTE cable (K4.65207.0) is included with display. For flexible mounting of external display to any 3/8"-16 UNC threaded hole, Universal Mounting Arm UMA-120 (K2.65020.0) is recommended.	€ 1.330,00
K2.65020.0	<b>Universal Mounting Arm UMA-120</b> Articulated accessory holder arm, 120mm / 4.7" long, with two swivel ball joints and one elbow joint. Has combination fastener system for use with plain 3/8"-16 UNC threaded holes or ARRI 3/8-16" mounting points with locating pins.	€ 350,00
K2.46942.0	<b>Remote Switch RS-4: also compatible with ARRICAM, 435, 535B and 16SR3</b> Remote camera run/stop. Unit has universal clip mechanism for attachment to tripod head pan bar or other round object. Connects via RS socket.	€ 490,00
K2.47207.0	<b>KC-40 Extension Cable(3m/9 ft)</b> for RS-4	€ 180,00
K2.54177.0	<b>Accessory Power Box (APB)</b> Provides additional 24V and 12V accessory power outlets. Must be powered with a splitter cable (Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62) from the camera battery or through a separate battery. Note: The Accessory Power Box can also be used on all other cameras.	€ 2.720,00
K2.54191.0	<b>Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62</b> Supplies camera and Accessory Power Box from one single battery. Use for maximum power from Accessory Power Box.	€ 700,00
<b>CAMERA SPEED CONTROL</b>		
K2.47197.0	<b>Remote Control Unit 1 (RCU-1)</b> A wired remote with LCD display. Connects to CCU connector (435, 535B, 16SR3) or REMOTE connector (235). Allows manual and automatic control of frame rate, shutter angle and ramps. Control of shutter angle only for cameras with electronically adjustable mirror shutters. Includes RCU cable (1.5m/5feet) KC-39 (K4.47329.0).	€ 2.680,00
K4.47329.0	<b>RCU Cable Short (1.5m/5feet) KC-39</b> (spare)	€ 230,00
K2.47350.0	<b>RCU Cable Long (20m/60feet) KC-41</b>	€ 320,00
K2.47148.0	<b>Variable Speed Unit VSU-4</b> Allows for variable camera speed control via handwheel, speed limit settings, and remote RUN/STOP. Connects to ACC Connector. For use with 235, Accessory Expansion Cable K2.55011.0 is required. For other speed control and ramping options, see Wireless Remote System - Wireless Remote Control WRC-1.	€ 990,00
<b>MONITOR SYNCHRONIZATION</b>		
K2.46006.0	<b>External Sync Unit ESU-1</b> Allows for external synchronization of camera to other equipment such as CRT monitors. Includes Pickup (frequency sensor) Box (K4.43313.0) and connection cable KC-32-S for pickup box (K4.43536.0). Camera-side connection via included cable KC-33-S (K4.43567.0) to ACC connector. For use with 235, Accessory Expansion Cable K2.55011.0 is required.	€ 3.210,00

## ARRIFLEX 235

Accessories and Cases

Ident. No.	Description	Price / EURO
<b>CASES</b>		
K2.65004.0	<b>Case for ARRIFLEX 235 &amp; two 60m/200ft Magazines</b> The following items fit in this case: ARRIFLEX 235 camera body with either one of the three handles and a viewfinder attached, 2x 235 Shoulder Magazines 60/200, On Board Battery, accessories.	€ 760,00
K2.65005.0	<b>Case for 235 Shoulder Magazine 120m/400ft.</b> For 4x 235 Shoulder Magazines 120/400	€ 740,00
K2.65047.0	<b>Case for 235 Shoulder Magazine 60m/200ft</b> For 4x 235 Shoulder Magazines 60/200	€ 730,00
K2.65050.0	<b>Case for 235 Steadycam Magazine 120m/400ft</b> For 2x 235 Steadycam Magazines 120/400	€ 560,00

## ARRIFLEX 435 XTREME

Cameras and Format Masks

Ident. No.	Description	Price / EURO
K0.60018.0	<b>ARRIFLEX 435 XTREME</b> 35 mm production camera frame rate 0,1-150 fps forw/rev. electronically adjustable mirror shutter 11°-180° PL-Mount with lens data port for LDS-Lenses, relocatable for Super35 Motion control capable (MCI K2.52138.0 necessary, not incl.in package) Adjustable ramp time (25,40 or 100fps²). Integr. single frame software) Includes: Viewfinder,8 x eyepiece, filmgate, gel filterholder and Universal Aperture Format Mask (S-35 DIN) Functional expansion module FEM-2.	€ 72.200,00
K2.47392.0	<b>Aperture Format Mask Set</b> for Academy and Super 35 Format (DIN) OPTIONAL! For individual masks refer to the ARRI Web Site	€ 930,00
K0.60019.0	<b>ARRIFLEX 435 XTREME ANAM</b> 35 mm production camera as described under K0.60018.0 but with anamorphic viewfinder Functional expansion module FEM-2 included!	€ 75.800,00
K0.60020.0	<b>ARRIFLEX 435 XTREME 3- PERFORATION</b> 35 mm production camera as described under K0.60018.0 but with 3 perforation movement and 3 Perf.filmgate (Academy Format) Functional expansion module FEM-2 included!	€ 72.700,00
K2.52226.0	<b>Functional expansion module FEM-2</b> Faster and longer ramps (0.1 to 150 fps), LDS function, build-in lens motor drivers Supports ARRIFLEX Timecode and various accessories (RCU,CCU,ESU,RU.) plus integrated TC-generator,ACC and CCU interface The URM-1 and URM-3 for wireless lens control is optional. LDS Lenses and Lens Data Displays see ARRICAM PRICE LIST. Camera door with XTREME label included!	(spare) € 8.000,00
	<b>FILM GATE MASKS ANSI STANDARD FOR 4 PERFORATION FILMGATE (WIDTH 24,9MM)</b> Mask size compatible with ARRICAM Format Masks ARRI Timecode recording not possible	
K5.54352.0	<b>Aperture Format Mask 1.33</b> SUPER 35, ANSI Standard	€ 120,00
K5.59773.0	<b>Aperture Format Mask 2.35</b> SUPER 35, ANSI Standard	€ 120,00
K5.59774.0	<b>Aperture Format Mask 1.85</b> SUPER 35, ANSI Standard	€ 120,00
K5.59775.0	<b>Aperture Format Mask 1.78</b> SUPER 35, ANSI Standard	€ 120,00
K5.59776.0	<b>Aperture Format Mask 1.85 asym</b> SUPER 35, ANSI Standard	€ 120,00
K2.47374.0	<b>3 perforation Filmgate</b> (ANSI Standard 24.9mm x 14mm) Mask size compatible with ARRICAM Format Masks ARRI Timecode recording not possible	€ 1.850,00
K2.47397.0	<b>Blank Ground Glass for all Formats</b>	€ 520,00

## ARRIFLEX 435 XTREME

Ground Glasses - Also compatible with ARRIFLEX 235 and ARRIFLEX 535B

Ident. No.	Description	Price / EURO
<b>GROUND GLASSES ACADEMY 35</b>		
Maximum camera aperture: 22mm x 16mm / 0.866" x 0.630"		
K2.44420.0	<b>Normal format 1:1.37</b>	€ 520,00
K2.44420.A	<b>Wide screen format 1:1.66</b>	€ 520,00
K2.44420.B	<b>Wide screen format 1:1.85</b>	€ 520,00
K2.44420.C	<b>Scope (F2) format 1:2.35</b>	€ 520,00
K2.44420.D	<b>TV-ISO-format 1:1.33</b>	€ 520,00
K2.44420.K	<b>Combined format 1.37/1.85</b>	€ 520,00
K2.44420.L	<b>Combined format 1.37/1.85/TV</b>	€ 520,00
K2.44420.M	<b>Combined format 1.37/1.66</b>	€ 520,00
K2.44420.N	<b>Combined format 1.37/1.66/TV</b>	€ 520,00
K2.44420.P	<b>Combined format 1.66/TV</b>	€ 520,00
K2.44420.S	<b>Combined format 1.85/TV</b>	€ 520,00
K2.44420.V	<b>Combined format 1.66/1.85</b>	€ 520,00
K2.44420.X	<b>HDTV 1:1.78</b>	€ 520,00
K2.41200.D	<b>Combined format 1.78/1.55/1.33</b>	€ 520,00
<b>GROUND GLASSES DIN SUPER 35</b>		
Maximum camera aperture: 24mm x 18mm / 0.944" x 0.7087"		
K2.44420.E	<b>S35 Full aperture format 1:1.33</b>	€ 520,00
K2.44420.F	<b>S35 Format 1:2.35</b>	€ 520,00
K2.44420.G	<b>S35 Wide screen format 1:1.85</b>	€ 520,00
K2.44420.H	<b>S35 Combined format 2.35/1.85</b>	€ 520,00
K2.44420.I	<b>S35 Combined format 1.85/TV</b>	€ 520,00
K2.44420.W	<b>S35 centric 1:2.35</b>	€ 520,00
K2.44420.2	<b>S35 HDTV 1:1.78</b>	€ 520,00
K2.41200.F	<b>S35 TV-Safe</b>	€ 520,00
<b>GROUND GLASSES ANSI SUPER 35</b>		
Maximum camera aperture: 24.9mm x 18.7mm / 0.980" x 0.7362"		
K2.47433.0	<b>S35 Silent 1.33</b>	€ 520,00
K2.47413.0	<b>S35 TV 1,33 safe</b>	€ 520,00
K2.47414.0	<b>S35 TV 1.78 transmitted</b>	€ 520,00
K2.47410.0	<b>S35 TV 1.78+TV 1,33 transmitted</b>	€ 520,00
K2.47415.0	<b>S35 TV 1.78 safe</b>	€ 520,00
K2.47419.0	<b>S35 1.78 + 1.55 + 1.33 CGG</b>	€ 520,00
K2.47409.0	<b>S35 1.85</b>	€ 520,00
K2.47411.0	* <b>S35 2.35 + 1.85+TV 1,33 transm.</b>	€ 520,00
K2.47416.0	<b>S35 2.35 centric</b>	€ 520,00
K2.47417.0	<b>S35 2.35 + 1.85 1/4 offset</b>	€ 520,00
K2.47420.0	<b>S35 2.35 + 1.85 centric</b>	€ 520,00
K2.47418.0	<b>S35 2.35 + 1.85 common top</b>	€ 520,00
K2.47412.0	<b>3P-S35 TV 1.78+TV 1,33 transm.</b>	€ 520,00
K2.47088.0	<b>ARRIGLOW Module for 435</b>	€ 1.450,00

## ARRIFLEX 435 XTREME

ARRIGLOW -- Masks also compatible with ARRIFLEX 535B

Ident. No.	Description	Price / EURO
<b>ACADEMY ARRIGLOW MASKS</b>		
K2.47004.3	<b>Mask 1.37</b> for ground glass K2.44420.0	€ 160,00
K2.47058.3	<b>Mask 1.37, 1.66</b> for ground glass K2.44420.M	€ 160,00
K2.47057.S	<b>Mask 1.37, 1.66 TV</b> for ground glass K2.44420.N	€ 160,00
K2.46435.3	<b>Mask 1.37, 1.85</b> for ground glass K2.44420.K	€ 160,00
K2.47055.S	<b>Mask 1.37, 1.85 TV</b> for ground glass K2.44420.L	€ 160,00
K2.47013.S	<b>Mask TV-ISO</b> for ground glass K2.44420.D	€ 160,00
K2.47012.3	<b>Mask 1.66</b> for ground glass K2.44420.A	€ 160,00
K2.47016.S	<b>Mask 1.66 TV</b> for ground glass K2.44420.P	€ 160,00
K2.47017.3	<b>Mask 1.66/1.85</b> for ground glass K2.44420.V	€ 160,00
K2.47007.3	<b>Mask 1.78</b> for ground glass K2.44420.X	€ 160,00
K2.47283.3	<b>Mask 1.78/1.55/1.33</b> for ground glass K2.41200.D	€ 160,00
K2.47011.3	<b>Mask 1.85</b> for ground glass K2.44420.B	€ 160,00
K2.47015.S	<b>Mask 1.85 TV</b> for ground glass K2.44420.S	€ 160,00
K2.47006.3	<b>Mask 2.35</b> for ground glass K2.44420.C	€ 160,00
<b>ARRIGLOW MASKS DIN SUPER-35</b>		
K2.47005.3	<b>Mask Silent (S35)</b> for ground glass K2.44420.E	€ 160,00
K2.47281.3	<b>Mask TV Safe (S 35)</b> for ground glass K2.41200.F	€ 160,00
K2.47008.3	<b>Mask 1.78 (S 35)</b> for ground glass K2.44420.2	€ 160,00
K2.47282.3	<b>Mask 1.78/1.55/1.33 (S 35)</b> for ground glass K2.41200.C	€ 160,00
K2.47009.3	<b>Mask 1.85 (S 35)</b> for ground glass K2.44420.G	€ 160,00
K2.47059.3	<b>Mask 1.85 TV (S 35)</b> for ground glass K2.44420.I	€ 160,00
K2.47172.3	<b>Mask 1.85/2.35 (S 35)</b> for ground glass K2.44420.H	€ 160,00
K2.47018.3	<b>Mask 2.35 (S 35)</b> for ground glass K2.44420.F	€ 160,00
K2.47035.3	<b>Mask 2.35 centric (S 35)</b> for ground glass K2.44420.W	€ 160,00

## ARRIFLEX 435 XTREME

ARRIGLOW -- Masks also compatible with ARRIFLEX 535B

Ident. No.	Description	Price / EURO
	<b>ARRIGLOW MASKS ANSI SUPER-35</b>	
K2.47434.0	<b>Mask S35 silent 1.33</b> for ground glass K2.47433.0	€ 160,00
K2.47425.0	<b>Mask S35 TV 1,33 safe</b> for ground glass K2.47413.0	€ 160,00
K2.47426.0	<b>Mask S35 TV 1.78 transmitted</b> for ground glass K2.47414.0	€ 160,00
K2.47422.0	<b>Mask S35 TV 1.78+TV 1,33 transm.</b> for ground glass K2.47410.0	€ 160,00
K2.47427.0	<b>Mask S35 TV 1.78 safe</b> for ground glass K2.47415.0	€ 160,00
K2.47431.0	<b>Mask S35 1.78 + 1.55 + 1.33 CGG</b> for ground glass K2.47419.0	€ 160,00
K2.47421.0	<b>Mask S35 1.85</b> for ground glass K2.47409.0	€ 160,00
K2.47423.0	* <b>Mask S35 2.35 + 1.85+TV</b> for ground glass K2.47411.0	€ 160,00
K2.47428.0	<b>Mask S35 2,35 centric</b> for ground glass K2.47416.0	€ 160,00
K2.47429.0	<b>Mask S35 2.35 + 1.85 1/4 offset</b> for ground glass K2.47417.0	€ 160,00
K2.47432.0	<b>Mask S35 2.35 + 1.85 centric</b> for ground glass K2.47420.0	€ 160,00
K2.47430.0	<b>Mask S35 2.35 + 1.85 common top</b> for ground glass K2.47418.0	€ 160,00
K2.47424.0	<b>Mask 3P-S35TV 1.78+TV 1,33 transm.</b> for ground glass K2.47412.0	€ 160,00

## ARRIFLEX 435 XTREME

Magazines; Viewfinders; Integrated Video System IVS; Video Monitors

Ident. No.	Description	Price / EURO
<b>MAGAZINES</b>		
K2.47083.0	<b>120m/400ft magazine</b> for 435/435ES and 435 Advanced	€ 5.200,00
K2.47096.0	<b>300m/1000ft magazine</b> for 435/435ES and 435 Advanced	€ 10.470,00
K2.47094.0	<b>120m/400ft steadicam magazine</b> for 435/435ES and 435 Advanced	€ 7.830,00
K2.47733.0	<b>Collapsible Core</b>	€ 210,00
<b>VIEWFINDERS AND VIEWFINDER ACCESSORIES</b>		
K2.47081.0	<b>Wide angle eyepiece (8 x)</b>	€ 2.680,00
K2.47082.0	<b>Finder extender FE-3 (295 mm)</b>	€ 4.120,00
K2.47304.0	<b>Finder extender FE-5 (200 mm)</b>	€ 3.350,00
K2.42533.0	<b>Eyepiece leveler EL-3</b>	€ 400,00
K2.47527.0	<b>Heated Eyecup HE-4 (new version)</b> A robust heated eyecup with 2 power settings 3-pin for RS-socket	€ 1.010,00
K4.47476.0	<b>Anamorphic finder AVF-2</b> with swing-in de-squeezer	€ 8.230,00
K2.47216.0	<b>Cable "Bowden" for AVF-1 and AVF-2</b> necessary if used with viewfinder extension FE-3	€ 780,00
K2.47218.0	<b>Right-hand support for AVF-2</b> to keep image position horizontal	€ 290,00
<b>INTEGRATED VIDEO SYSTEM - IVS</b>		
K2.47365.0	<b>Video Electronic PAL</b>	€ 10.280,00
K2.47366.0	<b>Video Electronic NTSC</b>	€ 10.280,00
K2.47230.0	<b>Optic Silent</b>	€ 1.550,00
<b>VIDEO TOP -- LOW-MODE FOR STEADICAM / UNDERSLUNG</b>		
K2.47095.0	<b>100% Video top</b> incl. low mode bracket for 435/435ES and 435 Advanced for operation without viewfinder system	€ 3.810,00

## ARRIFLEX 435 XTREME

Magazines; Viewfinders; Integrated Video System IVS; Video Monitors

Ident. No.	Description	Price / EURO
	<b>VIDEO MONITORS AND ACCESSORIES</b>	
K2.54031.0	<b>6.6" Video Monitor</b> Automatically switches for PAL and NTSC. Includes cable KCV-2 (K4.47299.0) for 4-pin combined video / power socket. Includes integrated swivel arm with 18.65mm square shoe base for attachment to 3/8" Accessory Shoe Adapter K2.54077.0. Also includes Dovetail Insert Adapter K4.48218.0 for use with 26mm camera dovetail shoes.	€ 3.600,00
K4.47299.0	<b>Cable for 6,6 Video Monitor (0.4m/1.3ft) KCV-2</b>	(spare) € 330,00
K2.54035.0	<b>2" Video Monitor, for NTSC</b> Academy Format only. A coiled cable (4-pin, combined video / power) is permanently attached. Mounts to 18.65mm shoe K2.54077.0.	€ 1.840,00
K2.54040.0	<b>2" Video Monitor, for PAL</b> Academy Format only. A coiled cable (4-pin, combined video / power) is permanently attached. Mounts to 18.65mm shoe K2.54077.0.	€ 1.840,00
K2.54077.0	<b>3/8" Accessory Shoe Adapter, 18.65mm square</b> Attaches via 3/8" UNC thread with two locating pins for stability. For use with ARRI 18,65mm shoe-mounted accessories. With 435, attaches to camera carrying handle; the handle must have locating pin holes.	€ 130,00
K2.54030.0	<b>Accessory Shoe Expander, 18.65mm square</b> Attaches to 18,65mm ARRI shoe, allows for attachment of two 18,65mm ARRI shoe-mounted accessories.	€ 240,00
K2.47289.0	<b>Dovetail shoe for 435 camera side mount</b> 26mm dovetail shoe, attaches to right side of 435 camera via M4 thread with two locating pins for stability. For use with 26mm dovetail inserts.	€ 90,00
K4.47125.0	<b>Dovetail shoe for 435 handle mount</b> 26mm dovetail shoe, attaches to right side of 435 camera via 3/8" UNC thread with keeper ridge to prevent twisting. For use with 26mm dovetail inserts.	€ 123,00
K4.48218.0	<b>Dovetail Insert Adapter</b> For use with 18.65mm square shoe mounted accessories in 26mm dovetail shoes.	€ 180,00

## ARRIFLEX 435 XTREME

Power Supplies, Electronic Accessories

Ident. No.	Description	Price / EURO
	<b>BLOCK BATTERY</b>	
K2.41950.0	<b>24V / 7Ah NC Block Battery (NC24/7R)</b> switchable to 12V / 14Ah (12V outlet has 5 pins)	€ 1.100,00
K2.42010.0	<b>Battery charger NCL 24 R</b> for Block Battery K2.41950.0	€ 1.000,00
	<b>MAINS POWER SUPPLY</b>	
K2.47351.0	<b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin, 115-120V/60Hz, 220-240V/50Hz	€ 1.440,00
	<b>24 VOLT POWER CABLES</b>	
K2.41966.0	<b>Power cable straight KC-20</b> 2m long, for 3-pin 24V outlet	€ 130,00
K2.44693.0	<b>Power cable coiled KC-29</b> for 3-pin 24V outlet	€ 160,00
	<b>ELECTRONIC ACCESSORIES</b>	
K2.52038.0	<b>CHS-2 Module</b> (required for speeds above 130 fps)	€ 1.850,00
K2.54177.0	<b>Accessory Power Box (APB)</b> Provides additional 24V and 12V accessory power outlets. Must be powered with a splitter cable (Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62) from the camera battery or through a separate battery. Note: The Accessory Power Box can also be used on all other cameras.	€ 2.720,00
K2.54191.0	<b>Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62</b> Supplies camera and Accessory Power Box from one single battery. Use for maximum power from Accessory Power Box.	€ 700,00
K2.55013.0	<b>External Display (EXD-1)</b> An external display that duplicates the information of the camera mounted display; connects to CCU socket. Includes MODE, SEL, SET, RUN and PHASE buttons. External Display to CCU cable (K4.65207.0) is included with display. For use with 435 cameras, Function Expansion Module FEM-1 (discontinued) or FEM-2 (435 Advanced, 435 Extreme) must be present. For flexible mounting of external display to any 3/8"-16 UNC threaded hole, Universal Mounting Arm UMA-120 (K2.65020.0) is recommended.	€ 1.330,00
K2.65020.0	<b>Universal Mounting Arm UMA-120</b> Articulated accessory holder arm, 120mm / 4.7" long, with two swivel ball joints and one elbow joint. Has combination fastener system for use with plain 3/8"-16 UNC threaded holes or ARRI 3/8-16" mounting points with locating pins.	€ 350,00
K2.47098.0	<b>Work light for 435</b> when used with IVS, extension K2.47136.0 required in addition	€ 340,00
K2.47136.0	<b>Extension for Standard handgrip or 435 Worklight</b>	€ 110,00
K2.52003.0	<b>12V Splitter box</b> with two 12 V outputs, 11-pin	€ 530,00
K2.52001.0	<b>24 V Plug-on module</b> with two 24V outputs, 3-pin and run/stop switch	€ 660,00
K2.46942.0	<b>Remote Switch RS-4</b> Remote camera run/stop. Unit has universal clip mechanism for attachment to tripod head pan bar or other round object. Connects via RS socket.	€ 490,00
K2.47207.0	<b>KC-40 Extension Cable(3m/9 ft)</b> for RS-4	€ 180,00
K2.47294.0	<b>SMPTE Time Code Module</b> for 435/435 ES and 435 Advanced	€ 1.340,00
K4.48347.0	<b>Update Cable for 435</b>	€ 240,00

## ARRIFLEX 435 XTREME

Camera Control

Ident. No.	Description	Price / EURO
	<b>CAMERA SPEED CONTROL</b>	
	When using speed controls with 435 cameras, a Function Expansion Module (FEM) must be present.	
K2.47197.0	<b>Remote Control Unit (RCU-1)</b> A wired remote with LCD display; connects to CCU socket. Allows manual and automatic control of frame rate, shutter angle and ramps. Control of shutter angle only for cameras with electronically adjustable mirror shutters. For use with 435 cameras, Function Expansion Module FEM-1 (discontinued) or FEM-2 (435 Advanced, 435 Xtreme) must be present. Includes RCU cable (1.5m/5feet) KC-39 (K4.47329.0). Note: RCU-1 does not support the fast ramping or 0.1 fps modes offered by 435 Advanced or 435 Xtreme; for these features, the Wireless Remote Control WRC-1 should be used. See Wireless Remote System for details.	€ 2.680,00
K4.47329.0	<b>RCU Cable Short (1.5m/5feet) KC-39</b>	(spare) € 230,00
K2.47350.0	<b>RCU Cable Long (20m/60feet) KC-41</b> Connects the Remote Control Unit (RCU-1) to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.	€ 320,00
K2.47148.0	<b>Variable Speed Unit VSU-4</b>  Allows for variable camera speed control via handwheel, speed limit settings, and remote RUN/STOP. Connects to ACC Connector. For use with 435 cameras, Function Expansion Module FEM-1 (discontinued) or FEM-2 (435 Advanced, 435 Xtreme) must be present.  For other speed control and ramping options, see Wireless Remote System - Wireless Remote Control WRC-1.	€ 990,00
	<b>MONITOR SYNCHRONIZATION</b>	
K2.46006.0	<b>External Sync Unit ESU-1</b>  Allows for external synchronization of camera to other equipment such as CRT monitors. Includes Pickup (frequency sensor) Box (K4.43313.0) and connection cable KC-32-S for pickup box (K4.43536.0). Camera-side connection via included cable KC-33-S (K4.43567.0) to ACC connector. When used with 435 cameras, a Function Expansion Module (FEM) must be present.	€ 3.210,00
	<b>MOTION CONTROL</b>	
K2.52138.0	<b>Motion Control Interface MCI</b> for 435 Xtreme	€ 10.660,00
K2.52145.0	<b>Motion Control Adapter MCA-1</b>	€ 930,00
K2.52147.0	<b>Cable K-MCI-ICS</b> connects single frame capping shutter with MCI	€ 340,00
K2.52211.0	<b>Cable K-MCI-ICS WS</b> connects single frame capping shutter with MCI angled Fisher connector	€ 420,00
K2.52148.0	<b>Cable K-Kuper-MCA</b> from Kuper to MCA-1	€ 320,00
K2.52149.0	<b>Cable K-MCI-MCA</b> from MCA-1 to MCI-1	€ 270,00
K2.52212.0	<b>Cable K-MCA-1-MCI-1 WS</b> connector on MCI side (angled Fischer connector)	€ 330,00

## ARRIFLEX 435 XTREME

Camera Control

Ident. No.	Description	Price / EURO
<b>SINGLE FRAME UNITS</b>		
K2.52043.0	<b>Single frame hand controller</b>	€ 3.200,00
K2.52044.0	<b>Conversion kit for single frame</b> (included in ARRIFLEX 435 ADVANCED)	€ 830,00
K2.52045.0	<b>Integrated Capping Shutter (ICS)</b> for 4 perforation cameras	€ 9.500,00
K2.52235.0	<b>Integrated Capping Shutter (ICS)</b> for 3 perforation cameras, incl. two masks	€ 11.830,00
K4.52347.0	<b>SF-C1-S cable</b> between ICS and hand controller	(spare) € 210,00
K4.55767.0	<b>IC-C2-S cable</b> between ICS and camera	(spare) € 180,00
K2.52069.0	<b>SF-L1-S cable</b> for Ashai Pentax Spotmeter (optional)	€ 180,00
<b>APERTURE FORMAT MASKS FOR SINGLE FRAME</b>		
K2.52057.0	<b>ICS Mask Academy 1.37</b>	€ 160,00
K2.52058.0	<b>ICS Mask (2x) 2.35</b>	€ 160,00
K2.52059.0	<b>ICS Mask Universal</b>	€ 160,00
K2.52060.0	<b>ICS Mask 1.66</b>	€ 160,00
K2.52061.0	<b>ICS Mask 1.85</b>	€ 160,00
K2.52062.0	<b>ICS Mask 18x24 1.33</b>	€ 160,00
K2.52063.0	<b>ICS Mask S35 / 2.35</b>	€ 160,00
K2.52064.0	* <b>ICS Mask S35 / 1.85</b>	€ 160,00
K2.52065.0	<b>ICS Mask HDTV S 35/ 1.78</b>	€ 160,00
K2.52066.0	* <b>ICS Mask HDTV / 1.78</b>	€ 160,00
K2.52067.0	* <b>ICS Mask S35 / 1.66</b>	€ 160,00
K2.52068.0	* <b>ICS Mask S35 ASYM / 2.35</b>	€ 160,00

## ARRIFLEX 435 XTREME

Camera Control

Ident. No.	Description		Price / EURO
K2.55022.0	<b>HAND CRANK FOR 435</b> <b>435 Hand Crank HC-1</b> An external controller that is used with a lever (not included, ARRIHEAD hand wheels can be used) and that will run the 435 Xtreme or 435 Advanced at the speed at which the lever is turned to achieve a historic hand cranked look. Note: FEM not needed. Includes Hand Crank Cable KC 106-S.	NEW	€ 6.250,00
K4.65321.0	<b>Hand Crank Cable (2m/6ft) KC 106-S</b> Connects Hand Crank HC-1 to 26 pin motion control socket on ARRIFLEX 435 Xtreme or 435 Advanced.	spare	€ 420,00
K2.55018.0	<b>Hand Crank Support</b> With the Hand Crank Support the Hand Crank HC-1 can be mounted to the 435 in place of the Shoulder Pad		€ 285,00
K0.60033.0	<b>TIMING SHIFT BOX FOR 435</b> <b>435 Timing Shift Box Set (requires 435 Software Update)</b> Consists of: 435 Timing Shift Box, MCB Cable Adapter, 435 TSB cable		€ 3.245,00
K2.47399.0	<b>435 Timing Shift Box TSB (requires 435 Software Update)</b> Adjusts timing between mirror shutter and movement for a streaking effect. Attaches via MCB Cable Adapter (K2.52213.0) and 435 TSB Cable (K2.65076.0) to 435 Xtreme or 435 Advanced.		€ 2.410,00
K2.52213.0	<b>MCB Cable Adapter</b> Attaches to Manual Control Box, Timing Shift Box or 435 Timing Shift Box. Connects Manual Control Box or ARRICAM Timing Shift Box via Speed Control Box Remote Cable (K2.54160.0, K2. 54128.0 or K2.54131.0) to Studio or Lite CAC connector. Connects 435 Timing Shift Box via 435 TSB Cable (K2.65076.0) to 435 Advanced or Xtreme.		€ 550,00
K2.65076.0	<b>435 TSB Cable (3m/9ft) KC 120-S</b> Connects MCB Cable Adapter to 11 pin Fischer socket. Compatible with 435 Xtreme and 435 Advanced.		€ 285,00

## ARRIFLEX 435 XTREME

Accessories and Cases

Ident. No.	Description	Price / EURO
	<b>SUPPORT SYSTEMS - BRIDGE PLATES - SETS</b>	
K2.47090.0	<b>Set Bridge Plate BP-8 for 19mm rods</b>  With adjustment for N35 / S35. Includes Bridge Plate K4.47460.0, Base Plate K4.54362.0 and one pair of 440mm support rods (K5.42904.0) Has rosette for accessory or handgrip.	€ 1.060,00
K2.47091.0	<b>Set Bridge Plate BP-9 for 15mm rods</b>  With adjustment for N35 / S35. Includes Bridge Plate K4.47461.0, Base Plate K4.54362.0 and one pair of 440mm support rods (K5.21957.0) Has rosette for accessory or handgrip.  <b>For separate Bridge Plate components and other support rod options, see Camera Accessories -- Bridge Plates and Support Rods</b>	€ 1.060,00
	<b>HANDHELD</b>	
K2.47093.0	<b>Shoulder set S-4</b>  with left and right grips and run/stop switch via cable to RS port. Shoulder cushion not included.	€ 1.600,00
K4.46446.0	<b>Shoulder cushion</b> for shoulder set S-4	€ 200,00
K2.45886.0	<b>Standard Arriflex right-hand camera handgrip</b> with run/stop switch via cable to RS port. Not needed with K2.47093.0	€ 580,00
K2.47136.0	<b>Extension for Standard handgrip or 435 Worklight</b> for use with K2.45886.0	€ 110,00
	<b>ADAPTERS AND BRACKETRY</b>	
K2.47289.0	<b>Dovetail shoe for 435 camera side mount</b> 26mm dovetail shoe, attaches to right side of 435 camera via M4 thread with two locating pins for stability. For use with 26mm dovetail inserts.	€ 90,00
K4.47125.0	<b>Dovetail shoe for 435 handle mount</b> 26mm dovetail shoe, attaches to right side of 435 camera via 3/8" UNC thread with keeper ridge to prevent twisting. For use with 26mm dovetail inserts.	€ 123,00
K2.52016.0	<b>Accessory cube</b> Has five 3/8"-UNC threads, attaches attaches to right side of 435 camera via M4 thread with two locating pins for stability.	€ 130,00
K2.65020.0	<b>Universal Mounting Arm UMA-120</b> Articulated accessory holder arm, 120mm / 4.7" long, with two swivel ball joints and one elbow joint. Has combination fastener system for use with plain 3/8"-16 UNC threaded holes or ARRI 3/8-16" mounting points with locating pins.	€ 350,00
	<b>Other shoes and brackets under Support Systems -- Accessory Mounting Hardware.</b>	
	<b>TRANSPORT CASES</b>	
K2.49077.0	<b>Camera transport case, alum.</b> for ARRIFLEX 435	€ 830,00
K2.49078.0	<b>Magazine transport case, alum.</b> for four 120m/400ft magazines	€ 770,00
K2.47308.0	<b>Magazine transport case, alum.</b> for one 300m/1000ft magazines	€ 650,00
K2.47309.0	<b>Magazine transport case, alum.</b> for two 300m/1000ft magazines	€ 700,00
K2.47117.0	<b>Magazine transport case, alum.</b> for two 120m/400ft Steadicam magazines	€ 660,00

## ARRIFLEX 535 B

Cameras, Ground Glasses, ARRIGLOW-Masks and Magazines

Ident. No.	Description	Price / EURO
K0.59986.0	<b>ARRIFLEX 535 B</b> 35 mm silent production camera Frame rate 3-60 fps forw./rev. - Manually adjustable mirror shutter 11.2-180° - PL mount relocatable for Super 35 - Viewfinder with super wide angle eyepiece (10 x) - Filmgate, gel filterholder and Universal Aperture Format Mask (S-35 DIN) ARRI Time code recording possible	€ 117.500,00
K0.59986.C	<b>ARRIFLEX 535 B ANAM.</b> as described under K0.59986.0 but with anamorphic viewfinder AVF-1	€ 122.200,00
K2.47392.0	<b>Aperture Format Mask Set</b> for Academy and Super 35 Format (DIN) OPTIONAL! For individual masks refer to the ARRI Web Site	€ 930,00
K0.59986.B	<b>ARRIFLEX 535 B 3- PERFORATION</b> 35 mm silent production camera Frame rate 3-60 fps forw./rev. - Manually adjustable mirror shutter 11.2-180° - PL mount relocatable for Super 35 - Viewfinder with super wide angle eyepiece (10 x) - 3 perforation Filmgate Academy Format ARRI Time code recording possible	€ 117.500,00
K4.47760.0	<b>3 perforation conversion kit for 535 B</b> with 3 perforation Film gate (Academy Format). For conversion please contact ARRI	€ 32.950,00
K2.47375.0	<b>3 perforation Filmgate</b> (ANSI Standard 24.9mm x 14mm) Mask size compatible with ARRICAM Format Masks ARRI Timecode recording not possible	€ 2.120,00
	<b>MAGAZINES</b>	
K2.42528.0	<b>120m/400ft magazine</b> for 535/535B	€ 10.900,00
K2.42529.0	<b>300m/1000ft magazine</b> for 535/535B	€ 11.900,00
K2.47170.0	<b>120m/400ft steadicam magazine</b> for 535/535B	€ 8.860,00

## ARRIFLEX 535B

Ground Glasses - Also compatible with ARRIFLEX 235 and ARRIFLEX 435

Ident. No.	Description	Price / EURO
K2.47397.0	<b>Blank Ground Glass for all Formats</b>	520,00
	<b>GROUND GLASSES ACADEMY 35</b>	
	Maximum camera aperture: 22mm x 16mm / 0.866" x 0.630"	
K2.44420.0	<b>Normal format 1:1.37</b>	€ 520,00
K2.44420.A	<b>Wide screen format 1:1.66</b>	€ 520,00
K2.44420.B	<b>Wide screen format 1:1.85</b>	€ 520,00
K2.44420.C	<b>Scope (F2) format 1:2.35</b>	€ 520,00
K2.44420.D	<b>TV-ISO-format 1:1.33</b>	€ 520,00
K2.44420.K	<b>Combined format 1.37/1.85</b>	€ 520,00
K2.44420.L	<b>Combined format 1.37/1.85/TV</b>	€ 520,00
K2.44420.M	<b>Combined format 1.37/1.66</b>	€ 520,00
K2.44420.N	<b>Combined format 1.37/1.66/TV</b>	€ 520,00
K2.44420.P	<b>Combined format 1.66/TV</b>	€ 520,00
K2.44420.S	<b>Combined format 1.85/TV</b>	€ 520,00
K2.44420.V	<b>Combined format 1.66/1.85</b>	€ 520,00
K2.44420.X	<b>HDTV 1:1.78</b>	€ 520,00
K2.41200.D	<b>Combined format 1.78/1.55/1.33</b>	€ 520,00
	<b>GROUND GLASSES DIN SUPER 35</b>	
	Maximum camera aperture: 24mm x 18mm / 0.944" x 0.7087"	
K2.44420.E	<b>S35 Full aperture format 1:1.33</b>	€ 520,00
K2.44420.F	<b>S35 Format 1:2.35</b>	€ 520,00
K2.44420.G	<b>S35 Wide screen format 1:1.85</b>	€ 520,00
K2.44420.H	<b>S35 Combined format 2.35/1.85</b>	€ 520,00
K2.44420.I	<b>S35 Combined format 1.85/TV</b>	€ 520,00
K2.44420.W	<b>S35 centric 1:2.35</b>	€ 520,00
K2.44420.2	<b>S35 HDTV 1:1.78</b>	€ 520,00
K2.41200.F	<b>S35 TV-Safe</b>	€ 520,00
	<b>GROUND GLASSES ANSI SUPER 35</b>	
	Maximum camera aperture: 24.9mm x 18.7mm / 0.980" x 0.7362"	
K2.47433.0	<b>S35 Silent 1.33</b>	€ 520,00
K2.47413.0	<b>S35 TV 1,33 safe</b>	€ 520,00
K2.47414.0	<b>S35 TV 1.78 transmitted</b>	€ 520,00
K2.47410.0	<b>S35 TV 1.78+TV 1,33 transmitted</b>	€ 520,00
K2.47415.0	<b>S35 TV 1.78 safe</b>	€ 520,00
K2.47419.0	<b>S35 1.78 + 1.55 + 1.33 CGG</b>	€ 520,00
K2.47409.0	<b>S35 1.85</b>	€ 520,00
K2.47411.0	* <b>S35 2.35 + 1,85+TV 1,33 transm.</b>	€ 520,00
K2.47416.0	<b>S35 2.35 centric</b>	€ 520,00
K2.47417.0	<b>S35 2.35 + 1.85 1/4 offset</b>	€ 520,00
K2.47420.0	<b>S35 2.35 + 1.85 centric</b>	€ 520,00
K2.47418.0	<b>S35 2.35 + 1.85 common top</b>	€ 520,00
K2.47412.0	<b>3P-S35 TV 1.78+TV 1,33 transm.</b>	€ 520,00

## ARRIFLEX 535B

ARRIGLOW -- Masks also compatible with ARRIFLEX 435

Ident. No.	Description	Price / EURO
<b>ACADEMY ARRIGLOW MASKS</b>		
K2.47004.3	<b>Mask 1.37</b> for ground glass K2.44420.0	€ 160,00
K2.47058.3	<b>Mask 1.37, 1.66</b> for ground glass K2.44420.M	€ 160,00
K2.47057.S	<b>Mask 1.37, 1.66 TV</b> for ground glass K2.44420.N	€ 160,00
K2.46435.3	<b>Mask 1.37, 1.85</b> for ground glass K2.44420.K	€ 160,00
K2.47055.S	<b>Mask 1.37, 1.85 TV</b> for ground glass K2.44420.L	€ 160,00
K2.47013.S	<b>Mask TV-ISO</b> for ground glass K2.44420.D	€ 160,00
K2.47012.3	<b>Mask 1.66</b> for ground glass K2.44420.A	€ 160,00
K2.47016.S	<b>Mask 1.66 TV</b> for ground glass K2.44420.P	€ 160,00
K2.47017.3	<b>Mask 1.66/1.85</b> for ground glass K2.44420.V	€ 160,00
K2.47007.3	<b>Mask 1.78</b> for ground glass K2.44420.X	€ 160,00
K2.47283.3	<b>Mask 1.78/1.55/1.33</b> for ground glass K2.41200.D	€ 160,00
K2.47011.3	<b>Mask 1.85</b> for ground glass K2.44420.B	€ 160,00
K2.47015.S	<b>Mask 1.85 TV</b> for ground glass K2.44420.S	€ 160,00
K2.47006.3	<b>Mask 2.35</b> for ground glass K2.44420.C	€ 160,00
<b>ARRIGLOW MASKS DIN SUPER-35</b>		
K2.47005.3	<b>Mask Silent (S35)</b> for ground glass K2.44420.E	€ 160,00
K2.47281.3	<b>Mask TV Safe (S 35)</b> for ground glass K2.41200.F	€ 160,00
K2.47008.3	<b>Mask 1.78 (S 35)</b> for ground glass K2.44420.2	€ 160,00
K2.47282.3	<b>Mask 1.78/1.55/1.33 (S 35)</b> for ground glass K2.41200.C	€ 160,00
K2.47009.3	<b>Mask 1.85 (S 35)</b> for ground glass K2.44420.G	€ 160,00
K2.47059.3	<b>Mask 1.85 TV (S 35)</b> for ground glass K2.44420.I	€ 160,00
K2.47172.3	<b>Mask 1.85/2.35 (S 35)</b> for ground glass K2.44420.H	€ 160,00
K2.47018.3	<b>Mask 2.35 (S 35)</b> for ground glass K2.44420.F	€ 160,00
K2.47035.3	<b>Mask 2.35 centric (S 35)</b> for ground glass K2.44420.W	€ 160,00

## ARRIFLEX 535B

ARRIGLOW -- Masks also compatible with ARRIFLEX 435

Ident. No.	Description	Price / EURO
	<b>ARRIGLOW MASKS ANSI SUPER-35</b>	
K2.47434.0	<b>Mask S35 silent 1.33</b> for ground glass K2.47433.0	€ 160,00
K2.47425.0	<b>Mask S35 TV 1,33 safe</b> for ground glass K2.47413.0	€ 160,00
K2.47426.0	<b>Mask S35 TV 1.78 transmitted</b> for ground glass K2.47414.0	€ 160,00
K2.47422.0	<b>Mask S35 TV 1.78+TV 1,33 transm.</b> for ground glass K2.47410.0	€ 160,00
K2.47427.0	<b>Mask S35 TV 1.78 safe</b> for ground glass K2.47415.0	€ 160,00
K2.47431.0	<b>Mask S35 1.78 + 1.55 + 1.33 CGG</b> for ground glass K2.47419.0	€ 160,00
K2.47421.0	<b>Mask S35 1.85</b> for ground glass K2.47409.0	€ 160,00
K2.47423.0	* <b>Mask S35 2.35 + 1.85+TV</b> for ground glass K2.47411.0	€ 160,00
K2.47428.0	<b>Mask S35 2,35 centric</b> for ground glass K2.47416.0	€ 160,00
K2.47429.0	<b>Mask S35 2.35 + 1.85 1/4 offset</b> for ground glass K2.47417.0	€ 160,00
K2.47432.0	<b>Mask S35 2.35 + 1.85 centric</b> for ground glass K2.47420.0	€ 160,00
K2.47430.0	<b>Mask S35 2.35 + 1.85 common top</b> for ground glass K2.47418.0	€ 160,00
K2.47424.0	<b>Mask 3P-S35TV 1.78+TV 1,33 transm.</b> for ground glass K2.47412.0	€ 160,00

## ARRIFLEX 535 B

Viewfinders and Accessories; Integrated Video System IVS; Video Monitors; Power Supply

Ident. No.	Description	Price / EURO
<b>EYEPIECE AND VIEWFINDER EXTENSIONS</b>		
K2.41822.0	<b>Super wide angle eyepiece(10 x)</b>	€ 2.680,00
K2.47081.0	<b>Wide angle eyepiece (8 x)</b>	€ 2.680,00
K2.47082.0	<b>Finder extender FE-3 (295 mm)</b>	€ 4.120,00
K2.47304.0	<b>Finder extender FE-5 (200 mm)</b>	€ 3.350,00
K2.42533.0	<b>Eyepiece leveler EL-3</b>	€ 400,00
K2.42210.0	<b>Heated eyecup HE-4 (new version)</b> A robust heated eyecup with 2 power settings. Includes cable KC-27 (K4.44549.0) 2-pin	€ 1.010,00
K2.47087.0	<b>Anamorphic finder AVF-1</b> for ARRIFLEX 535B	€ 11.030,00
K2.47216.0	<b>Cable "Bowden" for AVF-1 and AVF-2</b> necessary if used with viewfinder extension FE-3	€ 780,00
K2.47217.0	<b>Support right for AVF-1</b> necessary to keep image position horizontal	€ 300,00
<b>INTEGRATED VIDEO SYSTEM IVS</b>		
K2.47306.0	<b>Vidoelectronic PAL</b>	€ 10.280,00
K2.47307.0	<b>Vidoelectronic NTSC</b>	€ 10.280,00
K2.47298.0	<b>Optic Silent</b>	€ 1.550,00
K2.47301.0	<b>Optic Academy</b>	€ 1.550,00
<b>VIDEO TOP</b>		
K2.47363.0	<b>100 % Video top (IVS)</b> for integrated video system IVS for operation without viewfinder system For details on Low Mode Support and accessories refer to ARRIFLEX 535 -	€ 4.030,00
<b>VIDEO MONITORS</b>		
K2.54031.0	<b>6.6" Video Monitor</b> Automatically switches for PAL and NTSC. Includes cable KCV-2 (K4.47299.0) for 4-pin combined video / power socket. Includes integrated swivel arm with 18.65mm shoe base and Dovetail Insert Adapter K4.48218.0 for use with 26mm dovetail shoe on side of 535.	€ 3.600,00
K4.47299.0	<b>Cable for 6,6 Video Monitor (0.4m/1.3ft) KCV-2</b>	(spare) € 330,00
K2.54035.0	<b>2" Video Monitor, for NTSC</b> Academy Format only. A coiled cable is permanently attached. Attaches to 18.65mm shoe K2.54077.0. For use with 535B, Adapter K4.48218.0 is required.	€ 1.840,00
K2.54040.0	<b>2" Video Monitor, for PAL</b> Academy Format only. A coiled cable is permanently attached. Attaches to 18.65mm shoe K2.54077.0. For use with 535B, Adapter K4.48218.0 is required.	€ 1.840,00
K2.52083.0	<b>Dovetail Shoe, 3/8" thread</b> All purpose 26mm dovetail shoe. Can be attached to 3/8" thread mounting points having standard ARRI Ø15,5mm counterbore. For use with 26mm dovetail inserts.	€ 110,00
K4.48218.0	<b>Dovetail Insert Adapter</b> For use with 18.65mm shoe mounted accessories in 26mm dovetail shoes.	€ 180,00

## ARRIFLEX 535 B

Power Supplies; Accessories and Cases

Ident. No.	Description	Price / EURO
	<b>BLOCK BATTERY</b>	
K2.41950.0	<b>24V / 7Ah NC Block Battery (NC24/7R)</b> switchable to 12V / 14Ah (12V outlet has 5 pins)	€ 1.100,00
K2.42010.0	<b>Battery charger NCL 24 R</b> for Block Battery K2.41950.0	€ 1.000,00
	<b>MAINS POWER SUPPLY</b>	
K2.47351.0	<b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin, 115-120V/60Hz, 220-240V/50Hz	€ 1.440,00
	<b>24 VOLT POWER CABLES</b>	
K2.41966.0	<b>Power cable straight KC-20</b> 2m long, for 3-pin 24V outlet	€ 130,00
K2.44693.0	<b>Power cable coiled KC-29</b> for 3-pin 24V outlet	€ 160,00
	<b>SUPPORT SYSTEMS - BRIDGE PLATES - SETS</b>	
K2.42537.0	<b>Set Bridge Plate BP-5 for 19mm rods</b>  With adjustment for N35 / S35. Includes Bridge Plate K4.42890.0, Base Plate K4.54362.0 and one pair of 440mm support rods (K5.42904.0). Has rosette for accessory or handgrip.	€ 1.200,00
K2.35900.A	<b>Bridge Plate BP-3 for 15mm rods</b> With adjustment for N35 / S35. Includes Bridge Plate K4.34996.0, Base Plate K4.54362.0 and one pair of 440mm support rods (K5.21957.0)	€ 1.060,00
	<b>For separate Bridge Plate components and other support rod options, see Camera Accessories -- Bridge Plates and Support Rods</b>	
	<b>LOW MODE SUPPORT AND ACCESSORIES</b>	
K2.47364.0	<b>Low Mode Support 535B (IVS)</b> for Steadicam and Video top (K2.47363.0)	€ 800,00
K4.47551.0	<b>Plate for Low Mode Support</b> for K2.47194.0 and K2.47364.0	€ 350,00
K4.48073.0	<b>Front bracket</b> for K2.47364.0	€ 250,00
K2.47369.0	<b>Support rod bracket</b> for use with two 15mm support rods on LWS centers	€ 300,00
	<b>HANDHELD FOR 535B</b>	
K2.46450.0	<b>Shoulder Set S-2, adjustable</b> with left and right grips, shoulder cushion and run/stop switch via cable to RS port.	€ 1.920,00
K2.45886.0	<b>Standard Arriflex right-hand camera handgrip</b> with run/stop switch via cable to RS port. Not needed with K2.46450.0	€ 580,00
K2.47136.0	<b>Extension for Standard handgrip</b> for use with K2.45886.0	€ 110,00

## ARRIFLEX 535 B

### Accessories and Cases

Ident. No.	Description	Price / EURO
	<b>ELECTRONIC ACCESSORIES FOR 535B</b>	
K2.54177.0	<b>Accessory Power Box (APB)</b> Provides additional 24V and 12V accessory power outlets. Must be powered with a splitter cable (Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62) from the camera battery or through a separate battery. Note: The Accessory Power Box can also be used on all other cameras.	€ 2.720,00
K2.54191.0	<b>Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62</b> Supplies camera and Accessory Power Box from one single battery. Use for maximum power from Accessory Power Box.	€ 700,00
K2.55013.0	<b>External Display (EXD-1)</b> An external display that duplicates the information of the camera mounted display; connects to REMOTE socket when used with 235 (CCU with other cameras). Includes MODE, SEL, SET, RUN and PHASE buttons. External Display to CCU/REMOTE cable (K4.65207.0) is included with display. For flexible mounting of external display to any 3/8"-16 UNC threaded hole, Universal Mounting Arm UMA-120 (K2.65020.0) is recommended.	€ 1.330,00
K2.65020.0	<b>Universal Mounting Arm UMA-120</b> Articulated accessory holder arm, 120mm / 4.7" long, with two swivel ball joints and one elbow joint. Has combination fastener system for use with plain 3/8"-16 UNC threaded holes or ARRI 3/8-16" mounting points with locating pins.	€ 350,00
K2.44274.0	<b>SMPTE Time Code Module</b> for 535/535B camera	€ 1.180,00
K2.47045.0	<b>Work light WL-3 for 535B</b> Attaches to camera right-side dovetail shoe.	€ 320,00
K2.46942.0	<b>Remote Switch RS-4: also compatible with ARRICAM, 235, 435 and 16SR3</b> Remote camera run/stop. Unit has universal clip mechanism for attachment to tripod head pan bar or other round object. Connects via RS socket.	€ 490,00
K2.47207.0	<b>KC-40 Extension Cable(3m/9 ft)</b> for RS-4	€ 180,00
	<b>CAMERA SPEED CONTROL</b>	
K2.47197.0	<b>Remote Control Unit 1 (RCU-1)</b> A wired remote with LCD display. Connects to CCU connector (435, 535B, 16SR3) or REMOTE connector (235). Allows manual and automatic control of frame rate, shutter angle and ramps. Control of shutter angle only for cameras with electronically adjustable mirror shutters. Includes RCU cable (1.5m/5feet) KC-39 (K4.47329.0).	€ 2.680,00
K4.47329.0	<b>RCU Cable Short (1.5m/5feet) KC-39</b> (spare) Connects the Remote Control Unit (RCU-1) to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.	€ 230,00
K2.47350.0	<b>RCU Cable Long (20m/60feet) KC-41</b> Connects the Remote Control Unit (RCU-1) to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.	€ 320,00
K2.47148.0	<b>Variable Speed Unit VSU-4</b> Allows for variable camera speed control via handwheel, speed limit settings, and remote RUN/STOP. Connects to ACC Connector. For other speed control and ramping options, see Wireless Remote System - Wireless Remote Control WRC-1.	€ 990,00
	<b>MONITOR SYNCHRONIZATION</b>	
K2.46006.0	<b>External Sync Unit ESU-1</b> Allows for external synchronization of camera to other equipment such as CRT monitors. Includes Pickup (frequency sensor) Box (K4.43313.0) and connection cable KC-32-S for pickup box (K4.43536.0). Camera-side connection via included cable KC-33-S (K4.43567.0) to ACC connector.	€ 3.210,00

## ARRIFLEX 535 B

Accessories and Cases

Ident. No.	Description	Price / EURO
<b>TRANSPORT CASES</b>		
K2.47135.0	<b>Camera transport case, alum.</b> for ARRIFLEX 535B	€ 890,00
K2.44772.0	<b>Magazine transport case, alum.</b> for two 120m/400ft magazines	€ 660,00
K2.47191.0	<b>Magazine transport case, alum.</b> for two LM-1 magazines	€ 660,00
K2.44770.0	<b>Magazine transport case, alum.</b> for one 300m/1000ft magazine	€ 570,00
K2.44819.0	* <b>Magazine transport case, alum.</b> for two 300m/1000ft magazine	€ 690,00

## ARRICAM

### Cameras

Ident. No.	Description	Price / EURO
K0.60001.0	<p><b>ARRICAM Studio (ST)</b>            with Studio Viewfinder and 4 perforation movement            35mm silent production camera            with electronically adjustable shutter (0°-180°) and            crystal controlled motor (1-60 fps forwards, 1-32 fps reverse).            For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary.            Note: reverse run only with Studio magazines.            Movement with double pull-down claws and double registration pins            Camera price includes:            Studio Viewfinder (spherical)            Studio Eyepiece            Top Load Adapter            Film gate            Universal Aperture Format Mask (ANSI)            Gel filter holder for filmgate            Ground glass/ fieldlens tool            Toolset</p>	€ 158.600,00
K2.54179.0	<p><b>Aperture Format Mask Set (11 Masks) OPTIONAL!</b>            for individual masks refer to the ARRI Web Site</p>	€ 1.660,00
K0.60005.0	<p><b>ARRICAM Lite (LT)</b>            with Lite Viewfinder 2 and 4 Perforation movement            35mm lightweight production camera            with electronically adjustable shutter (0°-180°) and            crystal controlled motor (1-40 fps forwards, 1-32 fps reverse).            For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary,            Note: reverse run only with Studio magazines.            Movement with double pull-down claws and double registration pins  <b>Camera price includes:</b>            Lite Viewfinder 2 (spherical)            Lite Universal Eyepiece            Film gate            Universal Aperture Format Mask (ANSI)            Gel filter holder for filmgate            Ground glass/ fieldlens tool            Toolset</p>	€ 139.950,00
K2.54179.0	<p><b>Aperture Format Mask Set (11 Masks) OPTIONAL!</b>            for individual masks refer to the ARRI Web Site</p>	€ 1.660,00
K2.54165.0	<p><b>3 Perforation Conversion Kit</b>            3-perforation movement for Studio or Lite</p> <p><b>Includes:</b>            Film gate            Aperture Format Mask HDTV 1.78 3 perforation (ANSI)            Gel filter holder for filmgate</p> <p><b>For conversion please contact your local authorized ARRI Service Center</b></p>	€ 29.700,00

## ARRICAM

Cameras

Ident. No.	Description	Price / EURO
K0.60002.0	<p><b>ARRICAM Studio (ST)</b>            with Studio Universal Viewfinder and 4 perforation movement            35mm silent production camera            with electronically adjustable shutter (0°-180°)            crystal controlled motor (1-60 fps forwards, 1-32 fps reverse)            For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary.            Note: reverse run only with Studio magazines.            Movement with double pull-down claws and double registration pins</p> <p><b>Camera price includes:</b>            Studio Universal Viewfinder (spherical &amp; anamorphic)            Studio Eyepiece            Top Load Adapter            Film gate            Universal Aperture Format Mask (ANSI)            Gel filter holder for filmgate            Ground glass/ fieldlens tool            Toolset</p>	€ 164.600,00
K2.54179.0	<p><b>Aperture Format Mask Set (11 Masks) OPTIONAL!</b>            for individual masks refer to the ARRI Web Site</p>	€ 1.660,00
K0.60006.0	<p><b>ARRICAM Lite (LT)</b>            with Lite Universal Viewfinder and 4 perforation movement            35mm lightweight production camera            with electronically adjustable shutter (0°-180°)            crystal controlled motor (1-40 fps forwards, 1-32 fps reverse)            For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary,            Note: reverse run only with Studio magazines.            Movement with double pull-down claws and double registration pins</p> <p><b>Camera price includes:</b>            Lite Universal Viewfinder (spherical &amp; anamorphic)            Lite Universal Eyepiece            Film gate            Universal Aperture Format Mask (ANSI)            Gel filter holder for filmgate            Ground glass/ fieldlens tool            Toolset</p>	€ 142.200,00
K2.54179.0	<p><b>Aperture Format Mask Set (11 Masks) OPTIONAL!</b>            for individual masks refer to the ARRI Web Site</p>	€ 1.660,00
K2.54165.0	<p><b>3 Perforation Conversion Kit</b>            3-perforation movement for Studio or Lite</p> <p><b>Includes:</b>            Film gate            Aperture Format Mask HDTV 1.78 3 perforation (ANSI)            Gel filter holder for filmgate</p> <p><b>For conversion please contact your local authorized ARRI Service Center</b></p>	€ 29.700,00

## ARRICAM

### Cameras

Ident. No.	Description	Price / EURO
K0.60007.0	<p><b>ARRICAM Studio (ST)</b>            with Studio Viewfinder and 3 perforation movement            35mm silent production camera            with electronically adjustable shutter (0°-180°) and            crystal controlled motor (1-60 fps forwards, 1-32 fps reverse).            For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary.            Note: reverse run only with Studio magazines            Movement with double pull-down claws and double registration pins  <b>Camera price includes:</b>            Studio Viewfinder (spherical)            Studio Eyepiece            Top Load Adapter            Film gate            Aperture Format HDTV 1.78 3 perforation (ANSI)            Gel filter holder for filmgate            Ground glass/ fieldlens tool            Toolset</p>	€ 158.600,00
K2.47395.0	<p><b>Aperture Format Mask Set 3 perforation (2 Masks) OPTIONAL!</b>            for individual masks refer to the ARRI Web Site</p>	€ 800,00
K0.60008.0	<p><b>ARRICAM Lite (LT)</b>            with Lite Viewfinder 2 and 3 perforation movement            35mm lightweight production camera            with electronically adjustable shutter (0°-180°) and            crystal controlled motor (1-40 fps forwards, 1-32 fps reverse).            For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary,            Note: reverse run only with Studio magazines            Movement with double pull-down claws and double registration pins  <b>Camera price includes:</b>            Lite Viewfinder 2 (spherical)            Lite Universal Eyepiece            Film gate            Aperture Format Mask HDTV 1.78 3 perforation (ANSI)            Gel filter holder for filmgate            Ground glass/ fieldlens tool            Toolset</p>	€ 139.950,00
K2.47395.0	<p><b>Aperture Format Mask Set 3 perforation (2 Masks) OPTIONAL!</b>            for individual masks refer to the ARRI Web Site</p>	€ 800,00
K2.54183.0	<p><b>4 Perforation Conversion Kit</b>            4-perforation movement for Studio or Lite   <b>Includes:</b>            Film gate            Universal Aperture Format Mask (ANSI)            Gel filter holder for filmgate   <b>For conversion please contact your local authorized ARRI Service Center</b></p>	€ 29.700,00

## ARRICAM

Cameras

Ident. No.	Description	Price / EURO
K0.60009.0	<p><b>ARRICAM Studio (ST)</b>  <b>with Studio Universal Viewfinder and 3 perforation movement</b>            35mm silent production camera            with electronically adjustable shutter (0°-180°) and            crystal controlled motor (1-60 fps forwards, 1-32 fps reverse).            For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary.            Note: reverse run only with Studio magazines.            Movement with double pull-down claws and double registration pins            Camera price includes:            Studio Universal Viewfinder (spherical &amp; anamorphic)            Studio Eyepiece            Top Load Adapter            Film gate            Aperture Format Mask HDTV 1.78 3 perforation (ANSI)            Gel filter holder for filmgate            Ground glass/ fieldlens tool            Toolset</p>	€ 164.600,00
K2.47395.0	<p><b>Aperture Format Mask Set 3 perforation (2 Masks) OPTIONAL!</b>            for individual masks refer to the ARRI Web Site</p>	€ 800,00
K0.60010.0	<p><b>ARRICAM Lite (LT)</b>  <b>with Lite Universal Viewfinder and 3 perforation movement</b>            35mm lightweight production camera            with electronically adjustable shutter (0°-180°) and            crystal controlled motor (1-40 fps forwards, 1-32 fps reverse).            For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary,            Note: reverse run only with Studio magazines.            Movement with double pull-down claws and double registration pins            Camera price includes:            Lite Universal Viewfinder (spherical &amp; anamorphic)            Lite Universal Eyepiece            Film gate            Gel filter holder for film gate            Aperture Format Mask HDTV 1.78 3 perforation (ANSI)            Gel filter holder for filmgate            Ground glass/ fieldlens tool            Toolset</p>	€ 142.200,00
K2.47395.0	<p><b>Aperture Format Mask Set 3 perforation (2 Masks) OPTIONAL!</b>            for individual masks refer to the ARRI Web Site</p>	€ 800,00
K2.54183.0	<p><b>4 Perforation Conversion Kit</b>            4-perforation movement for Studio or Lite</p> <p><b>Includes:</b>            Film gate            Universal Aperture Format Mask (ANSI)            Gel filter holder for filmgate</p> <p><b>For conversion please contact your local authorized ARRI Service Center</b></p>	€ 29.700,00

## ARRICAM

### Ground Glasses

Ident. No.	Description	Price / EURO
<b>ARRICAM GROUND GLASSES (FOR STUDIO AND LITE CAMERA)</b>		
K2.54100.0	Academy TV 1,33 safe	€ 520,00
K2.54101.0	Academy 1,66	€ 520,00
K2.54102.0	Academy TV 1,78 transmitted	€ 520,00
K2.54086.0	Academy 1,78 + 1,55 + 1,33 CGG	€ 520,00
K2.54103.0	Academy 1,85	€ 520,00
K2.54104.0	Academy 1,85 + TV 1,33 safe	€ 520,00
K2.54000.0	Academy 1,37 + TV 1,33 safe	€ 520,00
K2.54058.0	Academy 1,66 + 1,37 + TV 1,33 safe	€ 520,00
K2.54059.0	Academy 1,85 + 1,37 + TV 1,33 safe	€ 520,00
K2.54084.0	Academy Scope (Factor 2) 2,35	€ 520,00
K2.54062.0	Academy 3P TV 1.33 safe/transmitted	€ 520,00
K2.54083.0	ANSI Super 35 Silent 1,33	€ 520,00
K2.54105.0	ANSI Super 35 TV 1,33 safe	€ 520,00
K2.54106.0	ANSI Super 35 TV 1,78 transmitted	€ 520,00
K2.54060.0	ANSI Super 35 TV 1,78 + TV 1,33 transmitted	€ 520,00
K2.54107.0	ANSI Super 35 TV 1,78 safe	€ 520,00
K2.54085.0	ANSI Super 35 1,78 + 1,55 + 1,33 CGG	€ 520,00
K2.54108.0	ANSI Super 35 1,85	€ 520,00
K2.54061.0	ANSI Super 35 2,35 + 1,85+TV 1,33 transmitted	€ 520,00
K2.54109.0	ANSI Super 35 2,35 centric	€ 520,00
K2.54110.0	ANSI Super 35 2,35 + 1,85 1/4 offset	€ 520,00
K2.54087.0	ANSI Super 35 2,35 + 1,85 centric	€ 520,00
K2.54111.0	ANSI Super 35 2,35 + 1,85 common top	€ 520,00
K2.54063.0	ANSI Super 35 3P TV 1,78+TV 1,33 transmitted	€ 520,00
K2.54142.0	Blank Ground Glass for all Formats	€ 520,00
K4.52685.0	Ground glass/fieldlens tool	net price € 30,00

## ARRICAM

### Frameglow Masks

Ident. No.	Description		Price / EURO
<b>MASKS FOR STUDIO MASK FRAMEGLOW (K2.54017.0) AND FOR LITE MASK FRAMEGLOW (K2.54037.0)</b>			
K2.54117.0	Academy TV 1,33 safe	K2.54100.0	€ 210,00
K2.54118.0	Academy 1,66	K2.54101.0	€ 210,00
K2.54113.0	Academy TV 1,78 transmitted	K2.54102.0	€ 210,00
K2.54090.0	Academy 1,78 + 1,55 + 1,33 CGG	K2.54086.0	€ 210,00
K2.54112.0	Academy 1,85	K2.54103.0	€ 210,00
K2.54120.0	Academy 1,85+ TV 1,33 safe	K2.54104.0	€ 210,00
K2.54051.0	Academy 1,37 + TV 1,33 safe	K2.54000.0	€ 210,00
K2.54052.0	Academy 1,66 + 1,37 + TV 1,33 safe	K2.54058.0	€ 210,00
K2.54053.0	Academy 1,85 + 1,37 + TV 1,33 safe	K2.54059.0	€ 210,00
K2.54123.0	Academy Scope (Factor 2) 2,35	K2.54084.0	€ 210,00
K2.54056.0	Academy 3P TV 1,33 safe/transmitted	K2.54062.0	€ 210,00
K2.54119.0	ANSI Super 35 Silent 1,33	K2.54083.0	€ 210,00
K2.54121.0	ANSI Super 35 TV 1,33 safe	K2.54105.0	€ 210,00
K2.54122.0	ANSI Super 35 TV 1,78 transmitted	K2.54106.0	€ 210,00
K2.54054.0	ANSI Super 35 TV 1,78+TV 1,33 transmitted	K2.54060.0	€ 210,00
K2.54115.0	ANSI Super 35 TV 1,78 safe	K2.54107.0	€ 210,00
K2.54089.0	ANSI Super 35 1,78 + 1,55 + 1,33 CGG	K2.54085.0	€ 210,00
K2.54114.0	ANSI Super 35 1,85	K2.54108.0	€ 210,00
K2.54092.0	ANSI Super 35 2,35 centric	K2.54109.0	€ 210,00
K2.54091.0	ANSI Super 35 2,35 + 1,85 centric	K2.54087.0	€ 210,00
K2.54057.0	ANSI Super 35 3P TV 1,78 + TV 1,33 transmitted	K2.54063.0	€ 210,00
K2.54141.0	Mask blank		€ 210,00
<b>MASKS FOR STUDIO MASK FRAMEGLOW (K2.54017.0) ONLY</b>			
K2.54055.0	ANSI Super 35 2,35 + 1,85 + TV 1,33 transmitted	K2.54061.0	€ 210,00
K2.54116.0	ANSI Super 35 2,35 + 1,85 common top	K2.54111.0	€ 210,00
K2.54088.0	ANSI Super 35 2,35 + 1,85 1/4 offset	K2.54110.0	€ 210,00
<b>MASKS FOR LITE MASK FRAMEGLOW (K2.54037.0) ONLY</b>			
K2.54094.0	ANSI Super 35 2,35 + 1,85 + TV 1,33 transmitted	K2.54061.0	€ 210,00
K2.54095.0	ANSI Super 35 2,35 + 1,85 common top	K2.54111.0	€ 210,00
K2.54096.0	ANSI Super 35 2,35 + 1,85 1/4 offset	K2.54110.0	€ 210,00

## ARRICAM

### Magazines

Ident. No.	Description	Price / EURO
<b>STUDIO MAGAZINES</b>		
	(fit on Studio and Lite camera with the appropriate adapter)	
K2.54015.0	<b>Studio Magazine 120/400</b> 120m/400ft lightweight magazine with built-in RAW STOCK/ASA display, runs forward and reverse, mechanical take-up controls, includes loop protector.	€ 10.470,00
K2.54027.0	<b>Studio Magazine 300/1000</b> 300m/1000ft lightweight magazine with built-in RAW STOCK/ASA display, runs forward and reverse, mechanical take-up controls and mechanical footage check, includes loop protector.	€ 14.230,00
K2.54045.0	<b>Top Load Adapter</b> Allows Studio magazines to be mounted on the ARRICAM Studio in top load position.	(spare) € 2.940,00
K2.54139.0	<b>Dual Port Adapter</b> Allows Studio magazines to be mounted on the ARRICAM Studio in top load or in an angled back load position.	€ 5.200,00
K2.54125.0	<b>Twin Adapter (TWA-1)</b> Allows Studio magazines to be mounted on the ARRICAM Studio in top load or in a straight back load position	€ 5.200,00
K2.54047.0	<b>Back Load Adapter</b> Allows Studio magazines to be mounted on the ARRICAM Studio in back load position.	€ 3.100,00
K2.54048.0	<b>Studio Mag to Lite Camera Adapter</b> Allows Studio magazines to be mounted on the ARRICAM Lite in back load position.	€ 2.680,00
K2.54126.0	<b>Magazine Stabilization Bracket</b> For use when the Studio camera and a Studio 300 m/1000 ft Magazine are subject to extrem g-forces.	€ 720,00
<b>LITE MAGAZINES</b>		
	(fit on Lite camera without an adapter)	
K2.54028.0	<b>Lite Steadicam Magazine</b> 120m/400ft lightweight active displacement magazine, runs forward only, built-in RAW STOCK/ASA display, for Steadicam applications.	€ 11.500,00
K2.54097.0	<b>Lite Shoulder Magazine with Spindle for Film Cores</b> 120m/400ft lightweight active displacement magazine, runs forward only, built-in RAW STOCK/ASA display, for hand held applications.	€ 11.500,00
K2.54169.0	<b>Lite Shoulder Magazine with Collapsible Core</b> 120m/400ft lightweight active displacement magazine, runs forward only, built-in RAW STOCK/ASA display, for hand held applications.	€ 12.120,00
K2.54127.0	<b>Lite Mag to Studio Camera Adapter</b> Allows Lite magazines to be mounted on the ARRICAM Studio in back load position.	NEW € 5.210,00

## ARRICAM

### Studio Viewfinders

Ident. No.	Description	Price / EURO
	<b>STUDIO VIEWFINDERS</b> (fit on Studio and Lite camera)	
K2.54175.0	<b>Studio Viewfinder</b> For spherical viewing Bright and versatile viewfinder can be used camera left or right. Keeps an upright image in all positions. Image can be rotated manually. Viewfinder arm telescopes closer/farther from camera body Flip in contrast filter. Accepts Studio extensions, Studio video assist, Studio Readout and Studio Frameglows Studio Eyepiece not included.	(spare) € 14.390,00
K4.53000.0	<b>Studio spherical Viewfinder Arm</b> Does not include eyepiece, eyecup or optical tower.	(spare) € 7.390,00
K2.54190.0	<b>Studio Universal Viewfinder</b> Switches between spherical and anamorphic viewing Bright and versatile viewfinder can be used camera left or right. Keeps an upright image in all positions. Image can be rotated manually. Viewfinder arm telescopes closer/farther from camera body Flip in contrast filter. Accepts Studio extensions, Studio video assist, Studio Readout, Studio Frameglows and Studio Universal Bracket. Studio Eyepiece not included.	20.370,00
K2.54170.0	<b>Studio Universal Viewfinder Arm</b> Does not include eyepiece, eyecup or optical tower.	(spare) € 14.390,00
K2.54178.0	<b>Studio Universal Viewfinder Bracket</b> Provides a mechanical stop when the Studio Universal Viewfinder is swung over to the camera's right side	€ 300,00
K2.54003.0	<b>Studio Eyepiece</b> Fits on Studio Viewfinder and Studio Universal Viewfinder. Includes eyecup.	(spare) € 2.680,00
K2.54004.0	<b>Studio Zoom Extension</b> Long eyepiece extension with 2x zoom magnification Fits on Studio Viewfinder, Studio Universal Viewfinder, Lite Viewfinder 2 and Lite Universal Viewfinder	€ 6.200,00
K2.54005.0	<b>Studio Medium Extension</b> Medium eyepiece extension Fits on Studio Viewfinder, Studio Universal Viewfinder, Lite Viewfinder 2 and Lite Universal Viewfinder	€ 3.410,00
K2.54018.0	<b>Studio Anamorphic Extension</b> Long Eyepiece extension with 2x zoom magnification and flip-in anamorphic de-squeezer Fits on Studio Viewfinder or Lite Viewfinder 2. Is not necessary if Studio Universal Viewfinder or Lite Universal Viewfinder are used	€ 8.720,00
K2.54008.0	<b>Studio Readout</b> Display of fps, shutter angle, EXPOSED FILM or RAW STOCK, with connector for LDD, fits on Studio and Studio Universal Viewfinder	€ 4.780,00
K2.54017.0	<b>Studio Mask Frameglow</b> Mask Frameglow module for Studio and Studio Universal Viewfinder Accepts Academy and Super format masks	€ 2.260,00

## ARRICAM

### Lite Viewfinders

Ident. No.	Description		Price / EURO
	<b>LITE VIEWFINDERS</b> (fit on Lite and Studio camera)		
K2.54176.0	<b>Lite Viewfinder 2</b> <b>For spherical viewing</b> Small and lightweight viewfinder can be used camera left or right. Keeps an upright image in all positions. Image can be rotated manually. Viewfinder arm telescopes closer/farther from camera body, Has a flip in contrast filter. Accepts Studio Finder Extensions, Lite video assist, Lite Mask Frameglow and Lite Universal Viewfinder Bracket. When used on Studio camera, magazines require back load position Includes Lite Universal Eyepiece (K4.52734.0)	(spare)	€ 11.650,00
K4.53012.0	<b>Lite spherical Viewfinder-2 Arm</b> Does not include eyepiece, eyecup or optical tower.	(spare)	€ 4.980,00
K2.54099.0	<b>Lite Universal Viewfinder</b> Switches between spherical and anamorphic viewing, Small and lightweight viewfinder can be used camera left or right. Keeps an upright image in all positions. Image can be rotated manually. Viewfinder arm telescopes closer/farther from camera body, Has a flip in contrast filter. Accepts Studio Finder Extensions, Lite video assist, Lite Mask Frameglow and Lite Universal Viewfinder Bracket. When used on Studio camera, magazines require back load position Includes Lite Universal Eyepiece (K4.52734.0)	(spare)	€ 15.700,00
K4.52768.0	<b>Lite Universal Viewfinder Arm</b> Does not include eyepiece, eyecup or optical tower.	(spare)	€ 8.780,00
K4.52734.0	<b>Lite Universal Eyepiece</b> Fits on Lite Viewfinder 2, Lite Universal Viewfinder, Studio Viewfinder and Studio Universal Viewfinder. Includes eyecup.	(spare)	€ 2.780,00
K2.54037.0	<b>Lite Mask Frameglow</b> Mask Frameglow module for Lite Viewfinder, Lite Viewfinder 2 and Lite Universal Viewfinder. Accepts Academy and Super format masks		€ 2.260,00
K2.54151.0	<b>Lite Universal Viewfinder Bracket</b> Provides a mechanical stop when the Lite Viewfinder 2 or Lite Universal Viewfinder is swung over to the camera's right side		€ 300,00
	<b>ACCESSORIES FOR ALL ARRICAM VIEWFINDERS</b>		
K2.54196.0	<b>Heated Eyecup HE-4 (new version)</b> A robust heated eyecup with 2 power settings. Fits all Studio and Lite Eyepieces.		€ 1.030,00
K4.54460.0	Includes ARRICAM Heated Eyecup Cable KC-63 (K4.54460.0) <b>ARRICAM Heated Eyecup Cable KC-63</b> Short coiled cable connects Heated Eyecup HE-4 to ARRICAM	(spare)	€ 250,00

## ARRICAM

Integrated Video System (IVS); Video Monitors

Ident. No.	Description	Price / EURO
	<b>VIDEO ASSIST CAMERAS</b>	
K2.54041.0	<b>Studio Integrated Video System (IVS), PAL</b> Color video assist for Studio and Studio Universal Viewfinder	€ 15.120,00
K2.54042.0	<b>Studio Integrated Video System (IVS), NTSC</b> Color video assist for Studio and Studio Universal Viewfinder	€ 15.120,00
K2.54039.0	<b>Lite Integrated Video System (IVS), PAL</b> Color video assist for Lite Viewfinder, Lite Viewfinder 2 and Lite Universal Viewfinder	€ 15.120,00
K2.54032.0	<b>Lite Integrated Video System (IVS), NTSC</b> Color video assist for Lite Viewfinder, Lite Viewfinder 2 and Lite Universal Viewfinder	€ 15.120,00
	<b>100% VIDEO TOPS</b>	
K2.54033.0	<b>Studio 100% Video Top</b> 100% optical module fits on Studio or Lite camera, accepts Studio Integrated Video System.	€ 4.040,00
K2.54038.0	<b>Lite 100% Video Top</b> 100% optical module fits on Studio or Lite camera, accepts Lite Integrated Video System.	€ 4.040,00
	<b>VIDEO MONITORS</b>	
K2.54031.0	<b>6.6" Video Monitor, for PAL and NTSC</b> Automatically switches for PAL and NTSC. Includes cable KCV-2 (K4.47299.0) for 4-pin combined video / power socket. Includes integrated swivel arm with 18.65mm square shoe base for attachment to 3/8" Accessory Shoe Adapter K2.54077.0. Also includes Dovetail Insert Adapter K4.48218.0 for use with 26mm camera dovetail shoes.	€ 3.600,00
K4.47299.0	<b>Cable for 6,6 Video Monitor (0,4m/1,3feet) KCV-2</b>	€ 330,00
K2.54035.0	<b>2" Video Monitor, for NTSC ( Academy Format only)</b> Academy Format only. A coiled cable (4-pin, combined video / power) is permanently attached. Mounts to 18.65mm shoe K2.54077.0.	€ 1.840,00
K2.54040.0	<b>2" Video Monitor, for PAL (Academy Format only)</b> Academy Format only. A coiled cable (4-pin, combined video / power) is permanently attached. Mounts to 18.65mm shoe K2.54077.0.	€ 1.840,00
K2.54077.0	<b>3/8" Accessory Shoe Adapter, 18.65mm square</b>  Attaches via 3/8" UNC thread with two locating pins for stability. For use with ARRI 18.65mm shoe-mounted accessories. Mounting position on camera must have locating pin holes.	€ 130,00
K2.54030.0	<b>Accessory Shoe Expander, 18.65mm square</b> Attaches to Accessory Shoe Adapter K2.54077.0, allows for attachment of two 18,65mm ARRI shoe-mounted accessories.	€ 240,00
K2.52083.0	<b>Dovetail Shoe, 3/8" thread</b> All purpose 26mm dovetail shoe. Can be attached to 3/8" thread mounting points having standard ARRI Ø15,5mm counterbore. For use with 26mm dovetail inserts.	€ 110,00
K4.48218.0	<b>Dovetail Insert Adapter</b> For use with 18.65mm square shoe mounted accessories in 26mm dovetail shoes.	€ 180,00

## ARRICAM

Power Supplies - Batteries and Mains Supply

Ident. No.	Description	Price / EURO
<p><b>ARRI 24V Block Batteries and Mains Supply can also be used with 235, 435, 535B and 16SR3.</b></p>		
<p><b>BLOCK BATTERY</b></p>		
K2.41950.0	<p><b>24V / 7Ah NC Block Battery (NC24/7R)</b> switchable to 12V / 14Ah (12V outlet has 5 pins)</p>	€ 1.100,00
K2.42010.0	<p><b>Battery charger NCL 24 R</b> for Block Battery K2.41950.0</p>	€ 1.000,00
<p><b>MAINS POWER SUPPLY</b></p>		
K2.47351.0	<p><b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin, 115-120V/60Hz, 220-240V/50Hz</p>	€ 1.440,00
<p><b>24 VOLT POWER CABLES</b></p>		
K2.41966.0	<p><b>Power cable straight KC-20</b> 2m long, for 3-pin 24V outlet</p>	€ 130,00
K2.44693.0	<p><b>Power cable coiled KC-29</b> for 3-pin 24V outlet</p>	€ 160,00
<p><b>ACCESSORY POWER DISTRIBUTION</b></p>		
K2.54177.0	<p><b>Accessory Power Box (APB)</b> Provides additional 24V and 12V accessory power outlets. Must be powered with a splitter cable (Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62) from the camera battery or through a separate battery. Note: The Accessory Power Box can also be used on all other cameras.</p>	€ 2.720,00
K2.54191.0	<p><b>Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62</b> Supplies camera and Accessory Power Box from one single battery. Use for maximum power from Accessory Power Box.</p>	€ 700,00

## ARRICAM

Camera Handles, Support Systems and Handheld

Ident. No.	Description	Price / EURO
<b>CAMERA HANDLES</b>		
K2.54064.0	<b>Studio Camera Handle</b> Carrying handle for Studio camera if Studio or Studio Universal Viewfinder is used.	€ 1.630,00
K2.54078.0	<b>Lite Camera Handle</b> Carrying handle for Lite camera if Lite or Lite Universal Viewfinder is used.	€ 1.450,00
K2.54081.0	<b>Studio Center Handle</b> Carrying handle for Studio camera if Lite or Lite Universal Viewfinder is used.	€ 910,00
K2.54082.0	<b>Lite Center Handle</b> Carrying handle for Lite camera if Studio or Studio Universal Viewfinder is used.	€ 520,00
<b>SUPPORT SYSTEMS - BRIDGE PLATES - SETS</b>		
K2.54011.0	<b>Power Bridgeplate (19mm rods)</b> A Bridgeplate with two built-in 24V RS accessory power connectors Attaches to Studio or Lite camera. Includes one pair of support rods 440mm (K5.42904.0)	€ 1.940,00
K2.35900.A	<b>Bridgeplate BP-3 (15mm rods)</b> Attaches to Studio or Lite camera. Includes one pair of support rods 440mm (K5.21957.0)	€ 1.060,00
For separate Bridge Plate components and other support rod options, see Camera Accessories -- Bridge Plates and Support Rods		
<b>SUPPORT SYSTEMS - LOW MODE</b>		
K2.52214.0	<b>Universal Low Mode Set</b> Allows Studio or Lite camera to be underslung on a Steadicam or other camera support device. Compatible with all Viewfinders and 100% Video Tops Replaces K2.54066.0 and K2.54076.0	€ 1.950,00
<b>HANDHELD</b>		
K2.54023.0	<b>Shoulder Set</b> with left and right grips, shoulder cushion and run/stop switch via cable to RS port.	€ 3.310,00
K4.54469.0	<b>Shoulder Pad</b> Attaches directly to Studio or Lite camera. Not needed with K2.54023.0.	(spare) € 270,00
K2.47529.0	<b>Lite Shoulder Pad 2</b> Shoulder Pad for ARRICAM Lite with Lite Steadicam magazine.	N E W € 330,00

## ARRICAM

### Camera Control

Ident. No.	Description	Price / EURO
	<b>SPEED CONTROL BOX AND ACCESSORIES</b>	
K2.54010.0	<b>Speed Control Box (SCB)</b> Attaches to Studio camera or to Remote Control Station or connects via cable to Studio or Lite camera. RUN & RAMP button, 0.001 resolution fps input, forward/reverse switch, simple 1 step speed ramps with shutter or iris compensation, external synchronization. Does not include any cables.	€ 6.250,00
K2.54160.0	<b>Speed Control Box Remote Cable (0,6m/1,8feet) KC 86</b> Connects Speed Control Box, MCB Cable Adapter or Remote Control Station to Studio or Lite CAC connector	€ 310,00
K2.54128.0	<b>Speed Control Box Remote Cable (3m/9feet) KC 65</b> Connects Speed Control Box, MCB Cable Adapter or Remote Control Station to Studio or Lite CAC connector	€ 310,00
K2.54131.0	<b>Speed Control Box Remote Cable (15m/45feet) KC 69</b> Connects Speed Control Box, MCB Cable Adapter or Remote Control Station to Studio or Lite CAC connector	€ 450,00
K2.54134.0	<b>Cable Drum (50m/165feet)</b> Extension for cables that connect to the Studio or Lite CAC connector When used with Speed Control Box, no SYNC features are available.	€ 930,00
K2.54155.0	<b>Camera Sync Cable (15m/45 feet) KC 78</b> Synchronizes two or more ARRICAMs frame & phase accurately to each other. Connects Studio or Lite CAC connector of the master to Speed Control Box SYNC IN connector of the slave.	€ 250,00
K4.43313.0	<b>Pick-up Box</b> Connects to Speed Control Box. Senses signal from Cathode Ray Tube monitors. Does not include cable.	€ 750,00
K2.54129.0	<b>Cable for Pick-up Box (10m/33feet) KC 66</b> Connects the Pick-up Box to the Speed Control Box SYNC IN connector.	€ 250,00
	<b>OTHER CONTROL BOXES AND ACCESSORIES</b>	
K2.54021.0	<b>Manual Control Box (MCB)</b> Without SCB: sets camera fps or shutter. With SCB: runs manual speed or depth-of-field ramps Attaches to Studio camera, Remote Control Station or via MCB Cable Adapter to Studio or Lite camera. Does not include cable.	€ 2.000,00
K2.54171.0	<b>Timing Shift Box (TSB)</b> Adjusts timing between mirror shutter and movement for a streaking effect. Attaches to Studio camera, Remote Control Station or via MCB Cable Adapter to Studio or Lite camera. Does not include cable.	€ 3.050,00
K2.52213.0	<b>MCB Cable Adapter</b> Attaches to Manual Control Box, Timing Shift Box or 435 Timing Shift Box. Connects Manual Control Box or ARRICAM Timing Shift Box via Speed Control Box Remote Cable (K2.54160.0, K2.54128.0 or K2.54131.0) to Studio or Lite CAC connector. Connects 435 Timing Shift Box via 435 TSB Cable (K2.65076.0) to 435 Advanced or Xtreme.	€ 550,00

## ARRICAM

Camera Control, Electronic Accessories

Ident. No.	Description	Price / EURO
K2.54143.0	<p><b>Remote Control Station (RCS)</b>            Accepts Speed Control Box, Manual Control Box, Timing Shift Box,            Lens Data Display Classic , Lens Data Display for Focus Puller, WHA-2.            Connects to Studio or Lite CAC connector with Speed Control Box            Remote Cable (K2.52160.0, K2. 54128.0 or K2.54131.0). Can be mounted            on Studio or Lite handles or on WHA-2 Rod or Rosette Bracket            Does not include cable.</p>	€ 3.660,00
K2.54093.0	<p><b>IN-CAMERA SLATE</b>            * <b>In-camera Slate System</b>            Attaches to Studio or Lite camera.            Lite Lens Data Box (K2.54025.0) necessary to            attach the In-camera Slate Box (ISB) to the Lite camera.            Consists of: In-camera Slate Box (ISB), Recording Module            and a hand-held PC.            Records man and machine readable slate information onto film.            Recording Module must be installed by an authorized ARRI Service Center</p>	€ 13.550,00
K2.47436.0	<p>* <b>In-camera Slate Reader</b>            Decodes automatically the In-camera Slate data from the film            and creates a log list which can be used to split up material into sub-clips and sync sound.            Outputs LTC directly to synchronize sound during telecine.</p>	€ 14.070,00
K2.54192.0	<p><b>MAGAZINE CHARGE CABLES</b>  <b>Studio Magazine Charge Cable (1m/3feet) KC 81</b>            Use to charge Studio magazine display battery.            Connects to any 24V power supply with XLR plugs            Regular ARRI camera batteries can be used as power supply</p>	€ 350,00
K2.54193.0	<p><b>Lite Magazine Charge Cable (1m/3feet) KC 83</b>            Use to charge Lite magazine display battery.            Connects to any 24V power supply with XLR plugs            Regular ARRI camera batteries can be used as power supply</p>	€ 350,00
K2.54157.0	<p><b>Studio Magazine Charge Cable (1m/3feet) KC 80</b>            Connects to any 24V power supply with banana plugs</p>	€ 350,00
K2.54158.0	<p><b>Lite Magazine Charge Cable (1m/3feet) KC 82</b>            Use to charge Lite magazine display battery.            Connects to any 24V power supply with banana plugs</p>	€ 350,00
K2.54177.0	<p><b>POWER DISTRIBUTION, SPLITTERS, LIGHTS AND SWITCHES</b>  <b>Accessory Power Box (APB)</b>            Provides additional 24V and 12V accessory power outlets            and a camera right RUN button. Can be powered by the            camera or a separate battery.</p>	€ 2.720,00
K2.54191.0	<p><b>Power Y Cable for Accessory Power Box</b>            Supplies camera and Accessory Power Box from one single battery            Use for maximum power from Accessory Power Box</p>	€ 700,00
K2.54130.0	<p><b>CAC Distribution Box</b>            Connects to the Studio or Lite CAC connector            and provides 3 CAC connectors.</p>	€ 860,00
K2.54022.0	<p><b>Work Light</b>            Attaches to Studio or Lite camera.            A coiled cable is permanently attached.</p>	€ 440,00
K2.46942.0	<p><b>Remote Switch RS-4</b>            Remote camera RUN. Unit has universal clip mechanism for attachment to tripod head pan bar or other round            object. Connects via RS socket.</p>	€ 490,00
K2.47207.0	<p><b>KC-40 Extension Cable(3m/9 ft)</b>            for RS-4</p>	€ 180,00

\* only as long as stock is available

## ARRICAM

Update Accessories and Cases

Ident. No.	Description	Price / EURO
<b>SOFTWARE UPDATE CABLES</b>		
K2.54124.0	<b>ARRICAM Software Update Cable (2m/6.5feet) KC 61</b> Use to update ARRICAM cameras and accessories Connects a PC serial port (DB9 pin) to Studio or Lite CAC connector.	€ 200,00
K2.52248.0	<b>Lite Accessory Update Cable (0.4m/1.3ft) KC 85</b> If only a ARRICAM Lite camera body is available, this cable is needed to update Speed Control Box [K2.54010.0], Manual Control Box [K2.54021.0] or Timing Shift Box [K2.5454171.0]. The cable connects between the Lite camera body (Lite LDB connector) and the accessories.	€ 500,00
K2.54135.0	<b>WHA-2 CAC Cable (3m/9 feet) KC 70</b> Connects WHA-2 to Studio or Lite CAC connector <b>Also for software updates to WHA-2</b>	€ 260,00
K4.55849.0	<b>WRC Update Cable (2m/6feet) KC 84</b> Use to update the WRC software. Connects a PC serial port (DB9 pin) to the WRC.	€ 170,00
<b>UPDATE ADAPTER</b>		
K2.54152.0	<b>Software Update Adapter</b> This adapter is used for updating ARRICAM accessories without a camera body present.	€ 2.420,00
<b>TRANSPORT CASE</b>		
K2.54024.0	<b>Case for Arricam Studio</b>	€ 990,00
K2.54026.0	<b>Case for Arricam Lite</b>	€ 990,00
K2.54068.0	<b>Case for two Studio Magazines 120/400</b>	€ 680,00
K2.54069.0	<b>Case for one Studio Magazine 300/1000</b>	€ 680,00
K2.54070.0	<b>Case for two Lite Shoulder or Steadicam Magazines</b>	€ 660,00

## ARRICAM

### Lens Data Boxes

Ident. No.	Description	Price / EURO
	<b>LENS DATA BOXES AND ACCESSORIES FOR USE WITH ARRI WIRELESS REMOTE SYSTEM AND LENS DATA SYSTEM.</b>	
K2.54194.0	<b>Studio Lens Data Box (LDB-2) with new modem</b> Attaches to Studio camera. Controls up to 3 lens motors, manages LDS signals & wireless transmission to Wireless Lens Control System.	€ 6.560,00
K2.54144.0	<b>Studio LDB Adapter</b> Two plates and a cable that allow the Studio Lens Data Box to be mounted 1m/3 feet from the camera. Includes LDB Adapter Cable KC-75 (K2.54150.0)	€ 2.600,00
K2.52225.0	<b>Dovetail Shoe for Studio LDB Adapter</b> 26mm dovetail shoe with locating pin for Studio LDB Adapter. Use for interface to 26mm dovetail inserts -- see following options for ARRICAM-compatible 26mm inserts.	€ 110,00
K2.52082.0	<b>Dovetail Insert, 3/8" Thread</b> All purpose 26mm dovetail insert. Can be attached to 3/8" thread mounting points having standard ARRI Ø15,5mm counterbore. For use with 26mm dovetail shoes.	€ 290,00
K2.52150.0	<b>Dovetail Insert Rod Bracket (WHA-2 Rod Bracket)</b>  Bracket with 26mm dovetail (insert side) interface on short articulated arm, attaches to 19mm or 15mm support rod. For use with 26mm shoe-mounted accessories such as Studio LDB Adapter with Dovetail Shoe or Wired Handgrip Attachments WHA-2 / WHA-3. Also see Lens Data System.	€ 1.390,00
K2.52153.0	<b>Dovetail Insert Bracket, ARRIHEAD Rosette (WHA-2 Rosette Bracket)</b> Bracket with 26mm dovetail (insert side) interface on 15mm rod, attaches to ARRIHEAD rosette, can be pivoted on rosette or slid along rod. For use with 26mm shoe-mounted accessories such as Studio LDB Adapter with Dovetail Shoe or Wired Handgrip Attachments WHA-2 / WHA-3. Also see Lens Data System.	€ 1.000,00
K2.54148.0	<b>Dovetail Insert Rod Clamp (19mm)</b> 26mm dovetail insert with integrated clamp for 19mm support rod. For use with 26mm dovetail shoes.	€ 290,00
K4.52563.0	<b>Dovetail Insert Rod Clamp (15mm)</b> 26mm dovetail insert with integrated clamp for 15mm support rod. For use with 26mm dovetail shoes.	€ 290,00
K2.54195.0	<b>Lite Lens Data Box (LDB-2) with new modem</b> Attaches to Lite camera. Controls up to 3 lens motors, manages LDS signals & wireless transmission to Wireless Lens Control System.	€ 6.560,00
K2.52096.0	<b>Antenna Cable (3m/9feet) WC-A2</b> Connects Studio or Lite Lens Data Box to LCS antenna	€ 180,00

## LENSES

Lens Data System Lenses Master Primes

Ident. No.	Description	Price / EURO
	<p><b>LDS MASTER PRIME LENSES</b></p> <p>12 high speed prime lenses for the ANSI Super 35 format that are sharper, have more contrast, minimized geometric distortion and minimized chromatic aberration and virtually no breathing. Master Primes are color matched to the Ultra Primes, Lightweight Zoom LWZ-1 and Ultra 16 lenses.</p> <p><b>Meter scale</b> Meters is preset as the unit of measurement in the lens LDS electronics. The Lens Data Displays can be switched between Meters and Feet (see ARRI Technical Note P-1035), and the IVS displays whatever the camera is set to.</p>	NEW
K2.47600.0	<b>Master Prime T1.3/16mm</b>	€ 16.300,00
K2.47601.0	<b>Master Prime T1.3/18mm</b>	€ 15.500,00
K2.47602.0	<b>Master Prime T1.3/21mm</b>	€ 14.700,00
K2.47603.0	<b>Master Prime T1.3/25mm</b>	€ 14.100,00
K2.47604.0	<b>Master Prime T1.3/27mm</b>	€ 14.200,00
K2.47605.0	<b>Master Prime T1.3/32mm</b>	€ 14.200,00
K2.47606.0	<b>Master Prime T1.3/35mm</b>	€ 13.500,00
K2.47607.0	<b>Master Prime T1.3/40mm</b>	€ 14.500,00
K2.47608.0	<b>Master Prime T1.3/50mm</b>	€ 14.500,00
K2.47609.0	<b>Master Prime T1.3/65mm</b>	€ 15.100,00
K2.47610.0	<b>Master Prime T1.3/75mm</b>	€ 15.300,00
K2.47611.0	<b>Master Prime T1.3/100mm</b>	€ 17.100,00
	<p><b>Feet scale</b> Feet is preset as the unit of measurement in the lens LDS electronics. The Lens Data Displays can be switched between Feet and Meters (see ARRI Technical Note P-1035), and the IVS displays whatever the camera is set to.</p>	
K2.47700.0	<b>Master Prime T1.3/16mm</b>	€ 16.300,00
K2.47701.0	<b>Master Prime T1.3/18mm</b>	€ 15.500,00
K2.47702.0	<b>Master Prime T1.3/21mm</b>	€ 14.700,00
K2.47703.0	<b>Master Prime T1.3/25mm</b>	€ 14.100,00
K2.47704.0	<b>Master Prime T1.3/27mm</b>	€ 14.200,00
K2.47705.0	<b>Master Prime T1.3/32mm</b>	€ 14.200,00
K2.47706.0	<b>Master Prime T1.3/35mm</b>	€ 13.500,00
K2.47707.0	<b>Master Prime T1.3/40mm</b>	€ 14.500,00
K2.47708.0	<b>Master Prime T1.3/50mm</b>	€ 14.500,00
K2.47709.0	<b>Master Prime T1.3/65mm</b>	€ 15.100,00
K2.47710.0	<b>Master Prime T1.3/75mm</b>	€ 15.300,00
K2.47711.0	<b>Master Prime T1.3/100mm</b>	€ 17.100,00
K2.47398.0	<p><b>Case for Master Primes</b> A sturdy case with foam cushioning for four Master Prime lenses</p>	€ 560,00

## LENSES

Lens Data System Lenses Master Primes

Ident. No.	Description	Price / EURO
	<p><b>MASTER DIOPTERS</b></p> <p>A set of diopters that are optically matched to the Master Primes, but can also be used with the Ultra Primes, Lightweight Zoom LWZ-1 and many other lenses. Master Diopters attach directly to the front of the lens. Superior optical quality through the use of achromatic lens elements (+1 and +2) and the Zeiss T* anti-reflex coating. Compatible with Lightweight Matte Box LMB-4A (Adapter Ring K2.47635.0 required)</p>	NEW
K2.47597.0	<p><b>Master Diopter +0.5</b></p> <p>Fits 134mm basic front diameter when used without adapter rings. For list of adapter rings, see below.</p>	€ 1.690,00
K2.47598.0	<p><b>Master Diopter +1</b></p> <p>Fits 134mm basic front diameter when used without adapter rings. For list of adapter rings, see below.</p>	€ 1.690,00
K2.47599.0	<p><b>Master Diopter +2</b></p> <p>Fits 134mm basic front diameter when used without adapter rings. For list of adapter rings, see below.</p>	€ 1.690,00
K2.47751.0	<p><b>MD Reduction Ring 114mm</b></p> <p>Quick snap in ring that allows Master Diopters to be used with 114 mm front diameter lenses, including all Master Primes or the Ultra Prime 180 or the Lightweight Zoom LWZ-1.</p>	€ 100,00
K2.65079.0	<p><b>MD Reduction Ring 95 mm</b></p> <p>Quick snap in ring that allows Master Diopters to be used with 95 mm front diameter lenses, including the Ultra Primes with focal lengths from 16 mm through 135 mm</p>	€ 100,00
K2.65085.0	<p><b>MD Reduction Ring 104 mm</b></p> <p>Quick snap in ring that allows Master Diopters to be used with 104 mm front diameter lenses, including the LDS Ultra Primes with focal lengths from 16 mm through 180 mm</p>	€ 100,00
K2.65086.0	<p><b>MD Reduction Ring 110 mm</b></p> <p>Quick snap in ring that allows Master Diopters to be used with 110 mm front diameter lenses, including the Cooke S4 primes</p>	€ 100,00
K2.47063.0	<p><b>Master Diopter Case</b></p> <p>Aluminum case with space for 3 Master Diopters and 3 reduction rings</p>	€ 440,00

## LENSES

Lens Data System Lenses Ultra Primes

Ident. No.	Description	Price / EURO
<b>LDS ULTRA PRIME LENSES</b>		
<b>Meter scale</b>		
K2.52198.0	LDS Ultra Prime T2/12mm	€ 16.900,00
K2.52111.0	LDS Ultra Prime T1.9/14mm	€ 14.500,00
K2.52112.0	LDS Ultra Prime T1.9/16mm	€ 12.300,00
K2.52113.0	LDS Ultra Prime T1.9/20mm	€ 11.500,00
K2.52114.0	LDS Ultra Prime T1.9/24mm	€ 11.300,00
K2.52115.0	LDS Ultra Prime T1.9/28mm	€ 10.950,00
K2.52116.0	LDS Ultra Prime T1.9/32mm	€ 10.950,00
K2.52117.0	LDS Ultra Prime T1.9/40mm	€ 10.800,00
K2.52118.0	LDS Ultra Prime T1.9/50mm	€ 10.600,00
K2.52200.0	LDS Ultra Prime T1.9/65mm	€ 11.350,00
K2.52119.0	LDS Ultra Prime T1.9/85mm	€ 10.750,00
K2.52120.0	LDS Ultra Prime T1.9/100mm	€ 11.800,00
K2.52121.0	LDS Ultra Prime T1.9/135mm	€ 11.900,00
K2.52202.0	LDS Ultra Prime T1.9/180mm	€ 13.900,00
<b>Feet scale</b>		
K2.52199.0	LDS Ultra Prime T2/12mm	€ 16.900,00
K2.52123.0	LDS Ultra Prime T1.9/14mm	€ 14.500,00
K2.52124.0	LDS Ultra Prime T1.9/16mm	€ 12.300,00
K2.52125.0	LDS Ultra Prime T1.9/20mm	€ 11.500,00
K2.52126.0	LDS Ultra Prime T1.9/24mm	€ 11.300,00
K2.52127.0	LDS Ultra Prime T1.9/28mm	€ 10.950,00
K2.52128.0	LDS Ultra Prime T1.9/32mm	€ 10.950,00
K2.52129.0	LDS Ultra Prime T1.9/40mm	€ 10.800,00
K2.52130.0	LDS Ultra Prime T1.9/50mm	€ 10.600,00
K2.52201.0	LDS Ultra Prime T1.9/65mm	€ 11.350,00
K2.52131.0	LDS Ultra Prime T1.9/85mm	€ 10.750,00
K2.52132.0	LDS Ultra Prime T1.9/100mm	€ 11.800,00
K2.52133.0	LDS Ultra Prime T1.9/135mm	€ 11.900,00
K2.52203.0	LDS Ultra Prime T1.9/180mm	€ 13.900,00
K2.54072.0	Case for six LDS Ultra Primes 14mm to 180 mm	€ 680,00
K2.45690.0	Case for one 10 or 12 mm Ultra Prime or one 12mm LDS Ultra Prime	€ 720,00

## LENSES

Lenses for 35 mm Format

Ident. No.	Description		Price / EURO
<b>ZEISS ULTRA PRIMES</b>			
(meter scale)			
K2.47613.0	<b>Distagon T 2.8/8mm meter</b>	NEW	€ 19.950,00
K2.47310.0	<b>Distagon T 2.1/10mm meter</b>		€ 15.020,00
K2.47378.0	<b>Distagon T 2.0/12mm meter</b>		€ 14.410,00
K2.47311.0	<b>Distagon T 1.9/14mm meter</b>		€ 11.220,00
K2.47312.0	<b>Distagon T 1.9/16mm meter</b>		€ 9.300,00
K2.47313.0	<b>Distagon T 1.9/20mm meter</b>		€ 8.580,00
K2.47314.0	<b>Distagon T 1.9/24mm meter</b>		€ 8.250,00
K2.47315.0	<b>Distagon T 1.9/28mm meter</b>		€ 7.920,00
K2.47316.0	<b>Distagon T 1.9/32mm meter</b>		€ 7.810,00
K2.47317.0	<b>Distagon T 1.9/40mm meter</b>		€ 7.810,00
K2.47318.0	<b>Planar T 1.9/50mm meter</b>		€ 7.810,00
K2.47377.0	<b>Planar T 1.9/65mm meter</b>		€ 8.140,00
K2.47319.0	<b>Planar T 1.9/85mm meter</b>		€ 8.030,00
K2.47320.0	<b>Sonnar T 1.9/100mm meter</b>		€ 8.690,00
K2.47321.0	<b>Sonnar T 1.9/135mm meter</b>		€ 8.910,00
K2.47381.0	<b>Sonnar T 1.9/180mm meter</b>		€ 11.770,00
<b>ZEISS ULTRA PRIMES</b>			
(feet scale)			
K2.47612.0	<b>Distagon T 2.8/8mm feet</b>	NEW	€ 19.950,00
K2.47322.0	<b>Distagon T 2.1/10mm feet</b>		€ 15.020,00
K2.47380.0	<b>Distagon T 2.0/12mm feet</b>		€ 14.410,00
K2.47323.0	<b>Distagon T 1.9/14mm feet</b>		€ 11.220,00
K2.47324.0	<b>Distagon T 1.9/16mm feet</b>		€ 9.300,00
K2.47325.0	<b>Distagon T 1.9/20mm feet</b>		€ 8.580,00
K2.47326.0	<b>Distagon T 1.9/24mm feet</b>		€ 8.250,00
K2.47327.0	<b>Distagon T 1.9/28mm feet</b>		€ 7.920,00
K2.47328.0	<b>Distagon T 1.9/32mm feet</b>		€ 7.810,00
K2.47329.0	<b>Distagon T 1.9/40mm feet</b>		€ 7.810,00
K2.47330.0	<b>Planar T 1.9/50mm feet</b>		€ 7.810,00
K2.47379.0	<b>Planar T 1.9/65mm feet</b>		€ 8.140,00
K2.47331.0	<b>Planar T 1.9/85mm feet</b>		€ 8.030,00
K2.47332.0	<b>Sonnar T 1.9/100mm feet</b>		€ 8.690,00
K2.47333.0	<b>Sonnar T 1.9/135mm feet</b>		€ 8.910,00
K2.47382.0	<b>Sonnar T 1.9/180mm feet</b>		€ 11.770,00
K2.47346.0	<b>Case for six Ultra Primes</b>		€ 660,00
K2.45690.0	<b>Case for one 10mm or 12mm Ultra Prime</b>		€ 720,00

## LENSES

Lenses for 35 mm Format

Ident. No.	Description		Price / EURO
	<b>LIGHTWEIGHT ZOOM</b>	NEW	
K2.47570.0	Lightweight Zoom LWZ-1 with meter focus scale		€ 36.000,00
K2.47571.0	Lightweight Zoom LWZ-1 with feet focus scale		€ 36.000,00
	<b>VARIABLE PRIMES</b>		
K2.47041.0	* VP3 Vario-Sonnar 55-105 mm T2.2 meter scale	net price	€ 14.340,00
K2.47043.0	* VP2 Vario-Sonnar 29-60 mm T2.2 feet scale	net price	€ 15.780,00
K2.47044.0	* VP3 Vario-Sonnar 55-105 mm T2.2 feet scale	net price	€ 14.340,00
K2.37003.0	Zoom Lever for VP		€ 60,00
K2.47110.0	Zoom Lever adapter		€ 130,00
K2.47165.0	* Case for VP1		€ 760,00
K2.47166.0	* Case for VP2		€ 760,00
K2.47167.0	* Case for VP3		€ 760,00
	<b>ARRI MACRO LENSES</b>		
K2.33910.0	* 100 mm ARRI-MACRO T 2.8		€ 8.190,00

## LENSES

Shift & Tilt Systems

Ident. No.	Description		Price / EURO
<b>ARRIFLEX SHIFT &amp; TILT BELLOWS SYSTEM</b>			
K2.52009.0	<b>Shift and Tilt unit</b>		€ 14.490,00
K2.52008.0	<b>Adapter 19 mm</b>		€ 800,00
K2.52004.0	<b>Adapter 15 mm</b>		€ 800,00
<b>OPTIONS</b>			
K2.52020.0	* <b>PL-adapter</b> for use of ARRI macro lenses in the macro area	net price	€ 350,00
K2.52031.0	* <b>Lens T 2.8/18 mm</b>	net price	€ 2.600,00
K2.52018.0	* <b>Lens T 2.8/20 mm</b>	net price	€ 2.200,00
K2.52022.0	* <b>Lens T 2.8/60 mm</b>	net price	€ 3.500,00
K2.52042.0	* <b>CFM Focus Motor</b> UMC Universal motor controller K2.52040.0 necessary	net price	€ 1.600,00
<b>TILT FOCUS LENSES</b>			
K2.52005.0	* <b>24 mm Tilt Focus Lens</b>	net price	€ 4.800,00
K2.52006.0	* <b>45 mm Tilt Focus Lens</b>	net price	€ 4.800,00
K2.52007.0	* <b>90 mm Tilt Focus Lens</b>	net price	€ 4.800,00

## LENSES

Lenses for the Super 16 format

Ident. No.	Description	Price / EURO
	<b>ULTRA 16 LENSES</b>	
	Five modern high speed prime lenses for the Super 16 format with Ultra Prime quality. Color matched to the Master Primes, Ultra Primes and Lightweight Zoom LWZ-1.	
		NEW
	<b>ZEISS ULTRA 16 (METER SCALE)</b>	
K2.47560.0	Ultra 16 T1.3/6mm meter	€ 13.500,00
K2.47561.0	Ultra 16 T1.3/8mm meter	€ 13.000,00
K2.47562.0	Ultra 16 T1.3/9,5mm meter	€ 11.200,00
K2.47563.0	Ultra 16 T1.3/12mm meter	€ 10.500,00
K2.47564.0	Ultra 16 T1.3/14mm meter	€ 10.500,00
	<b>ZEISS ULTRA 16 (FEET SCALE)</b>	
K2.47565.0	Ultra 16 T1.3/6mm feet	€ 13.500,00
K2.47566.0	Ultra 16 T1.3/8mm feet	€ 13.000,00
K2.47567.0	Ultra 16 T1.3/9,5mm feet	€ 11.200,00
K2.47568.0	Ultra 16 T1.3/12mm feet	€ 10.500,00
K2.47569.0	Ultra 16 T1.3/14mm feet	€ 10.500,00

## POWER SUPPLIES AND ACCESSORIES

For All Cameras -- ARRICAM, 235, 435, 535B and 16SR3

Ident. No.	Description	Price / EURO
<b>Camera-specific on-board batteries are listed under their cameras.</b>		
<b>BLOCK BATTERY</b>		
K2.41950.0	<b>24V / 7Ah NC Block Battery (NC24/7R)</b> switchable to 12V / 14Ah (12V outlet has 5 pins)	€ 1.100,00
K2.42010.0	<b>Battery charger NCL 24 R</b> for Block Battery K2.41950.0	€ 1.000,00
K2.43196.0	<b>Adapter Cable KC-38</b> to charge onboard battery K2.46550.0 with charger K2.41950.0	€ 130,00
<b>MAINS POWER SUPPLY</b>		
K2.47351.0	<b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin, 115-120V/60Hz, 220-240V/50Hz	€ 1.440,00
<b>24 VOLT POWER CABLES</b>		
K2.41966.0	<b>Power cable straight KC-20</b> 2m long, for 3-pin 24V outlet	€ 130,00
K2.44693.0	<b>Power cable coiled KC-29</b> for 3-pin 24V outlet	€ 160,00
<b>ACCESSORY POWER DISTRIBUTION</b>		
K2.54177.0	<b>Accessory Power Box (APB)</b> Provides additional 24V and 12V accessory power outlets. Must be powered with a splitter cable (Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62) from the camera battery or through a separate battery. Note: The Accessory Power Box can also be used on all other cameras.	€ 2.720,00
K2.54191.0	<b>Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62</b> Supplies camera and Accessory Power Box from one single battery. Use for maximum power from Accessory Power Box.	€ 700,00

## ELECTRONIC ACCESSORIES

Speed Controls, Sync Controls, Power Distribution, Video Monitors

Ident. No.	Description	Price / EURO
<p><b>SPEED CONTROLS - DEDICATED TO ARRICAM</b> Speed and Camera Control units dedicated to the ARRICAM system are listed under ARRICAM.</p>		
<p><b>SPEED CONTROLS - FOR 235, 435, 535B AND 16SR3</b></p>		
K2.47197.0	<p><b>Remote Control Unit 1 (RCU-1)</b></p> <p>A wired remote with LCD display. Allows manual and automatic control of frame rate, shutter angle and ramps. Control of shutter angle only for cameras with electronically adjustable mirror shutters. Compatible with ARRIFLEX 235, all 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models. Includes RCU cable (1.5m/5feet) KC-39 (K4.47329.0). Not compatible with ARRICAM; use Wireless Remote Control 1 WRC-1 (K2.52087.0) instead for ARRICAM.</p> <p>Note: RCU-1 does not support the fast ramping or 0.1 fps modes offered by 435 Advanced or 435 Xtreme; for these features, the Wireless Remote Control WRC-1 should be used. See Wireless Remote System for details.</p>	€ 2.680,00
K4.47329.0	<p><b>RCU Cable Short (1.5m/5feet) KC-39</b></p> <p>Connects the Remote Control Unit (RCU-1) to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.</p>	(spare) € 230,00
K2.47350.0	<p><b>RCU Cable Long (20m/60feet) KC-41</b></p> <p>Connects the Remote Control Unit (RCU-1) to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.</p>	€ 320,00
K2.47148.0	<p><b>Variable Speed Unit VSU-4</b></p> <p>Allows for variable camera speed control via handwheel, speed limit settings, and remote RUN/STOP. Connects to ACC Connector. For use with 435 cameras, Function Expansion Module FEM-1 (discontinued) or FEM-2 (435 Advanced, 435 Xtreme) must be present. For use with 235, Accessory Expansion Cable (K2.55011.0, see ARRIFLEX 235) is required.</p> <p>For other speed control and ramping options with ARRICAM, 235, 435, 535B and 16SR3, see Wireless Remote System - Wireless Remote Control WRC-1.</p>	€ 990,00
K2.46006.0	<p><b>MONITOR SYNCHRONIZATION - FOR 235, 435, 535B AND 16SR3</b></p> <p><b>External Sync Unit ESU-1</b></p> <p>Allows for external synchronization of camera to other equipment such as CRT monitors. Includes Pickup (frequency sensor) Box (K4.43313.0) and connection cable KC-32-S for pickup box (K4.43536.0). Camera-side connection via included cable KC-33-S (K4.43567.0) to ACC connector. For use with 435 cameras, Function Expansion Module FEM-1 (discontinued) or FEM-2 (435 Advanced, 435 Xtreme) must be present. For use with 235, Accessory Expansion Cable (K2.55011.0, see ARRIFLEX 235) is required.</p>	€ 3.210,00

## ELECTRONIC ACCESSORIES

Speed Controls, Sync Controls, Power Distribution, Video Monitors

Ident. No.	Description	Price / EURO
	<b>EXTERNAL DISPLAY - FOR 235, 435, 535B AND 16SR3</b>	
K2.55013.0	<b>External Display (EXD-1)</b> An external display that duplicates the information of the camera mounted display; connects to CCU socket on 435, 535B and 16SR3, or to REMOTE socket on 235. Includes MODE, SEL, SET, RUN and PHASE buttons. External Display to CCU cable (K4.65207.0) is included with display. For use with 435 cameras, Function Expansion Module FEM-1 (discontinued) or FEM-2 (435 Advanced, 435 Extreme) must be present. For flexible mounting of external display to any 3/8"-16 UNC threaded hole, Universal Mounting Arm UMA-120 (K2.65020.0) is recommended.	€ 1.330,00
K4.65207.0	<b>EXD-1 Cable Short (0.8m/2'7") KC-100-S</b> Connects the External Display EXD-1 to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.	€ 475,00
K2.65067.0	<b>EXD-1 Cable Long (20m/66feet) KC-122-S</b> Connects the External Display EXD-1 to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.	€ 165,00
K2.65020.0	<b>Universal Mounting Arm UMA-120</b> Articulated accessory holder arm, 120mm / 4.7" long, with two swivel ball joints and one elbow joint. Has combination fastener system for use with plain 3/8"-16 UNC threaded holes or ARRI 3/8-16" mounting points with locating pins.	€ 350,00
	<b>REMOTE SWITCH</b>	
K2.46942.0	<b>Remote Switch RS-4</b> Remote camera run/stop. Unit has universal clip mechanism for attachment to tripod head pan bar or other round object. Connects via RS socket.	€ 490,00
K2.47207.0	<b>KC-40 Extension Cable(3m/9 ft)</b> for RS-4	€ 180,00

## ELECTRONIC ACCESSORIES

Zoom Control; Video Monitors

Ident. No.	Description	Price / EURO
<b>ZOOM CONTROL</b>		
K2.65003.0	<b>Zoom Control ZMU-3</b> Ergonomic unit to control a zoom motor (CLM-1 and 2) either directly or via UMC-1, UMC-3, ARRICAM Lens Data Box or 435 FEM-2	€ 4.750,00
K2.65006.0	<b>ZMU-3 Pan Handle</b> Pivotable clamp extension to attach ZMU-3 to tripod pan handle (18mm diameter or smaller)	€ 330,00
K2.65008.0	<b>Power Cable ZMU-3/CLM-2 (1,6m/5ft) KC91-S</b> Connects ZMU-3 with CLM-2 and R/S camera connector	€ 470,00
K2.65009.0	<b>ZMU-3 to LCS Short Cable (0,8m/2,5ft) KC92-S</b> Connects ZMU-3 to LCS connector on UMC-1, UMC-3, ARRICAM Lens Data Box or 435 FEM-2	€ 225,00
K2.65010.0	<b>ZMU-3 to LCS Long Cable (10m/30ft) KC93-S</b> Connects ZMU-3 to LCS connector on UMC-1, UMC-3, ARRICAM Lens Data Box or 435 FEM-2	€ 240,00
<b>Zoom Control ZMU-3 can also be used as a component of the Wireless Remote System. See Wireless Remote System for details.</b>		
<b>VIDEO MONITORS AND ACCESSORIES</b>		
K2.54031.0	<b>6.6" Video Monitor</b> Automatically switches for PAL and NTSC. Includes cable KCV-2 (K4.47299.0) for 4-pin combined video / power socket. Includes integrated swivel arm with 18.65mm shoe base for attachment to 3/8" Accessory Shoe Adapter K2.54077.0. Also includes Dovetail Insert Adapter K4.48218.0 for use with 26,6mm camera dovetail shoes.	€ 3.600,00
K4.47299.0	<b>Cable for 6,6 Video Monitor (0.4m/1.3ft) KCV-2</b>	€ 330,00
K2.54035.0	<b>2" Video Monitor, for NTSC</b> Academy Format only. A coiled cable is permanently attached. Attaches to 18.65mm shoe K2.54077.0. For use with 535B, Adapter K4.48218.0 is required.	€ 1.840,00
K2.54040.0	<b>2" Video Monitor, for PAL</b> Academy Format only. A coiled cable is permanently attached. Attaches to 18.65mm shoe K2.54077.0. For use with 535B, Adapter K4.48218.0 is required.	€ 1.840,00
<b>For Video Monitor mounting options, see Accessory Mounting Hardware under Support Systems.</b>		

## SUPPORT SYSTEMS

### Bridge Plates

Ident. No.	Description	Price / EURO
	<b>SUPPORT SYSTEMS - BRIDGE PLATES - SETS FOR 19MM SUPPORT RODS</b>	
K2.54011.0	<b>Set Power Bridgeplate - for ARRICAM Studio and ARRICAM Lite</b> A Bridgeplate with two built-in 24V RS accessory power connectors  Attaches to Studio or Lite camera. Includes one pair of support rods 440mm (K5.42904.0)	€ 1.940,00
K2.42537.0	<b>Set Bridge Plate BP-5 for 535B</b>  With adjustment for N35 / S35. Includes Bridge Plate K4.42890.0, Base Plate K4.54362.0 and one pair of 440mm support rods (K5.42904.0). Has rosette for accessory or handgrip.	€ 1.200,00
K2.47090.0	<b>Set Bridge Plate BP-8 for 435 and 235</b>  With adjustment for N35 / S35. Includes Bridge Plate K4.47460.0, Base Plate K4.54362.0 and one pair of 440mm support rods (K5.42904.0) Has rosette for accessory or handgrip.	€ 1.060,00
K2.42572.0	<b>Set Bridge Plate BP-6 for 16SR3</b>  With adjustment for N16 / S16. Includes Bridge Plate K4.42564.0, Base Plate K4.54362.0 and one pair of 340mm support rods (K4.47347.0)	€ 1.060,00
	<b>SUPPORT SYSTEMS - BRIDGE PLATES - SETS FOR 15MM SUPPORT RODS</b>	
K2.35900.A	<b>Set Bridgeplate BP-3 - for ARRICAM Studio, ARRICAM Lite and 535B</b> With adjustment for N35 / S35. Includes Bridge Plate K4.48290.0, Base Plate K4.54362.0 and one pair of 440mm support rods (K5.42904.0)	€ 1.060,00
K2.47091.0	<b>Set Bridge Plate BP-9 for 435 and 235</b> With adjustment for N35 / S35. Includes Bridge Plate K4.47461.0, Base Plate K4.54362.0 and one pair of 440mm support rods (K5.21957.0) Has rosette for accessory or handgrip.	€ 1.060,00
K2.41010.0	<b>Set Bridge Plate BP-7 for 16SR3</b> With adjustment for N16 / S16. Includes Bridge Plate K4.41006.0, Base Plate K4.54362.0 and one pair of 340mm support rods (K4.47348.0)	€ 1.060,00
	<b>SUPPORT SYSTEMS - BRIDGE PLATES - COMPONENTS</b>	
K4.54362.0	<b>Base Plate (Bottom Plate) -- fits all Bridge Plates</b> 290mm long, with dovetail for direct mounting on O'Connor Ultimate Head	€ 290,00
K4.54465.0	<b>Power Bridgeplate Top - for ARRICAM Studio and ARRICAM Lite, 19mm rods</b>	€ 1.530,00
K4.34996.0	<b>Bridge Plate Top BP-3 - for ARRICAM Studio, ARRICAM Lite and 535B, 15mm rods</b>	€ 650,00
K4.42890.0	<b>Bridge Plate Top BP-5 - for 535B, 19mm rods.</b> Has rosette for accessory or handgrip.	€ 790,00
K4.42564.0	<b>Bridge Plate Top BP-6 - for 16SR3, 19mm rods</b>	€ 680,00
K4.41006.0	<b>Bridge Plate Top BP-7 - for 16SR3, 15mm rods</b>	€ 680,00
K4.47460.0	<b>Bridge Plate Top BP-8 - for 435 and 235, 19mm rods</b> Has rosette for accessory or handgrip.	€ 650,00
K4.47461.0	<b>Bridge Plate Top BP-9 - for 435 and 235, 15mm rods</b> Has rosette for accessory or handgrip.	€ 650,00
	<b>QUICK RELEASE PLATE</b>	
K2.47092.0	<b>Wedge plate for ARRIHEAD</b> Sachtler-style quick release for BP-8 and BP-9; dovetails directly into bridge plate top	€ 170,00
	<b>SUPPORT SYSTEMS - LIGHTWEIGHT SUPPORT SYSTEM, 15MM RODS</b> See ARRIFLEX 16SR3 Price List.	

## SUPPORT SYSTEMS

Support Rods and Lens Supports

Ident. No.	Description	Price / EURO
<b>SUPPORT SYSTEMS - SUPPORT RODS 19MM</b>		
K2.43046.0	<b>Support rods 240 mm</b> one pair Ø 19 mm, stainless steel	€ 90,00
K4.47347.0	<b>Support rods 340 mm</b> one pair Ø 19 mm, stainless steel	€ 90,00
K5.42904.0	<b>Support rods 440 mm</b> one pair Ø 19 mm, stainless steel	€ 120,00
K2.55024.0	<b>Support rods 185 mm</b> One pair 19mm support rods, 185mm long, lightweight high-strength aluminum alloy with an extra hard coating.	€ 40,00
K2.55023.0	<b>Support rods 165 mm</b> One pair 19mm support rods, 165mm long, lightweight high-strength aluminum alloy with an extra hard coating.	€ 40,00
<b>SUPPORT SYSTEMS - SUPPORT RODS 15MM</b>		
K2.21958.0	<b>Support rods 240 mm</b> one pair Ø 15 mm, stainless steel	€ 90,00
K4.47348.0	<b>Support rods 340 mm</b> one pair Ø 15 mm, stainless steel	€ 90,00
K5.21957.0	<b>Support rods 440 mm</b> one pair Ø 15 mm, stainless steel	€ 120,00
<b>LENS SUPPORT BRIDGES</b>		
K2.47227.0	<b>Lens support LS-9 for Bridge Plate</b> for rods Ø 19 mm (spring-loaded)	€ 400,00
K2.47228.0	<b>Lens support LS-10 for Bridge Plate</b> for rods Ø 15 mm (spring-loaded)	€ 400,00

## SUPPORT SYSTEMS

### Accessory Mounting Hardware

Ident. No.	Description	Price / EURO
	<b>ACCESSORY MOUNTING HARDWARE</b>	
K2.54077.0	<b>3/8" Accessory Shoe Adapter, 18.65mm square</b> Attaches via 3/8" UNC thread with two locating pins for stability. For use with ARRI 18,65mm shoe-mounted accessories. With 435, attaches to camera carrying handle; the handle must have locating pin holes. Not for 16SR3 or 535.	€ 130,00
K2.54030.0	<b>Accessory Shoe Expander, 18.65mm square</b> Attaches to 18,65mm ARRI shoe, allows for attachment of two 18,65mm ARRI shoe-mounted accessories. Not for 16SR3 or 535.	€ 240,00
K2.52080.0	<b>Quick change adapter 3/8" Set for UMC-3 and other accessories</b> 26mm dovetail insert (K2.52082.0) and shoe (K2.52083.0) set. Both sides attach to 3/8" UNC thread mounting points having standard ARRI Ø15,5mm counterbore.	€ 390,00
K2.52082.0	<b>Dovetail Insert, 3/8" Thread</b> All purpose 26mm dovetail insert. Can be attached to 3/8" thread mounting points having standard ARRI Ø15,5mm counterbore. For use with 26mm dovetail shoes.	€ 290,00
K2.52083.0	<b>Dovetail Shoe, 3/8" thread</b> All purpose 26mm dovetail shoe. Can be attached to 3/8" thread mounting points having standard ARRI Ø15,5mm counterbore. For use with 26mm dovetail inserts.	€ 110,00
K2.52150.0	<b>Dovetail Insert Rod Bracket (WHA-2 Rod Bracket)</b> Bracket with 26mm dovetail (insert side) interface on short articulated arm, attaches to 19mm or 15mm support rod. For use with 26mm shoe-mounted accessories such as UMC-3 with Quick-Change Adapter K2.52080.0, Dovetail shoe K2.52083.0, or Wired Handgrip Attachments WHA-2 / WHA-3.	€ 1.390,00
K2.52153.0	<b>Dovetail Insert Bracket, ARRIHEAD Rosette (WHA-2 Rosette Bracket)</b> Bracket with 26mm dovetail (insert side) interface on 15mm rod, attaches to ARRIHEAD rosette, can be pivoted on rosette or slid along rod. For use with 26mm shoe-mounted accessories such as UMC-3 with Quick-Change Adapter K2.52080.0, Dovetail shoe K2.52083.0, or Wired Handgrip Attachments WHA-2 / WHA-3.	€ 1.000,00
K2.54148.0	<b>Dovetail Insert Rod Clamp (19mm)</b> 26mm dovetail insert with integrated clamp for 19mm support rod. For use with 26mm dovetail shoes.	€ 290,00
K4.52563.0	<b>Dovetail Insert Rod Clamp (15mm)</b> 26mm dovetail insert with integrated clamp for 15mm support rod. For use with 26mm dovetail shoes.	€ 290,00
K2.47289.0	<b>Dovetail shoe for 435 camera side mount</b> 26mm dovetail shoe, attaches to right side of 435 camera via M4 thread with two locating pins for stability. For use with 26mm dovetail inserts.	€ 90,00
K4.47125.0	<b>Dovetail shoe for 435 handle mount</b> 26mm dovetail shoe, attaches to right side of 435 camera via 3/8" UNC thread with keeper ridge to prevent twisting. For use with 26mm dovetail inserts.	€ 123,00
K4.48218.0	<b>Dovetail Insert Adapter</b> For use with 18.65mm shoe mounted accessories in 26mm dovetail shoes.	€ 180,00
K2.65020.0	<b>Universal Mounting Arm UMA-120</b> Articulated accessory holder arm, 120mm / 4.7" long, with two swivel ball joints and one elbow joint. Has combination fastener system for use with plain 3/8"-16 UNC threaded holes or ARRI 3/8-16" mounting points with locating pins.	€ 350,00

## FOLLOW FOCUS

For All Cameras -- ARRICAM, 235, 435, 535B and 16SR3

Ident. No.	Description	Price / EURO
K0.60021.0	<p><b>LIGHTWEIGHT FOLLOW FOCUS FOR HANDHELD</b>  <b>Lightweight Follow Focus Set for 19mm (LFF-1/19)</b></p> <p>A compact, lightweight, high-precision modular follow focus designed for small and lightweight cameras like the 235, but also compatible with the other ARRI cameras. The LFF-1 attaches to 19mm support rods via the Rod Mounting Bracket (RMB-1, K2.55017.0). Its unique features include a 360° rotatable focus arm and internally reversible drive direction, making it easily usable above or below the lens. It is compatible with the focus knobs from the Lightweight Focus Drive (LFD) system. The LFF-1 set consists of the LFF-1 Drive (K2.57249.0), focus knob left FK-1 (K2.47246.0, includes 1 bevelled Marking Disk K4.47621.0), the Rod Mounting Bracket RMB-1 (K2.55017.0) and small gear for prime lenses and 16mm zooms (K2.47252.0)</p>	€ 3.455,00
K2.57249.0	<p>NOTE: when used with the 235, the LFF-1 requires the 235 Side Bracket SBR-1 (K2.55015.0), or 19mm bridge plate.  <b>LFF-1 Drive</b>            Can be driven directly with flexible shaft or focus lever.</p>	€ 2.210,00
K2.55017.0	<p><b>Rod Mounting Bracket (RMB-1)</b>            This bracket mounts the LFF-1 to a single 19mm support rod.</p>	€ 520,00
K2.55021.0	<p><b>15mm Reduction Set for Rod Mounting Bracket RMB-1</b>            Kit to adapt K2.55017.0 for use with a single 15mm support rod.</p>	€ 75,00
K2.47246.0	<p><b>Focus Knob Left (FK-1)</b>            With backlash-free coupling. Includes 1 bevelled Marking Disk K4.47621.0.</p>	€ 620,00
K2.47250.0	<p><b>Focus Knob Right (FK-2)</b>            With backlash-free coupling. For use with LFF-1 when working with a rod mounted mattebox on the camera right side. Includes 1 bevelled Marking Disk K4.47621.0. Required for use of LFF-1 with 235 Left Rod Bracket K2.65052.0.</p>	€ 620,00
K4.47621.0	<p><b>Marking disk bevelled</b></p>	(spare) € 20,00
K2.47292.0	<p><b>Marking disk flat</b></p>	€ 40,00

**Marking Disks for LFF-1 are smaller than for studio follow-focus units; they are compatible with WRS hand units, but not with FF-3, FF-4 or FF5-HD.**

**Many follow-focus accessories and all follow-focus gears are compatible with all ARRI follow-focus units; please see Focus Knob Accessories and Follow-Focus Gears.**

## FOLLOW FOCUS

For All Cameras -- ARRICAM, 235, 435, 535B and 16SR3

Ident. No.	Description	Price / EURO
K0.59973.0	<p><b>TWO-SPEED STUDIO FOLLOW FOCUS FF-3 -- FOR USE WITH BRIDGE PLATE</b></p> <p><b>Set Two-Speed Follow Focus FF-3 for 19mm Support Rods</b></p> <p>consisting of:</p> <ul style="list-style-type: none"> <li>- K2.42540.0 -- Snap-on follow-focus with integrated left two-speed Focus knob and one marking disk, flat</li> <li>- K2.43702.0 -- Two-Speed focus knob, right</li> <li>- K2.32985.0 -- Extension for focus knob right when using large matteboxes</li> <li>- K2.32730.0 -- Focus lever (speed handle)</li> <li>- K2.47252.0 -- 35 tooth, 0.8 metric module gear for smaller prime lenses</li> <li>- K2.47002.0 -- 43 tooth, 0.8 metric module gear for Cooke Zoom and larger prime lenses</li> </ul>	€ 4.270,00
K0.59988.0	<p><b>Set Two-Speed Follow Focus FF-3 for 15mm Support Rods</b></p> <p>consisting of:</p> <ul style="list-style-type: none"> <li>- K2.42540.A -- Follow-Focus with integrated left two-speed Focus knob, one marking disk flat, and 15mm snap-on adapter BA-3</li> <li>- K2.43702.0 -- Two-Speed focus knob, right</li> <li>- K2.32985.0 -- Extension for focus knob right when using large matteboxes</li> <li>- K2.32730.0 -- Focus lever (speed handle)</li> <li>- K2.47252.0 -- 35 tooth, 0.8 metric module gear for smaller prime lenses</li> <li>- K2.47002.0 -- 43 tooth, 0.8 metric module gear for Cooke Zoom and larger prime lenses</li> </ul>	€ 4.470,00
K2.42540.0	<p><b>Two-Speed Follow-Focus FF3 for 19mm Support Rods, basic unit</b></p> <p>Snaps onto rods from above. With integrated left knob; right knob and focus gears must be ordered separately, see below.</p>	€ 2.410,00
K2.42540.A	<p><b>Convertible Two-Speed Follow-Focus FF3 for 15mm Support Rods, basic unit</b></p> <p>Snaps onto rods from above. With integrated left knob; right knob and focus gears must be ordered separately, see below. Can be converted for 19mm use with Adapter BA-2 (K2.43268.0).</p>	€ 2.610,00
K2.47121.0	<p><b>STUDIO FOLLOW FOCUS FF-4</b></p> <p><b>-- FOR USE WITH LIGHTWEIGHT SUPPORT OR BRIDGE PLATE</b></p> <p><b>Follow Focus FF-4 for FILM or VIDEO, basic unit</b></p> <p>for use with film or video Lightweight Support systems conforming to ARRI standard; includes focus knob left K4.47589.0 and marking disk flat K4.32713.0. For use with studio bridge plate, adapter BA-2 or BA-3 (see below) is required.</p> <p>Right knob and focus gears must be ordered separately, see below.</p>	€ 1.840,00
K2.43268.0	<p><b>ADAPTER BRIDGES FOR FF-3 AND FF-4 (NOT FOR LFF-1 OR FF5-HD)</b></p> <p><b>Adapter BA-2</b></p> <p>snaps on rods from above, for Ø 19 mm support rods</p>	€ 320,00
K4.47598.0	<p><b>Adapter BA-3</b></p> <p>snaps on rods from above, for Ø 15 mm support rods</p>	€ 320,00
K2.47637.0	<p><b>STUDIO FOLLOW FOCUS FF5-HD</b></p> <p><b>-- FOR USE WITH LIGHTWEIGHT SUPPORT OR BRIDGE PLATE</b></p> <p><b>Follow Focus FF5-HD for ENG / EFP lenses</b></p> <p>for use with film or video camera lightweight support systems conforming to ARRI standard. Quick-release mechanism snaps on rods from above. Includes focus knob K4.47589.0 and marking disk flat K4.32713.0. For use with studio bridge plate, Adapter (see below) is required.</p>	€ 1.950,00
K2.47629.0	<p><b>FF5-HD Adapter for Bridge Plate 19mm</b></p> <p>For mounting FF5-HD on 19mm studio support rods. Can be removed / mounted by user in the field.</p>	€ 380,00
K2.47630.0	<p><b>FF5-HD Adapter for Bridge Plate 15mm</b></p> <p>For mounting FF5-HD on 15mm studio support rods. Can be removed / mounted by user in the field.</p> <p><b>Right knob and focus gears must be ordered separately, see below.</b></p>	€ 380,00

## FOLLOW FOCUS

For All Cameras -- ARRICAM, 235, 435, 535B and 16SR3

Ident. No.	Description	Price / EURO
<p><b>MARKING DISKS AND RIGHT-SIDE FOCUS KNOBS -- FF-3, FF-4 AND FF5-HD (NOT FOR LFF-1)</b></p> <p>Right-side focus knobs have long throats in order to clear mattebox brackets. With FF-4 and FF5-HD, they can also be used on the left side as desired. With large studio matteboxes such as MB-14, the additional extension K2.32985.0 is also required.</p>		
K2.47215.0	<b>Right Side Focus Knob, basic</b> Includes one Marking Disk flat, K4.32713.0.	€ 390,00
K2.43702.0	<b>Two-Speed Right Side Focus Knob</b>  with planetary reduction transmission. Also useful when using FF-4 with ENG/EFP lenses or other lenses with compressed focus scaling. Includes one Marking Disk flat, K4.32713.0.	€ 1.250,00
K2.47235.0	<b>Coupling for flexible shaft</b> for use of Flexible Shaft or Focus Lever without Focus Knob. With FF-3, can be mounted right-side; with FF-4 or FF5-HD, can be mounted left or right side.	€ 160,00
K2.32985.0	<b>Extension for Focus Knob</b> Extends focus knob out to clear large studio matteboxes.	€ 350,00
K4.32713.0	<b>Marking disk flat</b> Classic white marking disk.	€ 20,00
K2.47248.0	<b>Marking disk bevelled</b> Conical shape allows reading from different view angles, including behind the camera.	€ 20,00
<p><b>FOCUS KNOB ACCESSORIES -- COMPATIBLE WITH LFF-1, FF-3, FF-4 AND FF5-HD</b></p>		
K2.32730.0	<b>Focus lever (speed handle)</b> L-shaped handle for fast focus pulls.	€ 50,00
K2.32731.0	<b>Flexible shaft long (900 mm)</b>	€ 250,00
K2.34100.0	<b>Flexible shaft short (300 mm)</b>	€ 170,00
<p><b>FOLLOW FOCUS GEARS -- COMPATIBLE WITH LFF-1, FF-3, FF-4 AND FF5-HD</b></p> <p>All ARRI Follow-Focus Gears are made of low-friction Delrin for optimal drive smoothness, and offer highly precise self-centering stainless-steel couplings to eliminate runout and wear problems.</p> <p>Video lenses designated as "cine-style" use 0.8 metric module gears. Video lenses designated as "ENG" use 0.5 or 0.6 module gears as specified below.</p>		
K2.47252.0	<b>35 tooth, 0.8 Metric Module Gear for smaller prime lenses and 16mm zooms</b> 10mm face, replaces Gear for Prime Lenses K2.32990.0.	€ 105,00
K2.47002.0	<b>43 tooth, 0.8 Metric Module Gear for larger prime lenses and 35mm zooms</b> 6mm face, replaces Cooke Zoom Gear K2.32981.0.	€ 105,00
K2.47557.0	<b>35 tooth, 0.8 Metric Module Gear for external focus lenses</b> 25mm face, replaces Angenieux Zoom Gear K2.32992.0.	€ 130,00
K2.47631.0	<b>78 tooth, 0.5 Metric Module Gear for Canon and Angenieux ENG lenses</b> 6mm face.	€ 105,00
K2.47632.0	<b>64 tooth, 0.6 Metric Module Gear for Fujinon ENG lenses</b> 6mm face.	€ 105,00
K2.44965.0	<b>CASE for FF-3, FF-4 or FF5-HD</b> Case for Follow Focus FF-3, FF-4 or FF5-HD and accessories	€ 560,00

## MATTE BOXES

### Clip-on Lightweight Matte Boxes

Ident. No.	Description	Price / EURO
	<b>3"x3" Lightweight Matte Box LMB-2 has been discontinued and will only be available as remaining stock permits. Please see Discontinued Items List for pricing.</b>	
	<b>LIGHTWEIGHT MATTE BOX LMB-3 FOR 4"x4" FILTERS</b>	
	Due to the inherent limitations of the 4"x4" filter size, the LMB-3 may not be suitable for applications requiring wide-angle lenses. Depending on lens focal length and optical characteristics, either the LMB-5 or LMB-4A should then be used.	
K2.44471.0	<b>Lightweight Matte Box LMB-3</b> consisting of: filter holder LMB-3 Ø 87 mm with adapter ring Ø 80mm and adapterring Ø 80mm for Series 9 filter, 2 filter frames 4"x4" and collapsible rectangular sun shade	€ 890,00
K4.43397.0	<b>4"x4" Filter frame</b>	(spare) € 210,00
K2.34577.0	<b>3"x3" Filter frame</b>	€ 220,00
	<b>LIGHTWEIGHT MATTE BOX LMB-5</b>	
K0.60032.0	<b>Lightweight Matte Box LMB-5 Set for 4x5.65 Filters</b> Includes: Matte Box K2.47670.0 and 2x Filter Frame K2.47669.0. Replaces Ident. Nr. K2.47239.0. Clamp adapter (back) must be ordered separately.	€ 830,00
K0.60032.A	<b>Lightweight Matte Box LMB-5 Set for 4x4 Filters</b> Includes: Matte Box K2.47670.0 and 2x Filter Frame K2.47104.0. Clamp adapter (back) must be ordered separately.	€ 890,00
K2.47670.0	<b>Lightweight Matte Box LMB-5, without filter frames or clamp adapter</b>	€ 520,00
K2.47244.0	<b>Light Shield (carbon fiber)</b>	€ 325,00
K2.47108.0	<b>Set of masks (also compatible with Production Matte Box MB-19)</b> for 16mm lenses with focal length 9.5 - 180 mm	€ 190,00
K2.47109.0	<b>Set of masks (also compatible with Production Matte Box MB-19)</b> for 35mm lenses with focal length 18 - 180 mm	€ 190,00
K2.47104.0	<b>4"x4" Filter frame, horizontal (also for use with Production Matte Box MB-19)</b>	€ 185,00
K2.47669.0	<b>4"x5.65" Filter frame, horizontal (also for use with Production Matte Box MB-19)</b>	€ 155,00
K2.47243.0	<b>Clamp adapter Ø 80 mm</b> for Zeiss standard and HS lenses	€ 150,00
K2.47242.0	<b>Clamp adapter Ø 87 mm</b> for Vario Sonnar	€ 130,00
K2.47241.0	<b>Clamp adapter Ø 95 mm</b> for Ultra Prime 16-135 mm	€ 130,00
K2.47253.0	<b>Clamp adapter Ø 104 mm</b> for LDS Ultra Prime 16-135 mm	€ 150,00
K2.52097.0	<b>Clamp adapter Ø 110 mm</b> for Cooke S4 and LDS Cooke S4	€ 150,00
K2.47240.0	<b>Clamp adapter Ø 114 mm</b> for Master Primes, UP 14mm, UP 180mm, LDS-UP 14mm and LDS-UP 180mm	€ 150,00

## MATTE BOXES

Clip-on Lightweight Matte Boxes

Ident. No.	Description	Price / EURO
	<p><b>LIGHTWEIGHT MATTE BOX LMB-4</b>            Lightweight Matte Box LMB-4 K2.45265.0 has been replaced by Wide Lightweight Matte Box LMB-4A.</p>	
	<p><b>WIDE LIGHTWEIGHT MATTE BOX LMB-4A</b>  <b>Wide Lightweight Matte Box LMB-4A</b>            for use with UP 8mm, 10mm, 12mm and LDS UP 12mm</p>	NEW € 1.180,00
K2.47633.0		
K5.65585.0	<p><b>Wide angle replacement shade (LMB-4 &gt; LMB-4A)</b>            for modification of LMB-4 into LMB-4A</p>	€ 110,00
	<p><b>ADAPTER RINGS FOR LMB-4 AND LMB-4A</b></p>	
K2.47635.0	<p><b>134mm step down ring for use with UP 8R and Master Diopters</b>            Note: UP 8R can only be used with LMB-4A</p>	€ 100,00
K2.65084.0	<p><b>114mm step down ring for use with Master Primes and UP 14</b></p>	€ 100,00
	<p><b>3"x3" Lightweight Matte Box LMB-2 has been discontinued and will only be available as remaining stock permits. Please see Discontinued Items List for pricing.</b></p>	

## MATTE BOXES

6.6"x6.6" Production Matte Box MB-14

Ident. No.	Description	Price / EURO
K0.59971.0	<p><b>6.6"x6.6" Production Matte Box MB-14 is a versatile wide-angle studio mattebox that can be used with all lenses from primes to the largest 35mm and HD zooms. MB-14 requires a studio bridge plate.</b></p> <p><b>MATTE BOX MB-14 SETS</b>  <b>Set 6.6"x6.6" Prod. Matte Box MB-14 for 19mm bridge plate support rods</b>            Includes:</p> <p>K2.42149.0 - Matte Box MB-14 for 19mm support rods with french flag holder, 4-filter stage (filters rotatable in pairs) and 4 filter trays (2 geared K4.47076.0, 2 non-geared K4.47074.0)</p> <p>K2.42306.0 - Set of mattes for 35mm prime lenses, 18mm-180mm            K2.34890.0 - Flexible Shaft for geared filter drive  <b>Rear filter ring must be ordered separately, please see Filter Rings.</b></p>	€ 3.540,00
K0.59987.0	<p>This set can be used with lenses as wide as 12mm. For wider lenses, use supplementary carrier MB-14W (K2.43957.0) and wide-angle 2-filter stage K2.45504.0 as necessary.</p> <p><b>Set 6.6"x6.6" Prod. Matte Box MB-14 for 15mm bridge plate support rods</b>            Includes:</p> <p>K2.42149.A - Matte Box MB-14 for 15mm support rods with french flag holder, 4-filter stage (filters rotatable in pairs) and 4 filter trays (2 geared K4.47076.0, 2 non-geared K4.47074.0)</p> <p>K2.42306.0 - Set of mattes for 35mm prime lenses, 18mm-180mm            K2.34890.0 - Flexible Shaft for geared filter drive  <b>Rear filter ring must be ordered separately, please see Filter Rings.</b></p>	€ 3.540,00
	<p>This set can be used with lenses as wide as 12mm. For wider lenses, use supplementary carrier MB-14W (K2.43957.0) and wide-angle 2-filter stage K2.45504.0 as necessary.</p>	

## MATTE BOXES

6.6"x6.6" Production Matte Box MB-14

Ident. No.	Description	Price / EURO
	<b>MB-14 BASIC MATTE BOXES AND ACCESSORIES</b>	
K2.42149.0	<b>Matte Box MB-14 for 19mm bridge plate support rods</b> with french flag holder, 4-filter stage (filters rotatable in pairs) and 4 filter trays (2 geared K4.47076.0, 2 non-geared K4.47074.0)	€ 3.140,00
K2.42149.A	<b>Matte Box MB-14 for 15mm bridge plate support rods</b> with french flag holder, 4-filter stage (filters rotatable in pairs) and 4 filter trays (2 geared K4.47076.0, 2 non-geared K4.47074.0)	€ 3.140,00
K2.43344.0	<b>Matte Box MB-14 19mm Conversion Kit</b> To convert K2.42149.A or K0.59987.0 for use with 19mm support rods.	€ 450,00
K2.43957.0	<b>Carrier MB-14W</b> with wide-angle shade for Zeiss 10 mm lens	€ 740,00
K2.45504.0	<b>2-Filter Stage</b> for UP 10mm when shooting in Super 35. Filters rotatable as pair. Has gear drive for one geared tray.	€ 620,00
K2.42287.0	<b>3-Filter Stage</b> two rotatable as a pair and one alone. Has gear drive for one geared tray.	€ 930,00
K2.43187.0	<b>4-Filter Stage</b> all four filters independently rotatable, no geared drives.	€ 1.450,00
K2.42286.0	<b>6-Filter Stage</b> filters rotatable in pairs, has gear drives for 3 geared trays.	€ 1.670,00
K2.42293.0	<b>4"x4" Reduction Filter Stage</b> snaps into rear of MB-14; for 2 filters 4"x4" and one round filter Ø 138 mm. 4"x4" filters are rotatable as a pair. Includes two filter frames 4"x4" K4.32902.0. Additional rear filter ring must be ordered separately -- see Filter Rings.	€ 690,00
K2.42306.0	<b>Set of mattes for 18-180 mm</b> not for use with MB-14W.	€ 200,00
K2.65092.0	<b>Blank mattes for MB-14, one pair / 2 pcs.</b> Fitted mattes without cutouts for user-specific applications.	€ 50,00
K2.34890.0	<b>Flexible shaft (fits all matteboxes with geared stages)</b> for driving geared filter stages.	€ 140,00
K0.59972.0	<b>Light shield set</b> top/bottom flags (K2.44447.0) and side flags pair (K2.44726.0)	€ 1.040,00
K2.44447.0	<b>Top/bottom flags</b>	(spare) € 460,00
K2.44726.0	<b>Side flags pair</b>	(spare) € 580,00
K2.44774.0	<b>Case for MB-14 and -15</b> (with variable dividers)	€ 700,00
	<b>A diverse selection of filter rings and trays is available for the MB-14. Please see Matte Box Accessories at the end of the matte box listings.</b>	

## MATTE BOXES

5"x6" Production Matte Box MB-15

Ident. No.	Description	Price / EURO
------------	-------------	--------------

5"x6" Production Matte Box MB-15 has been discontinued and will only be available as remaining stock permits. Please see Discontinued Items List for pricing.

The MB-15 shares many accessories with the MB-14 that are thus not being discontinued; these accessories will still be marked as compatible with MB-15. Please see Matte Box Accessories at the end of the matte box listings.

## MATTE BOXES

4"x4" Production Mattebox MB-16

Ident. No.	Description	Price / EURO
	<b>4"x4" Production Matte Box MB-16 is a modular medium-focal-length studio mattebox for use with primes and 16mm zooms. MB-16 requires a studio bridge plate.</b>	
K2.44472.0	<b>4"x4" Prod. Matte Box MB-16</b> for 19mm support rods with 2-filter stage, one filter frame 4"x4" non-geared (K4.47070.0), one filter frame geared (K2.47072.0) and french flag holder. Both filters rotate together as a pair. Rear filter ring must be ordered separately, please see Filter Rings.	€ 2.310,00
K2.44472.A	<b>4"x4" Prod. Matte Box MB-16</b> for 15mm support rods with 2-filter stage, one filter frame 4"x4" non-geared (K4.47070.0), one filter frame geared (K2.47072.0) and french flag holder. Both filters rotate together as a pair. <b>Rear filter ring must be ordered separately, please see Filter Rings.</b>	€ 2.310,00
K0.59985.0	<b>Light shield set</b> top/bottom flag (K2.41703.0) and side flags pair (K2.41705.0)	€ 920,00
K2.41703.0	<b>Top/bottom flags</b>	(spare) € 380,00
K2.41705.0	<b>Side flags pair</b>	(spare) € 540,00
K2.41701.0	<b>Set of mattes for 16 mm lenses</b> of 12-180 mm focal length	€ 160,00
K2.41699.0	<b>Set of mattes for 35 mm lenses</b> of 24-180 mm focal length	€ 160,00
K2.65091.0	<b>Blank mattes for MB-16, one pair / 2 pcs.</b> Fitted mattes without cutouts for user-specific applications.	€ 50,00
K2.34890.0	<b>Flexible shaft (fits all matteboxes with geared stages)</b> for driving geared filter stages.	€ 140,00
K2.43345.0	<b>Conversion set</b> for K2.44472.A for Ø 19 mm rods	€ 450,00
K4.41709.0	<b>2-filter stage (spare - one set K4.41709.0 is included with each MB-16)</b> includes one filter frame 4"x4" non-geared (K4.47070.0) and one filter frame geared (K2.47072.0). Both filters rotate together as a pair.	€ 1.140,00
K2.45810.0	<b>3-filter stage</b> One geared filter and one non-geared filter rotate as a pair; remaining filter is non-geared and rotatable on its own. Includes one filter frame 4"x4" non-geared (K4.47070.0)	€ 1.200,00
K2.41596.0	<b>4-filter stage</b> Filters rotatable in two pairs; each pair has one geared and one non-geared stage. includes one filter frame 4"x4" non-geared (K4.47070.0) and one filter frame geared (K2.47072.0)	€ 1.390,00
K2.43474.0	<b>Case for MB-16 and accessories</b>	€ 680,00
	<b>A diverse selection of filter rings and trays is available for the MB-16. Please see Matte Box Accessories at the end of the matte box listings.</b>	

## MATTE BOXES

4"x4" Production Mattebox MB-17B

Ident. No.	Description	Price / EURO
	<b>4"x4" Production Matte Box MB-17B is a medium-focal-length studio mattebox for use with primes and 16mm zooms. MB-17B can be used on Lightweight Support rods, or can be used on a studio bridge plate with the appropriate adapter.</b>	
K2.47247.0	<b>4"x4" Matte Box MB-17B</b> with two filter frames 4"x4" (K4.47070.0); both filters are rotatable as a pair <b>Rear filter ring must be ordered separately, please see Filter Rings.</b>	€ 1.180,00
K2.47101.0	<b>Adapter for bridge plate (also compatible with MB-19 and MB-20)</b> for support rods Ø 19 mm	€ 190,00
K2.47102.0	<b>Adapter for bridge plate (also compatible with MB-19 and MB-20)</b> for support rods Ø 15 mm	€ 190,00
K2.47286.0	<b>Light shield</b>	€ 340,00
K2.42119.0	<b>Set of mattes</b> for 16 mm lenses	€ 170,00
K4.47628.0	<b>Conversion set</b> for MB-17 to MB-17B	€ 390,00

**A diverse selection of filter rings and trays is available for the MB-17B. Please see Matte Box Accessories at the end of the matte box listings.**

## MATTE BOXES

4"x5.65" Production Matte Box MB-18

Ident. No.	Description	Price / EURO
	<p><b>4"x5.65" Production Matte Box MB-18 is a flexible wide-angle studio mattebox that can be used with primes and many zoom lenses. It is a useful alternative to MB-14 when a smaller build is desired. MB-18 requires a studio bridge plate.</b></p>	
	<p><b>MB-18 BASIC MATTE BOXES AND ACCESSORIES</b></p>	
K2.47178.0	<p><b>4"x5.65" Prod.Matte Box MB-18 for 19mm bridge plate support rods</b> with 3-filter stage, 2 filter frames 4"x5.65" non-geared (K4.47359.0), 1 filter frame 4"x5.65" geared (K4.47361.0) and french flag holder Rear filter ring must be ordered separately, please see Filter Rings.</p>	€ 2.620,00
K2.47178.A	<p><b>4"x5.65" Prod.Matte Box MB-18 for 15mm bridge plate support rods</b> with 3-filter stage, 2 filter frames 4"x5.65" non-geared (K4.47359.0), 1 filter frame 4"x5.65" geared (K4.47361.0) and french flag holder Rear filter ring must be ordered separately, please see Filter Rings.</p>	€ 2.620,00
K0.59990.0	<p><b>Light shield set</b> top/bottom flag (K2.47183.0) and side flags (K2.47184.0)</p>	€ 1.060,00
K2.47183.0	<p><b>Top/bottom flags</b></p>	(spare) € 450,00
K2.47184.0	<p><b>Side flags pair</b></p>	(spare) € 610,00
K2.47182.0	<p><b>Set of mattes</b> for 16 mm lenses</p>	€ 220,00
K2.47181.0	<p><b>Set of mattes</b> for 35 mm lenses</p>	€ 220,00
K2.65081.0	<p><b>Blank mattes for MB-18, one pair / 2 pcs.</b> Fitted mattes without cutouts for user-specific applications.</p>	€ 50,00
K2.34890.0	<p><b>Flexible shaft (fits all matteboxes with geared stages)</b> for driving geared filter stages.</p>	€ 140,00
K2.47180.0	<p><b>2-filter stage</b> for two 4"x5.65" filters (1 geared), individually rotatable</p>	€ 1.100,00
K4.47351.0	<p><b>3-filter stage (spare - one set K4.47351.0 is included with each MB-18)</b> for three 4"x5.65" filters (1 geared), individually rotatable Includes 2 filter frames 4"x5.65" non-geared (K4.47359.0) and 1 filter frame 4"x5.65" geared (K4.47361.0)</p>	€ 1.500,00
K2.47179.0	<p><b>4-filter stage</b>  1 filter geared; geared filter + 1 non-geared filter rotatable independently, two remaining filters are non-geared and rotate as pair. Includes one filter frame 4"x5.65" non-geared (K4.47359.0)</p>	€ 1.380,00
K2.49050.0	<p><b>Case for MB-18 / MB-20</b> with variable dividers</p>	€ 700,00

**A diverse selection of filter rings and trays is available for the MB-18. Please see Matte Box Accessories at the end of the matte box listings.**

## MATTE BOXES

4"x5.65" Production Matte Box MB-19

Ident. No.	Description	Price / EURO
	<b>4"x5.65" Production Matte Box MB-19 is a compact lightweight medium-wide mattebox that can be used with primes and 16mm zoom lenses. MB-19 can be used on Lightweight Support rods, or can be used on a studio bridge plate with the appropriate adapter.</b>	
K2.47099.0	<b>4"x5,65" Prod.Matte Box MB-19</b> includes one filter frame 4"x5.65" horizontal (K4.47514.0) and one filter frame 4"x5.65" vertical (K4.47493.0). Horizontal filter is in front and fixed; vertical stage is rotatable. <b>Rear filter ring must be ordered separately, please see Filter Rings.</b>	€ 1.480,00
K2.47101.0	<b>Adapter for bridge plate (also compatible with MB-17B and MB-20)</b> for support rods Ø 19 mm	€ 190,00
K2.47102.0	<b>Adapter for bridge plate (also compatible with MB-17B and MB-20)</b> for support rods Ø 15 mm	€ 190,00
K0.59995.0	<b>Light shield set</b> top flag (K2.65064.0) and pair of side flags (K2.47106.0)	€ 690,00
K2.65064.0	<b>Top/bottom flags (also compatible with MB-20)</b>	(spare) € 170,00
K2.47106.0	<b>Side flags pair</b>	(spare) € 460,00
K2.47108.0	<b>Set of masks (also compatible with Lightweight Matte Box LMB-5)</b> for 16mm lenses with focal length 9.5 - 180 mm	190,00
K2.47109.0	<b>Set of masks (also compatible with Lightweight Matte Box LMB-5)</b> for 35mm lenses with focal length 18 - 180 mm	€ 190,00
K2.65093.0	<b>Blank mattes for MB-19, one pair / 2 pcs.</b> Fitted mattes without cutouts for user-specific applications.	€ 40,00
K2.47100.0	<b>Supplementary filter stage</b> snaps into rear in place of filter ring; includes one filter frame 4x5.65 vertical (K4.47493.0). Can take filter ring in rear -- filter ring must be ordered separately.	€ 410,00
K2.47116.0	<b>Case for MB-19 and accessories</b>	€ 660,00

**A diverse selection of filter rings and trays is available for the MB-19. Please see Matte Box Accessories at the end of the matte box listings.**

## MATTE BOXES

5.65"x5.65" Compact Matte Box MB-20

Ident. No.	Description		Price / EURO
	<b>5.65"x5.65" Compact Matte Box MB-20 is a modular system that can be adapted for use on film or video camera lightweight supports, bridge plate support rods, or as a clamp-on sunshade.</b>		
	<b>MATTE BOX MB-20 SETS</b>		
K0.60022.0	<b>MB-20 Set for Lightweight Support</b> 2-Stage Mattebox MB-20 with swingaway bracket for use with lightweight support rods conforming to ARRI standard. Includes K2.65027.0, K2.65032.0, K2.65028.0, K2.65026.0, K2.65025.0. Rear reflex ring and filter trays must be ordered separately.	N E W	€ 2.420,00
K0.60023.0	<b>MB-20 Set for 235 Side Bracket</b> 2-Stage Mattebox MB-20 with swingaway bracket for use with ARRIFLEX 235 Side Bracket SBR-1. Includes K2.65027.0, K2.65032.0, K2.65028.0, K2.65026.0, K2.65024.0. Rear reflex ring and filter trays must be ordered separately. For use with 15mm support rods, 15mm reduction kit K2.47062.0 is required.		€ 2.420,00
K0.60024.0	<b>MB-20 Set for 19mm Studio Rods</b> As K0.60022.0, plus Adapter for 19mm Studio Rods K2.47101.0.		€ 2.610,00
K0.60025.0	<b>MB-20 Set for 15mm Studio Rods</b> As K0.60022.0, plus Adapter for 15mm Studio Rods K2.47102.0.		€ 2.610,00
K0.60026.0	<b>MB-20 Clamp-On Set</b> Includes K2.65027.0, K2.65026.0 and K2.65030.0. Filter trays and adapter rings must be ordered separately.		€ 1.900,00
	<b>MATTE BOX MB-20 INDIVIDUAL COMPONENTS AND ACCESSORIES</b>		
K2.65027.0	<b>MB-20 Basic Module with Sunshade</b> Basic MB-20 Mattebox Carrier with detachable sunshade, without filter stage assembly or camera mounting hardware.		€ 780,00
K2.65026.0	<b>MB-20 Two-Stage Filter Assembly</b> Holds two filters up to 5.65x5.65 or 5x6, both filters individually rotatable. Requires K2.65028.0 in addition for use with reflex prevention ring or round filter holder. Also compatible with K2.65030.0.		€ 520,00
K2.65089.0	<b>MB-20 3-Stage Filter Assembly</b> All filters rotatable separately. Requires K2.65028.0 in addition for use with reflex prevention ring or round filter holder. Also compatible with K2.65030.0.		€ 690,00
K2.65028.0	<b>MB-20 Back 138mm Bellows Adapter</b> For use with size R2 Filter Rings. See Matte Box Accessories -- Filter Rings.		€ 300,00
K2.65032.0	<b>MB-20 Swingaway Module</b> Requires Console K2.65025.0 or K2.65024.0.		€ 600,00
K2.65025.0	<b>MB-20 Console for Lightweight Support</b> For use with MB-20 in swingaway mode with lightweight support rods conforming to ARRI standard. Requires K2.65032.0 in addition. K2.65025.0 can be swapped for K2.65024.0 by user in the field.		€ 220,00
K2.65024.0	<b>MB-20 Console for 235 Side Bracket</b> For use with MB-20 in swingaway mode on 235 Side Bracket. Requires K2.65032.0 in addition. K2.65024.0 can be swapped for K2.65025.0 by user in the field.		€ 220,00
K2.47062.0	<b>15mm Reduction Kit for MB-20 Side Bracket Console</b> For use with K2.65024.0 on 15mm support rods.		€ 75,00

## MATTE BOXES

5.65"x5.65" Compact Matte Box MB-20

Ident. No.	Description	Price / EURO
K2.65030.0	<b>MB-20 Clamp-On Module, 130mm clamping diameter</b> For direct clip-on use. Can be swapped for support rod/swingaway configuration by user in the field. Dependent on lens diameter requires Reduction Ring size R7 (see Reduction Rings following Filter Rings)	€ 600,00
K2.47101.0	<b>Adapter for Bridge Plate 19mm (also compatible with MB-19 and MB-17B)</b> For use with MB-20 in swingaway mode on 19mm studio rods. Requires K2.65032.0 plus K2.65025.0. Can be removed / mounted by user in the field.	€ 190,00
K2.47102.0	<b>Adapter for Bridge Plate 15mm (also compatible with MB-19 and MB-17B)</b> For use with MB-20 in swingaway mode on 15mm studio rods. Requires K2.65032.0 plus K2.65025.0. Can be removed / mounted by user in the field.	€ 190,00
K2.65064.0	<b>Top or Bottom Flag (also compatible with MB-19)</b> Both top- and bottom-mounted flags can be used simultaneously with side flags.	€ 170,00
K2.65056.0	<b>Side Flags (Pair)</b> Can be used simultaneously with both top- and bottom-mounted flags.	€ 520,00
K2.47689.0	<b>Hard matte set, 2/3 Video, Format 4:3</b>	€ 190,00
K2.47690.0	<b>Hard matte set, 2/3 Video, Format 16:9 (HDTV)</b>	€ 190,00
K2.47691.0	<b>Hard matte set, 35mm film</b>	€ 190,00
K2.65094.0	<b>Blank mattes for MB-20, one pair / 2 pcs.</b> Fitted mattes without cutouts for user-specific applications.	€ 40,00
K2.49050.0	<b>Case for MB-18 / MB-20</b> with variable dividers	€ 700,00

**A diverse selection of filter rings and trays is available for the MB-20. Please see Matte Box Accessories at the end of the matte box listings.**

Filter Ring and Frame compatibility is as follows:

## MATTE BOX ACCESSORIES

Filter Rings and Frames - Reference Table

Ident. No.	Description	Price / EURO
	<p><b>for MB-14 stages:</b>            K0.59971.0 - use ring size R1 and frame size F1 (maximum 2 geared)            K0.59987.0 - use ring size R1 and frame size F1 (maximum 2 geared)            K2.45504.0 - use ring size R1 and frame size F1 (maximum 1 geared)            K2.42287.0 - use ring size R1 and frame size F1 (maximum 1 geared)            K2.43187.0 - use ring size R1 and frame size F1 (non-geared only)            K2.42286.0 - use ring size R1 and frame size F1 (maximum 3 geared)            K2.42293.0 - use ring size R3 and frame size F6 (non-geared only)</p>	
	<p><b>for MB-15 stages:</b>            K2.44473.0 - use ring size R1, filter frames as listed under Discontinued Items - MB-15            K2.44473.A - use ring size R1, filter frames as listed under Discontinued Items - MB-15            K2.42293.0 - use ring size R3 and frame size F6 (non-geared only)</p>	
	<p><b>for MB-16 stages:</b>            K2.44472.0 - use ring size R3 and frame size F3 or F6 (maximum 1 geared)            K2.44472.A - use ring size R3 and frame size F3 or F6 (maximum 1 geared)            K4.41709.0 - use ring size R3 and frame size F3 or F6 (maximum 1 geared)            K2.45810.0 - use ring size R3 and frame size F3 or F6 (maximum 1 geared)            K2.41596.0 - use ring size R3 and frame size F3 or F6 (maximum 2 geared)</p>	
	<p><b>for MB-17B - use ring size R3 and frame size F3 (non-geared only)</b></p>	
	<p><b>for MB-18, all stages - use ring size R2 and frame size F2</b>            Maximum 1 geared filter for all stages.</p>	
	<p><b>for MB-19, all stages - use ring size R2 and frame size F4</b></p>	
	<p><b>for MB-20 stages:</b>            K0.60022.0 - use ring size R2 and frame size F5            K0.60023.0 - use ring size R2 and frame size F5            K0.60024.0 - use ring size R2 and frame size F5            K0.60025.0 - use ring size R2 and frame size F5            K2.65028.0 - use ring size R2 and frame size F5            K2.65030.0 - use Reduction Ring size R6 and frame size F5</p>	
	<p><b>To adapt R3 rings for use in R1 mounts:</b>            use K2.42304.0 (see Size R1 Adapter Rings)</p>	
	<p><b>To adapt R3 rings for use in R2 mounts:</b>            use K2.47115.0 (see Size R2 Adapter Rings)</p>	

## MATTE BOX ACCESSORIES

Filter Rings size R1

Ident. No.	Description	Price / EURO
<b>Reduction Rings follow the Filter Ring listings.</b>		
<b>SIZE R1 (165MM RING DIAMETER) FILTER RINGS -- 6" FILTER</b>		
K2.44372.0	<b>6" Filter ring Ø150mm</b> for VP1, VP2, VP3, Cooke 18-100 and Cinetal 25-250	€ 250,00
K2.34250.0	<b>6" Filter ring Ø144,4mm</b> for Cooke 20-100	€ 250,00
K2.47297.0	<b>6" Filter ring Ø136mm</b> for Angénieux 25-250 HR	€ 290,00
K2.52197.0	<b>6" Filter ring Ø114mm (takes reduction rings size R4)</b> with rubber sleeve for Master Primes, UP14mm, UP180mm, LDS-UP 14mm and LDS-UP 180mm	€ 260,00
<b>SIZE R1 FILTER RINGS -- 138MM FILTER</b>		
K2.34260.0	<b>138mm Filter ring Ø125mm</b> for Angénieux 25-250 HP with rubber sleeve and connection ring	€ 340,00
K2.34260.C	<b>138mm Filter ring Ø124mm</b> for Cooke 20-250	€ 340,00
K2.52194.0	<b>138mm Filter ring Ø114mm (takes reduction rings size R4)</b>  with rubber sleeve for Master Primes, UP14mm, UP180mm, LDS-UP 14mm and LDS-UP 180mm	€ 260,00
K2.47342.0	<b>138mm Filter ring Ø95mm</b> for Ultra Primes 16-135 mm with rubber sleeve and connection ring. Not for use with wide-angle video zooms.	€ 260,00
K2.34290.0	<b>138mm Filter ring Ø87mm (no reduction rings)</b> for Zeiss Vario Sonnar T2/10-100II, and T2.2/11-110	€ 260,00
K2.34786.0	<b>138mm Filter ring Ø80 mm</b> for Zeiss Standard Primes with rubber sleeve and connection ring. When using physically short lenses such as Zeiss Standards, K2.34181.0 is required in addition.	€ 260,00
K2.34131.0	<b>Intermediate ring</b> for K2.34786.0, for physically short lenses	€ 170,00
K2.49099.0	<b>Adapter ring for 4.5" filter</b> Screws into R1 or R2 138mm round filter rings and reduces to 4.5" round. Includes threaded retaining ring for 4.5" round. Not for use with 6" filter rings.	€ 140,00
<b>SIZE R1 REFLEX PREVENTION RINGS (NO ROUND FILTER)</b>		
K2.45505.0	<b>Reflex prevention ring Ø156mm</b> for UP 10mm, UP 12mm and LDS-UP 12mm	€ 180,00
K2.44366.0	<b>Reflex prevention ring Ø150mm</b> for VP1, VP2, VP3, Cooke 18-100 and Cinetal 25-250	€ 190,00
<b>SIZE R1 ADAPTER RINGS</b>		
K2.42304.0	<b>Adapter ring R1-R3</b> Snaps into size R1 mount and allows use of size R3 rings.	€ 180,00

## MATTE BOX ACCESSORIES

Filter Rings size R2 and R3

Ident. No.	Description	Price / EURO
<b>Reduction Rings follow the Filter Ring listings.</b>		
<b>SIZE R2 (143MM RING DIAMETER) FILTER RINGS -- 138MM FILTER</b>		
K2.52204.0	<b>138mm Filter ring Ø114mm (takes reduction rings size R4)</b> compatible with Master Primes, UP 14mm, UP 180mm, LDS-UP 14mm and LDS-UP 180mm	€ 260,00
K2.47190.0	<b>138mm Filter ring Ø114mm wide-angle - internal focus lenses only (takes reduction rings size R4)</b>  compatible with Master Primes, UP 14mm, UP 180mm, LDS-UP 14mm and LDS-UP 180mm; also compatible with wide-angle video lenses. Not compatible with external focus lenses.	€ 190,00
K2.47222.0	<b>138mm Filter ring Ø100mm (takes reduction rings size R5)</b> with rubber sleeve and connection ring	€ 180,00
K2.49099.0	<b>Adapter ring for 4.5" filter</b> Screws into R1 or R2 138mm round filter rings and reduces to 4.5" round. Includes threaded retaining ring for 4.5" round.	€ 140,00
<b>SIZE R2 WIDE-ANGLE REFLEX PREVENTION RINGS (NO ROUND FILTER)</b>		
K2.65069.0	<b>Reflex Prevention Ring Ø117mm</b>	€ 40,00
K2.65070.0	<b>Reflex Prevention Ring Ø120mm</b>	€ 40,00
K2.65071.0	<b>Reflex Prevention Ring Ø128mm</b> not for use with Fujinon HAe3x5	€ 40,00
K2.65090.0	<b>Reflex Prevention Ring Ø128mm wide-angle</b> for use with Fujinon HAe3x5	€ 85,00
K2.65072.0	<b>Reflex Prevention Ring Ø130mm</b>	€ 40,00
K2.65073.0	<b>Reflex Prevention Ring Ø132mm</b>	€ 40,00
<b>SIZE R2 ADAPTER RINGS</b>		
K2.47115.0	<b>Adapter ring R2-R3</b> Snaps into size R2 mount and allows use of size R3 rings.	€ 100,00
<b>SIZE R3 (128MM RING DIAMETER) FILTER RINGS -- 4.5" FILTER</b>		
K2.32903.0	<b>4 1/2" Filter ring Ø125mm</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10.4-52	€ 195,00
K2.52205.0	<b>4 1/2" Filter ring Ø114mm (takes reduction rings size R4)</b> with rubber sleeve for UP 14mm, UP 180mm, LDS-UP 14mm and LDS-UP 180mm. Not compatible with Master Prime 16mm.	€ 230,00
K2.49102.0	<b>4 1/2" Filter ring Ø95mm</b> for UP 16mm - 135mm, 16mm zooms and medium-focal-length video zooms. Not for use with wide-angle video zooms.	€ 210,00
K2.49109.0	<b>4 1/2" Filter ring Ø87mm (takes reduction rings size R6)</b> for Zeiss Vario Sonnar	€ 190,00
<b>SIZE R3 REFLEX PREVENTION RINGS (NO ROUND FILTER)</b>		
K2.32911.0	<b>Reflex prevention ring Ø125mm</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10.4-52	€ 90,00

## MATTE BOX ACCESSORIES

### Reduction Rings

Ident. No.	Description	Price / EURO
	<b>SIZE R4 REDUCTION RINGS -- Ø114MM</b>	
	For use with Filter Rings K2.52197.0, K2.52204.0, K2.47190.0 and K2.52205.0.	
K2.65045.0	<b>Reduction Ring 114mm-110mm</b> for Cooke S4 and LDS Cooke S4	€ 40,00
K2.65096.0	<b>Reduction Ring 114mm-105mm</b>	€ 40,00
K2.52195.0	<b>Reduction ring 114mm-104mm</b> for LDS Ultra Prime 16-135mm	€ 40,00
K2.65046.0	<b>Adapter Ring 114mm-100mm</b> Can be used for lenses with 100mm diameter, or as adapter ring for use of size R5 reduction rings.	€ 50,00
K2.65044.0	<b>Reduction Ring 114mm-98mm</b>	€ 40,00
K2.65055.0	<b>Reduction Ring 114mm-96mm</b>	€ 40,00
	<b>SIZE R5 REDUCTION RINGS -- Ø100MM</b>	
	For use directly in Filter Ring K2.47222.0.	
	With Adapter Ring K2.65046.0 -- R5 rings can also be used with K2.52197.0, K2.52204.0, K2.47190.0 and K2.52205.0.	
K2.65029.0	<b>Reduction Ring 100mm-95mm WA Video</b> Fits Fujinon 4.5mm and Canon 4.7mm wide angle video zooms, allowing for use of three rectangular filters 4x5.65 or larger when used with MB-20.	€ 40,00
K2.47224.0	<b>Reduction Ring 100mm-95mm</b> for UP 16mm - 135mm, 16mm zooms and medium-focal-length video zooms. Not for use with wide-angle video zooms.	€ 40,00
K2.65054.0	<b>Reduction Ring 100mm-92mm</b>	€ 40,00
K2.65040.0	<b>Reduction Ring 100mm-90mm</b>	€ 40,00
K2.47225.0	<b>Reduction ring 100mm-87mm</b> for Zeiss Vario Sonnar	€ 40,00
K2.65039.0	<b>Reduction Ring 100mm-86mm</b>	€ 40,00
K2.65038.0	<b>Reduction Ring 100mm-85mm</b>	€ 40,00
K2.65043.0	<b>Reduction Ring 100mm-80mm</b>	€ 40,00
	<b>SIZE R6 CLAMP-ON REDUCTION RINGS -- Ø87MM</b>	
K2.47226.0	<b>Reduction Ring 87mm-80mm</b> For use with Zeiss Standard primes, HS primes and select video lenses.	€ 40,00

## MATTE BOX ACCESSORIES

### Reduction Rings

Ident. No.	Description	Price / EURO
	<b>SIZE R7 CLAMP-ON REDUCTION RINGS -- Ø130MM</b>	
	For use with MB-20 Clamp-On Adapter K2.65030.0.	
K2.47688.0	<b>Adapter Ring 130-128mm wide-angle</b> for use with Fujinon HAe3x5	€ 75,00
K2.47687.0	<b>Adapter Ring 130-128mm</b> not for use with Fujinon HAe3x5	€ 75,00
K2.47686.0	<b>Adapter Ring 130-120mm</b>	€ 75,00
K2.47685.0	<b>Adapter Ring 130-117mm</b>	€ 75,00
K2.47684.0	<b>Adapter Ring 130-114mm</b>	€ 75,00
K2.47683.0	<b>Adapter Ring 130-110mm</b>	€ 75,00
K2.65097.0	<b>Adapter Ring 130-105mm</b>	€ 75,00
K2.47682.0	<b>Adapter Ring 130-104mm</b>	€ 75,00
K2.47681.0	<b>Adapter Ring 130-100mm</b>	€ 75,00
K2.47680.0	<b>Adapter Ring 130-98mm</b>	€ 75,00
K2.47679.0	<b>Adapter Ring 130-96mm</b>	€ 75,00
K2.65031.0	<b>Adapter Ring 130-95mm wide-angle</b> Fits Fujinon 4.5mm and Canon 4.7mm wide angle video zooms, allowing for use of three rectangular filters 4x5.65 or larger.	€ 75,00
K2.47678.0	<b>Adapter Ring 130-95mm</b> for UP 16mm - 135mm, 16mm zooms and medium-focal-length video zooms. Not for use with wide-angle video zooms.	€ 75,00
K2.47677.0	<b>Adapter Ring 130-92mm</b>	€ 75,00
K2.47676.0	<b>Adapter Ring 130-90mm</b>	€ 75,00
K2.47675.0	<b>Adapter Ring 130-87mm</b>	€ 75,00
K2.47674.0	<b>Adapter Ring 130-86mm</b>	€ 75,00
K2.47673.0	<b>Adapter Ring 130-85mm</b>	€ 75,00
K2.47672.0	<b>Adapter Ring 130-80mm HS</b> For use with Zeiss Standard primes and HS primes	€ 75,00
K2.47671.0	<b>Adapter Ring 130-80mm</b>	€ 75,00

## MATTE BOX ACCESSORIES

### Filter Frames

Ident. No.	Description	Price / EURO
<b>SIZE F1 FILTER FRAMES</b>		
K4.47074.0	6.6"x6.6" Filter frame, non-geared	€ 200,00
K4.47076.0	6.6"x6.6" Filter frame, geared	€ 240,00
K2.34881.0	5"x6" Filter frame, horizontal (non-geared)	€ 240,00
<b>SIZE F2 FILTER FRAMES</b>		
K4.47359.0	4"x5,65" Filter frame, non-geared for vertical filter when inserted from above	€ 180,00
K4.47361.0	4"x5,65" Filter frame, geared for vertical filter when inserted from above	€ 210,00
K2.49083.0	4"x5,65" Filter frame, non-geared for horizontal filter when inserted from above	€ 180,00
K2.49096.0	4"x5,65" Filter frame, geared for horizontal filter when inserted from above	€ 210,00
K2.47185.0	4"x4" Filter frame, non-geared	€ 190,00
K2.47186.0	4"x4" Filter frame, geared	€ 220,00
K2.49027.0	4"x6" Filter frame, geared for vertical filter when inserted from above	€ 230,00
K2.49023.0	Filter frame for round filter Ø 138 mm	€ 310,00
<b>SIZE F3 FILTER FRAMES</b>		
K2.34577.0	3"x3" Filter frame	€ 220,00
K4.47070.0	4"x4" Filter frame, non-geared	€ 210,00
K4.47072.0	4"x4" Filter frame, geared	€ 220,00
K2.32220.0	4"x5.650" Filter frame, non-geared for vertical filter when inserted from above	€ 170,00
K2.41897.0	4"x5.650" Filter frame, geared for vertical filter when inserted from above	€ 220,00
K2.34980.0	4"x6" Filter frame for vertical filter when inserted from above	€ 170,00
K2.41697.0	4"x6" Filter frame, geared for vertical filter when inserted from above	€ 220,00

## MATTE BOX ACCESSORIES

### Filter Frames

Ident. No.	Description	Price / EURO
<b>SIZE F4 FILTER FRAMES</b>		
K2.47104.0	<b>4"x4" Filter frame, horizontal</b> for use in MB-19 front stage or with LMB-5.	€ 185,00
K2.47669.0	<b>4"x5.65" Filter frame, horizontal</b> for use in MB-19 front stage or with LMB-5. Filter orients horizontally when inserted from above.	€ 155,00
K2.47105.0	<b>4"x4" Filter frame</b> for use in MB-19 rear stage.	€ 160,00
K4.47493.0	<b>4"x5.65" Filter frame</b> for use in MB-19 rear stage. Filter orients vertically when inserted from above.	€ 180,00
<b>SIZE F5 FILTER FRAMES</b>		
K2.65023.0	<b>Filter Frame Combo 4x5.65 / 5x5</b> Accepts: 1) 4x5.65 filter horizontally or vertically or 2) 5x5 filter.	€ 165,00
K2.65022.0	<b>Filter Frame Combo 5.65x5.65 / 5x6</b> Accepts: 1) 5.65x5.65 filter or 2) 5x6 filter horizontally.	€ 165,00
K2.65048.0	<b>Filter Frame 4x5.65 Horizontal</b> Traditional film-style 4x5.65 filter frame with light shielding all around filter. Filter orients horizontally when inserted from above.	€ 135,00
K2.65049.0	<b>Filter Frame 4x5.65 Vertical</b> Traditional film-style 4x5.65 vertical filter frame with light shielding all around filter. Filter orients vertically when inserted from above.	€ 135,00
K2.65098.0	<b>Filter Frame 4x4</b> Traditional film-style 4x4 filter frame with light shielding all around filter.	€ 135,00
<b>SIZE F6 FILTER FRAMES</b>		
K4.32902.0	<b>4"x4" Filter frame</b>	€ 150,00
K2.34980.0	<b>4"x6" Filter frame</b>	€ 170,00

## WIRELESS REMOTE SYSTEM

Complete Lens and Camera Control - Wireless or Cabled

Ident. No.	Description	Price / EURO
	<p>The ARRI Wireless Remote System can be used for complete control of camera and lens in both wireless (radio) and wired (cable) configurations.</p>	
	<p>For overview and use instructions, please see the ARRI WRS System Guide and WRS Configuration Diagram.</p>	
	<p><b>COMPONENTS - MOTOR CONTROLLER, RECEIVER, ATTACHMENT HARDWARE</b> For ARRICAM Studio and ARRICAM Lite, please see ARRICAM - Lens Data Boxes and Speed Control Box.</p>	
	<p>For 435 Xtreme, motor controller functions are via the Function Expansion Module FEM-2 (included with camera). Camera control is either via Remote Control Unit RCU-1 (see speed controls under Electronic Accessories) or Wireless Remote Control WRC-1 (listed under Wireless Remote System - Hand Control Units)</p>	
K2.52262.0	<p><b>Radio Modem URM-3 for 435 FEM-2 (435 Xtreme and 435 Advanced)</b> Transceiver unit, integrates into FEM-2 without additional cabling.</p>	€ 1.930,00
	<p>For 235, 535B and 16SR3 cameras, or for Video Cameras, use Universal Motor Controller UMC-3 with appropriate cabling and mounting hardware as listed below:</p>	
K2.65000.0	<p><b>Universal Motor Controller 3 (UMC-3) for Film and Video Cameras</b></p> <p>Operates up to 3 lens motors wirelessly or wired, offers Lens Data Archive to any camera, allows remote control of all ARRIFLEX cameras. Requires cable for connection to camera as follows:</p>	€ 4.490,00
	<p><b>UMC-3 CABLES FOR FILM AND VIDEO CAMERAS</b></p>	
K2.65013.0	<p><b>UMC-3 to 235 Cable (0,4m/1,2ft) KC-97-S</b> Connects CAM socket on UMC-3 to REMOTE socket on ARRIFLEX 235. Functions: RUN/STOP trigger, RUN indication, ASYNC indication, camera remote control with WRC-1</p>	€ 275,00
K2.65014.0	<p><b>UMC-3 to RS Cable (0,5m/1,5ft) KC-98-S</b> Connects CAM socket on UMC-3 to RS connector of many cameras. Functions: RUN/STOP trigger, RUN indication &amp; ASYNC indication. When connected to MOVIECAM "Handgrip" socket, only RUN/STOP trigger. Cannot carry WRC-1 camera control signals.</p>	€ 200,00
K2.65034.0	<p><b>UMC-3 to MOVIECAM Cable (0.5m/1.5ft) KC 103-S</b> "Y" cable that connects CAM socket on UMC-3 to 24V SERVICE (2 pin accessory power) and REMOTE socket on MOVIECAM cameras. Functions: RUN/STOP trigger. Cannot carry WRC-1 camera control signals.</p>	€ 615,00
K2.65035.0	<p><b>UMC-3 to XTR Cable (0.5m/1.5ft) KC 104-S</b> Connects CAM socket on UMC-3 to 8 pin LEMO socket on Aaton XTR. Functions: RUN/STOP trigger, RUN indication. Cannot carry WRC-1 camera control signals.</p>	€ 160,00
K2.65060.0	<p><b>UMC-3 to A-Minima Cable (0.5m/1.5ft) KC 113-S</b> Connects CAM socket on UMC-3 to 6 pin LEMO socket on Aaton A-Minima. Functions: RUN/STOP trigger, RUN indication. Cannot carry WRC-1 camera control signals. Also connects CAM socket on UMC-3 to 6 pin LEMO socket on Aaton XTR. Functions: RUN/STOP trigger. Cannot carry WRC-1 camera control signals.</p>	€ 250,00
K2.65042.0	<p><b>UMC-3 to 11 pin Fischer Cable (0.5m/1.5ft) KC 108-S</b> Connects CAM socket on UMC-3 to 11 pin Fischer (12 V supply) socket on many older (black) ARRI cameras and all models of 435. Note: 12 V supply means reduced lens motor speed. Functions: RUN/STOP trigger, RUN indication. Cannot carry WRC-1 camera control signals.</p>	€ 280,00
K2.65015.0	<p><b>UMC-3 to CAM Cable (1m/3ft) KC-99-S</b> "Y" cable that connects CAM socket on UMC-3 to ACC and CCU socket on ARRIFLEX 535, 535B, 435ES, 435 Advanced (with FEM-1 or FEM-2), 435 Xtreme and all 16 SR 3 models. Functions: RUN/STOP trigger, RUN indication, ASYNC indication, camera remote control with WRC-1</p>	€ 450,00

## WIRELESS REMOTE SYSTEM

Complete Lens and Camera Control - Wireless or Cabled

Ident. No.	Description	Price / EURO
K2.65012.0	<b>UMC-3 to S4i Cable (0,7m/2,1ft) KC-96-S</b> Connects AUX socket on UMC-3 to Cooke S4i lenses. Functions: transmits lens data to UMC-3.	€ 170,00
K2.65057.0	<b>UMC-3 to Fujinon ENG lens cable KC-110-S</b> Y-Cable connects to ports on handgrip motor of Fujinon ENG lens. Allows for remote control of focus, iris and zoom using ARRI WRS control units, as well as camera RUN/STOP. Cable-to-lens connectors via special right-angle plugs to clear lightweight support rods.	€ 440,00
K2.65074.0	<b>UMC-3 to Canon ENG lens cable KC-118-S</b> Connects to port on handgrip motor of Canon ENG lens. Allows for remote control of focus, iris and zoom using ARRI WRS control units, as well as camera RUN/STOP. Cable-to-lens connectors via special right-angle plugs to clear lightweight support rods.	€ 295,00
K2.65058.0	<b>External Battery Cable for UMC-3 and Video Cameras KC-111-S</b> For drive of up to three CLM-2 lens motors. Video camera RUN/STOP is supported. Separate power supply for video camera required.	€ 410,00
K2.65016.0	<b>UMC-3 Update Kabel</b>	€ 500,00
<b>MOUNTING HARDWARE FOR UMC-3 AND OTHER ACCESSORIES</b>		
K2.52080.0	<b>Quick change adapter 3/8" Set for UMC-3 and other accessories</b> 26mm dovetail insert (K2.52082.0) and shoe (K2.52083.0) set for attachment of UMC-3 to camera. Both sides attach to 3/8" UNC thread mounting points having standard ARRI Ø15,5mm counterbore.	€ 390,00
K2.52082.0	<b>Dovetail Insert, 3/8" Thread</b> All purpose 26mm dovetail insert. Can be attached to 3/8" thread mounting points having standard ARRI Ø15,5mm counterbore. For use with 26mm dovetail shoes.	€ 290,00
K2.52083.0	<b>Dovetail Shoe, 3/8" thread</b> All purpose 26mm dovetail shoe. Can be attached to 3/8" thread mounting points having standard ARRI Ø15,5mm counterbore. For use with 26mm dovetail inserts.	€ 110,00
K2.52150.0	<b>Dovetail Insert Rod Bracket (WHA-2 Rod Bracket)</b> Bracket with 26mm dovetail (insert side) interface on short articulated arm, attaches to 19mm or 15mm support rod. For use with 26mm shoe-mounted accessories such as UMC-3 with Quick-Change Adapter K2.52080.0, Dovetail shoe K2.52083.0, or Wired Handgrip Attachments WHA-2 / WHA-3.	€ 1.390,00
K2.52153.0	<b>Dovetail Insert Bracket, ARRIHEAD Rosette (WHA-2 Rosette Bracket)</b> Bracket with 26mm dovetail (insert side) interface on 15mm rod, attaches to ARRIHEAD rosette, can be pivoted on rosette or slid along rod. For use with 26mm shoe-mounted accessories such as UMC-3 with Quick-Change Adapter K2.52080.0, Dovetail shoe K2.52083.0, or Wired Handgrip Attachments WHA-2 / WHA-3.	€ 1.000,00
K2.54148.0	<b>Dovetail Insert Rod Clamp (19mm)</b> 26mm dovetail insert with integrated clamp for 19mm support rod.	€ 290,00
K4.52563.0	<b>Dovetail Insert Rod Clamp (15mm)</b> 26mm dovetail insert with integrated clamp for 15mm support rod.	€ 290,00
<b>COMPONENTS - WIRELESS MAIN UNIT FOR HAND CONTROLS</b>		
K2.52240.0	<b>Wireless Main Unit WMU-3</b> WMU-3 is the central unit for attachment of hand controllers in wireless configurations and incorporates the wireless transmitter. WMU-3 is required for all wireless configurations.	€ 5.450,00
K2.52241.0	<b>Wireless Expansion Bracket WEB-3</b> WEB-3 attaches to WMU-3 and adds an additional quick-release port for configurations involving multiple combined hand units or combinations with the Lens Data Display.	€ 1.450,00
K2.52270.0	<b>WMU-3 Update Cable (2m/7ft) KC87-S</b> Connects WMU-3 to PC - for update purposes only	€ 170,00
K2.52263.0	<b>Cable WC-A3</b> for cabling Wireless Main Unit WMU-3 to 435 Radio Modem URM-3 or Universal Motor Controller UMC-3 in place of antennas. Length: 15m / 50 ft.	€ 160,00
K2.52096.0	<b>WC-A2 Extension Cable</b> for remote placement of antenna from Wireless Main Unit WMU-3, 435 Radio Modem URM-3 or Universal Motor Controller UMC-3. Length: 3m / 10 ft.	€ 180,00

## WIRELESS REMOTE SYSTEM

Complete Lens and Camera Control - Wireless or Cabled

Ident. No.	Description	Price / EURO
<b>COMPONENTS - HAND CONTROL UNITS - LENS CONTROL</b>		
WRS Hand Control Units WFU-3 and WZU-3 (or both together) can be used as cabled controls with the appropriate Wired Handgrip Adapter (WHA) unit; see Wired Handgrip Adapters. Zoom Control ZMU-3 can also be used as a cabled control alone.		
K2.52268.0	<b>Wireless Focus Unit WFU-3</b> Hand unit with integrated focus knob and lockable iris slider. Focus and iris ranges can be limited and spread electronically. Includes one bevelled marking disk K4.47621.0.	€ 3.490,00
K4.47621.0	<b>Marking disk bevelled</b> Bevelled profile allows for good off-angle visibility.	(spare) € 20,00
K2.47292.0	<b>Marking disk flat</b>	€ 40,00
K2.52267.0	<b>Compact Wireless Zoom Unit WZU-3</b> Zoom unit for compact builds; can be sandwiched in between WFU-3 and WMU-3 or WEB-3.	€ 2.490,00
K2.52056.0	<b>Extension unit WEU-1</b> Allows for WFU-3, WZU-3 or both to be split off from WMU-3 in wireless mode. Includes Wired Handgrip Attachment WHA-1; see Wired Handgrip Attachments. Also includes WC-E1 connection cable K4.52336.0.	€ 1.890,00
K2.52084.0	<b>WC-E2 Extension cable</b> for WEU-1, length: 3m/10 ft	€ 260,00
K4.52336.0	<b>WC-E1 Connection cable</b> for WEU-1, length: 1m/3 ft	(spare) € 260,00
K2.65003.0	<b>Zoom Control ZMU-3</b> Ergonomic unit to control a zoom motor (CLM-1 and 2) either directly or via UMC-1, UMC-3, ARRICAM Lens Data Box or 435 FEM-2	€ 4.750,00
K2.65017.0	<b>Wireless Zoom Bracket WZB-3</b> For attachment of Zoom Control ZMU-3 to Wireless Main Unit WMU-3. Allows for free positioning of ZMU-3. ZMU-3 to WRS Cable K2.65036.0 also required.	€ 415,00
K2.65036.0	<b>ZMU-3 to WRS Cable (0,3m/1ft) KC105-S</b> For wireless operation with ZMU-3 and WMU-3.	€ 415,00
K2.65006.0	<b>ZMU-3 Pan Handle</b>  Pivotable clamp extension to attach ZMU-3 to tripod pan handle (18mm diameter or smaller)	€ 330,00
K2.65008.0	<b>Power Cable ZMU-3/CLM-2 (1,3m/5ft) KC91-S</b> For cabled operation - Connects ZMU-3 with CLM-2 and R/S camera connector	€ 470,00
K2.65009.0	<b>ZMU-3 to LCS Short Cable (0,8m/2,5ft) KC92-S</b> For cabled operation - Connects ZMU-3 to LCS connector on UMC-1, UMC-3, ARRICAM Lens Data Box or 435 FEM-2	€ 225,00
K2.65010.0	<b>ZMU-3 to LCS Long Cable (10m/30ft) KC93-S</b> For cabled operation - As K2.65009.0 above, but longer.	€ 240,00
<b>COMPONENTS - HAND CONTROL UNITS - POWER SUPPLY AND CHARGER</b>		
K2.52238.0	<b>Wireless Battery Unit WBU-3 7,2 V 2,3 Ah</b>	€ 490,00
K2.65001.0	<b>Wireless Battery Unit WBU-4 7,2 V 4,6 Ah (high capacity)</b>	€ 780,00
K2.52266.0	<b>Charger WAC-3 for WBU-3 and WBU-4</b>	€ 110,00

## WIRELESS REMOTE SYSTEM

Complete Lens and Camera Control - Wireless or Cabled

Ident. No.	Description	Price / EURO
<b>COMPONENTS - HAND CONTROL UNITS - CAMERA CONTROL</b>		
	WRS Hand Control Unit WRC-1 can be used as a cabled control with the appropriate Wired Handgrip Adapter (WHA) unit; see Wired Handgrip Adapters.	
K2.52087.0	<b>Wireless Remote Control WRC-1</b> Compact handheld unit with LCD display for control of camera speed, shutter, iris and fully compensated ramps. Interfaces directly to WMU-3 or WEB-3.	€ 3.190,00
<b>COMPONENTS - HAND CONTROL UNITS - WHA WIRED HANDGRIP ATTACHMENTS</b>		
K2.54079.0	<b>WHA-2 Wired Handgrip Attachment</b> For use with Wireless Focus Unit WFU-3, Wireless Zoom Unit WZU-3, WFU-3 and WZU-3 together, or Wireless Remote Control WRC-1. Interfaces via cable to ARRICAM Lens Data Box, 435 FEM-2 (435 Xtreme or Advanced), or UMC-3. Cable must be ordered separately. For mounting on-camera, WHA-2 can be interfaced directly to any 26mm dovetail insert -- see Mounting Hardware for UMC-3 and Other Accessories.	€ 1.790,00
K2.52264.0	<b>WHA-3 Wired Handgrip Attachment</b> Same as WHA-2 except for an additional button for focus tracking when used with Lens Data Display LDD-FP. For mounting on-camera, WHA-3 can be interfaced directly to any 26mm dovetail insert -- see Mounting Hardware for UMC-3 and Other Accessories.	€ 2.050,00
K4.41397.0	<b>WHA-2 / WHA-3 LCS Cable (1m/3feet) LC-M1</b> Connects WHA-2 or WHA-3 to: Studio or Lite Lens Data Box LCS connector, or ARRICAM Remote Control Station WHA-2 connector, or 435 Advanced FEM-2 LCS connector.	€ 160,00
K4.41395.0	<b>WHA-2 / WHA-3 LCS Cable (3,5m/11feet) LC-Z1</b> Connects WHA-2 or WHA-3 to: Studio or Lite Lens Data Box LCS connector, or Remote Control Station WHA-2 connector, or 435 Advanced FEM-2 LCS connector.	€ 160,00
K2.54135.0	<b>WHA-2 / WHA-3 CAC Cable (3m/9 feet) KC 70</b> Connects WHA-2 to ARRICAM Studio or ARRICAM Lite CAC connector.	€ 260,00
K2.52070.0	<b>WHA-1 Handgrip attachment</b>  Also included as part of Extension Unit WEU-1. WHA-1 alone can be used to interface Wireless Remote Control WRC-1 in hard-wired configurations to all 435 cameras (FEM-1 or FEM-2 required), 535 and 16SR3 cameras; for this application cable WC-W1 (K2.52089.0) is required.	€ 880,00
K2.52089.0	<b>WC-W1 Cable for WHA-1</b> for WRC-1 and WHA-1 in cabled configuration. Compatible with all 435 cameras (FEM-1 or FEM-2 required), 535 and 16SR3 cameras.	€ 270,00

## WIRELESS REMOTE SYSTEM

Complete Lens and Camera Control - Wireless or Cabled

Ident. No.	Description	Price / EURO
<b>MOTORS AND ACCESSORIES</b>		
K2.52036.0	<b>Controlled Lens Motor CLM-2</b> For use with ARRI motor controllers. Fits 19mm or 15mm support rods. Includes 0.8 module gear for film lenses and cine-style video lenses.	€ 2.780,00
K2.52035.0	<b>Console for CLM-2 motor</b> Offset rod extension for tight spaces and small builds. Fits 19mm or 15mm support rods.	€ 420,00
K2.52029.0	<b>Gear for Fujinon ENG Focus and Zoom</b> Module 0.6, 67 teeth.	€ 95,00
K2.52014.0	<b>Gear for ENG Lens Iris</b> Module 0.4, 102 teeth. For Canon, Angenieux and Fujinon ENG lens iris barrels.	€ 95,00
K2.52049.0	<b>Gear for Canon / Angenieux ENG Focus and Zoom large</b> Module 0.5, 104 teeth. For Canon and Angenieux ENG lens focus and zoom barrels.	€ 95,00
K2.52051.0	<b>Gear for Canon / Angenieux ENG Focus and Zoom intermediate</b> Module 0.5, 80 teeth. For Canon and Angenieux ENG lens focus and zoom barrels.	€ 95,00
K2.52050.0	<b>Gear for Canon / Angenieux ENG Focus and Zoom small</b> Module 0.5, 65 teeth. For Canon and Angenieux ENG lens focus and zoom barrels.	€ 95,00
K2.41378.0	<b>Lens Motor unit CLM-1</b> for high torque applications for zoom, focus or iris with coiled cable LC-M1	€ 3.140,00
K2.52274.0	<b>CLM-1 Power Cable for ARRICAM</b> (1.2m/3.6ft) LC-S5-S Power supply cable for connection between CLM-1 and ARRICAM CAC connector	€ 620,00
K2.52274.0	<b>CLM-1 Power Cable for ARRICAM</b> (1.2m/3.6ft) LC-S5-S Power supply cable for connection between CLM-1 and ARRICAM CAC connector	€ 620,00
K2.41379.0	<b>Adapter for Ø 15 mm support rods</b>	€ 390,00
K2.41381.0	<b>Adapter, offset,</b> for Ø 19 mm support rods	€ 430,00
K2.41388.0	<b>Iris Drive for CLM-1 lens motor</b> for lenses with axial movement of iris ring	€ 650,00
K4.46859.0	<b>LC-S1 Power supply module</b> for CLM-1 (connection between battery and CLM-1)	(spare) € 830,00
K2.47146.0	<b>LC-S2 Power supply module</b> for 35III, 35BL, 435, 16SR II (connection between camera and CLM-1)	€ 620,00
K2.47147.0	<b>LC-S3 Power supply module</b> for 435+FEM, 535, 535B, 16 SR3 (connection between camera and CLM-1)	€ 620,00
K2.44022.0	<b>LC-A 3 Cable</b> for 535, 435, 16 SR 3	€ 140,00
K2.41398.0	<b>LC-C1 Run cable (coiled)</b> for 535/535B, 435+FEM, 16SR 3 (connection between camera and LC-S1)	€ 180,00
K2.41399.0	<b>LC-C2 Run cable (coiled)</b> for 35BL, 35III, 16SR 2, 435 (connection between camera and LC-S1)	€ 220,00
K4.41397.0	<b>LC-M1 Motor cable, 3 ft</b> (connection between CLM-1 and CLM-1)	(spare) € 160,00
K2.43871.0	<b>LC-M2 Motor cable, 6 ft, flat</b> (connection between CLM-1 and CLM-1)	€ 170,00

## LENS CONTROL SYSTEM

Cabled Lens Control

Ident. No.	Description	Price / EURO
K2.47028.0	<b>IRIS CONTROL UNIT</b> <b>ICU</b> (lens motor CLM-1 K2.41378.0 required)	€ 3.540,00
K2.47029.0	<b>LC-D1 Cable</b> for 535, 16SR 3, 435ES (connection between camera and ICU)	€ 250,00
K2.54137.0	<b>ICU Cable (1m/3 feet) KC 72</b> Connects ICU (K2.47028.0) to Studio or Lite CAC connector Use for speed/iris ramps with non LDS lenses Note: If the WRC (K2.52087.0) is used, the ICU is not needed	€ 260,00

**Components and Accessories for older generations of WRS and the ARRI Lens Control System are still available in limited quantities. Please contact ARRI for details.**

## LENS DATA SYSTEM

### Lens Data Displays

Ident. No.	Description	Price / EURO
	<b>LENS DATA DISPLAY CLASSIC</b>	
K2.54012.0	<b>Lens Data Display Classic (LDD) with cable KC 60 (K4.55855.0)</b> The LDD shows lens settings & camera status, calculates depth of field and manages focus marks. Cable KC 60 connects to Studio Readout, Lite Frameglow, Remote Control Station or 435 FEM-2.	€ 6.720,00
K4.55855.0	<b>LDD Standard Cable (0.5m/1.5feet) KC 60</b> Connects Lens Data Display Classic to Studio Readout, Lite Frameglow, Remote Control Station or 435 FEM-2.	(spare) € 320,00
K2.54156.0	* <b>LDD Standard Cable (3m/9feet) KC 79</b> Connects Lens Data Display Classic to Studio Readout, Lite Frameglow, Remote Control Station or 435 FEM-2.	€ 190,00
K2.54132.0	<b>LDD CAC Cable (3m/9feet) KC 67</b> Connects Lens Data Display Classic to Studio or Lite CAC connector	€ 260,00
K2.54133.0	<b>LDD CAC Cable (15m/45feet) KC 68</b> Connects Lens Data Display Classic to Studio or Lite CAC connector	€ 370,00
K2.54153.0	* <b>LDD/SCB Remote Cable (3m/9 feet) KC-76</b> Connects Speed Control Box to Lens Data Display Classic when the Lens Data Display (Classic) is cabled to CAC connector of camera	€ 260,00
K2.54154.0	* <b>LDD Compensation Cable (0.2m/0.6 feet) KC-77</b> Must be used when Lens Data Display Classic is connected to CAC or SAC connector with a cable longer than 3m/9feet	€ 200,00
	<b>LENS DATA DISPLAY FOR FOCUS PULLER</b>	
K2.54163.0	<b>Lens Data Display for Focus Puller (LDD-FP)</b> The LDD-FP shows lens settings & camera status, calculates depth of field and manages focus marks. Includes cable LDDFP-RDO (K2.54172.0), which connects to Studio Readout, Lite Frameglow, Remote Control Station or 435 FEM-2.	€ 7.730,00
K2.65011.0	<b>LDD-FP Update Cable</b> Connects LDD-FP to PC - for update purposes only	net price € 195,00
K2.54166.0	<b>MB Bracket for LDD-FP</b> Attaches LDD-FP to MB-14 or MB-15 matte box	€ 340,00
K2.54167.0	<b>MB Bracket for LDD-FP</b> Attaches LDD-FP to MB-16 or MB-18 matte box	€ 230,00
K2.54168.0	<b>MB Bracket for LDD-FP</b> Attaches LDD-FP to MB-19 or MB-20 matte box	€ 230,00
K2.54172.0	<b>LDD-FP Standard Cable (0.6m/2feet) LDDFP-RDO</b> Connects LDD-FP with Studio Readout, Lite Frameglow, Remote Control Station or FEM-2 (435 Advanced)	(spare) € 230,00
K2.52232.0	<b>LDD-FP CAC Cable (1,5m/4,5ft) LDDFP-CAC</b> Connects LDD-FP to Studio or Lite CAC connector Does not work with cable drum	€ 200,00

## LENS DATA SYSTEM

### Lens Data System Accessories

Ident. No.	Description	Price / EURO
	<b>OTHER LENS DATA SYSTEM ACCESSORIES</b>	
K2.54137.0	<b>ICU Cable (1m/3 feet) KC 72</b> Connects ICU (K2.47028.0) to Studio or Lite CAC connector Use for speed/iris ramps with non LDS lenses Note: If the WRC (K2.52087.0) is used, the ICU is not needed	€ 260,00
K2.52254.0	<b>Lens Data Mount Standard LDM-1</b> Mounts instead of standard ZEISS/ARRI PL mount, provides Lens Data System (LDS) features when an ARRICAM, 435 Xtreme and CLM lens motors are used. Compatible with Zeiss Ultra Prime, Variable Prime, Standard Speed, Super Speed and any other lenses that can accept the standard ARRI/Zeiss PL mount (K5.35204.0). For other lenses call.	€ 595,00
K2.52272.0	<b>Lens Data Mount Intermediate LDM-2</b> Mounts instead of an intermediate mount, provides Lens Data System (LDS) features when an ARRICAM, 435 Xtreme and CLM lens motors are used. Compatible with Angénieux Optimo 24-290, Angénieux 17-102, Angénieux 25-250, Cooke 25-250, Cooke 18-100 and Zeiss Apo Tessar 300. For other lenses call.	€ 950,00
	<b>INTERFACE TO CINE TAPE MEASURE</b>	
K2.65063.0	<b>UMC-3 to CTM Cable (spiral) KC 116-S</b>  Connects AUX socket on UMC-3 to REMOTE socket on Cinematography Electronics' Cine Tape Measure (CTM). Function: transmits distance measurement data from CTM to UMC-3.	€ 145,00
K2.52273.0	<b>CTM to FEM-2 Cable (0,3m/1ft) K-CCU-CTM</b> Connects Cine Tape Measure to 435 FEM-2 CCU socket	€ 240,00
K2.52265.0	<b>CTM to CAC Cable (0,3m/1ft) K-CAC-CTM-Sp-S</b> Coiled cable, Connects Cine Tape Measure to ARRICAM CAC socket	€ 290,00
	<b>Focus Tracking with Cine Tape Measure in cabled (non-wireless) mode requires Wired Handgrip Attachment WHA-3. In wireless mode, Focus Tracking can be controlled via the Lens Data Display LDD-FP.</b>	

## ARRIMOTION SYSTEM

Ident. No.	Description	Price / EURO
K2.52103.0	<b>CCB-1 Camera Control Box (HDD)</b> Main module that contains move storage and camera control Harddisk version (requires a camera cable)	€ 25.990,00
K2.52231.0	<b>CCB-1 Camera Control Box (SSD)</b> Main module that contains move storage and camera control Solid State Disk version for extended temperature range alternative to K2.52103.0 (requires a camera cable)	€ 28.600,00
K2.52206.0	<b>Head Adapter</b> Mounts CCB-1 to ARRIHEAD-2 (not compatible with ARRIHEAD 1, Motion accessory bracket required)	€ 480,00
K2.52107.0	<b>MCB-1 Motor Control Box</b> Controls the Controlled Head Motors on the Arrihead	€ 11.340,00
K2.52104.0	<b>LCB-1 Lens Control Box</b> Controls the Controlled Lens Motors 2 on the lens	€ 11.130,00
K2.52108.0	<b>ACB-1 Auxiliary Control Box</b> Controller for external servo motors or dolly.	€ 11.240,00
K2.52102.0	<b>JBO-1 Jogbox</b> Handheld controller with touch screen	€ 17.430,00
K2.52135.0	<b>JCA-1 Jogbox Cable Adapter 1</b> Adapter necessary when connecting Jogbox with a cable to CCB	€ 2.070,00
K2.52259.0	<b>Jogbox-Cradle</b> for mounting the Jogbox on various heads.	€ 2.430,00
K2.52136.0	<b>JHC-1 Jogbox Handwheel Contr.2</b> Remote control station with 2 arms for the hand wheels, monitor platform and Jogbox holder	€ 19.900,00
K2.52260.0	<b>JCA-2 Jogbox Cable Adapter</b> Adapter necessary when connecting Jogbox and encoded fluidheads to CCB	€ 3.280,00
K2.52090.0	* <b>ARRIHEAD 2</b> with integrated encoders and brake detection.	€ 30.420,00
K2.52227.0	<b>Motion ACC Bracket</b> This bracket mounts to the ARRIHEAD-2. The Head Adapter slides into it and holds the CCB-1	€ 210,00
K2.52134.0	<b>CHM-1 Controlled Head Motor</b> Motor to drive pan or tilt of an ARRIHEAD	€ 9.530,00
K2.52222.0	<b>BLT-1 Bloop Light</b> Blooplight to record sync marks	€ 2.640,00
K2.52223.0	<b>GPI-1 General Purpose Interface</b> Trigger Box to trigger external events by ARRIMOTION or vice versa	€ 5.340,00
K2.52261.0	<b>Serial -Distribution</b> Splits Arrimotion SER2 into BLT and VTR connector	€ 410,00
K2.52249.0	<b>Dolly Mod. Panther Evolution</b> Modification of Panther Evolution for Arrimotion incl. Booster for different power supplies	€ 37.850,00
K2.47285.0	<b>Panther Evolution</b>	€ 65.480,00

## ARRIMOTION SYSTEM

Ident. No.	Description	Price / EURO
K2.52255.0	<b>Booster 110/200/230V/3x400V</b> Booster that converts single phase power supplies to 3 phase 400 V for Dolly	€ 3.340,00
K2.52256.0	<b>C20S Fluid</b> JBO and JCA-2 with Encoded Fluid Head	€ 7.910,00
K2.47000.0	<b>Adapter Plate 2</b> A plate for the ARRIHEAD-2 for less play in camera mounting and better nodal mounting	€ 2.620,00
K2.47351.0	<b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin 115-120V/60Hz, 220-240V/50Hz (power cable required, replaces K2.44481.A)	€ 1.440,00
K2.52252.0	<b>Cable K-JCA-CCB (2m/6 feet)</b> Cable to connect JCA-1 or JCA-2, JHC-1, Blooplight and/or GPI-1 to the CCB-1 (2m/6,6 feet long)	€ 250,00
K2.52152.0	<b>Cable K-JBO-CCB</b> Cable to connect JCA-1 or JCA-2, JHC-1, Blooplight and/or GPI-1 to the CCB-1 (10m/33 feet long)	€ 260,00
K2.52253.0	<b>Cable K-JCA-CCB (25m/33 feet)</b> Cable to connect JCA-1 or JCA-2, JHC-1, Blooplight and/or GPI-1 to the CCB-1 (25m/82,5 feet long)	€ 300,00
K2.52215.0	<b>Cable K-LDD-LDS</b> Cable that connects LDD connector on ARRICAM or FEM-2 to LCB-1 LENS DATA connector	€ 190,00
K2.52216.0	<b>Cable K-ARRIH-MCB</b> Cable from Encoded ARRIHEAD to CCB-1	€ 205,00
K2.52098.0	<b>Cable K-MCB CHM</b> Cable from CHM-1 motors to MCB-1	€ 280,00
K2.52219.0	<b>Cable K-CAM-CCB-1</b> Cable to connect 435 Advanced, 435ES, 535B, 16SR3, 16SR3 HS, 16SR 3 Advanced or 16SR3 HS Advanced to the CCB. Note: when used with the 435 Advanced, no special motion control and Stop/Go motion features are accessible. For those features, use cable K-CAM-CCB-2 instead	€ 410,00
K2.52220.0	<b>Cable K-CAM-CCB-2</b> Cable to connect 435 Advanced/MCI-1 to the CCB-1	€ 290,00
K2.52221.0	<b>Cable K-CAM-CCB-3</b> Cable to connect ARRICAM Studio or Lite to the CCB-1	€ 290,00
K2.52230.0	<b>Update Cable Laptop</b> Update cable for direct connection from CCB-1 to Laptop / PC	€ 50,00
K2.52250.0	<b>Cable K-SER-VTR</b> Connects CCB-1 to Sony Control 1 interface of VTRs	€ 310,00
K2.41966.0	<b>Power cable KC-20</b>	€ 130,00
K2.52251.0	<b>Cable K-JCA2-CAMS</b> Cable to connect Fluid Head	€ 430,00
K2.52224.0	<b>CC-M2 Long Cable for CLM-2</b> 0,8m/2.6 feet Longer replacement cable for CLM-2 cable (necessary for ARRIMOTION)	€ 140,00

## ARRIMOTION SYSTEM

Ident. No.	Description	Price / EURO
	<b>MOTION CONTROLL ADAPTER AND CABLES FOR 435 ADVANCED</b>	
K2.52138.0	<b>Motion Control Interface MCI</b> for 435 Advanced	€ 10.660,00
K2.52145.0	<b>Motion Control Adapter MCA-1</b>	€ 930,00
K2.52147.0	<b>Cable K-MCI-ICS</b> connects single frame capping shutter with MCI	€ 340,00
K2.52211.0	<b>Cable K-MCI-ICS WS</b> connects single frame capping shutter with MCI angled Fisher connector	€ 420,00
K2.52148.0	<b>Cable K-Kuper-MCA</b> from Kuper to MCA-1	€ 320,00
K2.52149.0	<b>Cable K-MCI-MCA</b> from MCA-1 to MCI-1	€ 270,00
K2.52212.0	<b>Cable K-MCA-1-MCI-1 WS</b> connector on MCI side (angled Fischer connector)	€ 330,00

-> FOR SYSTEM COMPILATIONS REFER TO INDEX

## FILM IDENT SYNC SYSTEM (ARRI-FIS)

Ident. No.	Description	Price / EURO
K2.47149.0	* <b>16 mm ARRI FIS reader head</b> for permanent installation	€ 1.930,00
K2.47151.0	* <b>16 mm ARRI FIS reader head</b> for quick change, space 10.75 mm	€ 1.930,00
K2.45507.0	* <b>Reader head mount</b> for Bosch scanner	€ 430,00
K2.41943.0	* <b>ARRI-FIS FILM CODE CONVERTER</b>	€ 3.210,00
K2.47198.0	* <b>ARRI-FIS 2 VIDEO</b> (TIME/KEYCODE REGENERATOR)	€ 10.070,00
K2.41161.0	* <b>TC Adapter TCA</b> (LTC Signal amplifier for 535 A)	€ 550,00
K2.47023.0	* <b>Cable KCT 1</b> M:535 - S: NAGRA	€ 170,00
K2.47024.0	* <b>Cable KCT 2</b> M:NAGRA - S: 535/535B/16SR3	€ 170,00
K2.47025.0	* <b>Cable KCT 3</b> M:535 - S: NAGRA	€ 170,00
K2.47026.0	* <b>Cable KCT 4</b> M:FOSTEX - S: 535/535B/16SR3	€ 170,00
K2.47138.0	* <b>Cable KCT 11</b> M:535B/16SR3 - S: NAGRA	€ 170,00
K2.47139.0	* <b>Cable KCT 13</b> M:535B/16SR3 - S: FOSTEX	€ 170,00
K2.47140.0	<b>TC-Reference film 16mm</b> length: 40 m	€ 140,00
K2.47141.0	<b>TC-Reference film 35mm</b> length: 60 m	€ 210,00

## TRIPODS AND HEADS

ARRIHEAD and STUDIO 9+9

Ident. No.	Description	Price / EURO
	<b>ARRIHEAD</b>	
K2.43670.0	<b>ARRIHEAD 2</b>	€ 26.780,00
K2.52090.0	* <b>ARRIHEAD 2</b> with integrated encoders and brake detection.	€ 30.420,00
K2.34301.0	<b>Reduction gear</b>	€ 1.970,00
K2.34385.0	<b>Handwheel, small</b>	(spare) € 1.200,00
K2.47001.0	<b>Handwheel, big</b>	€ 1.060,00
K2.47038.0	<b>ARRIHEAD Carrying handle</b>	€ 1.680,00
K2.47171.0	<b>Wedge plate</b>	(spare) € 210,00
K2.45349.0	<b>Tripod long, for ARRIHEAD</b> (flat base)	€ 1.670,00
K2.45352.0	<b>Aluminium off-ground spider</b> with three rubber feet (set) 7007/7004	€ 1.100,00
K2.47371.0	<b>Ground spider SP 150 EX (7013)</b>	€ 500,00
K2.47372.0	<b>Rubber feet EX (7014)</b> 3 pieces	€ 280,00
K2.47205.0	<b>Cover for tripod long</b> for K2.45349.0	€ 540,00
	<b>STUDIO 9+9</b>	
K2.50491.0	<b>Fluid head STUDIO 9+9</b>	€ 7.310,00
K2.50495.0	<b>Tripod long, Dural</b>	€ 1.180,00
K2.50527.0	<b>Tripod long, carbon fiber</b>	€ 1.450,00
K2.50470.0	<b>Tripod medium-long, Dural</b>	€ 1.100,00
K2.50528.0	<b>Tripod medium-long, carbon fiber</b>	€ 1.380,00
K2.50496.0	<b>Tripod medium, Dural</b>	€ 1.050,00
K2.50497.0	<b>Tripod short, Dural</b>	€ 840,00
K2.50480.0	<b>Rubber spider</b>	€ 460,00
K2.50506.0	<b>Case for STUDIO 9+9</b>	€ 490,00
K2.50500.0	<b>Cover for long legs</b>	€ 320,00
K2.50478.0	<b>Cover for medium-long legs</b>	€ 540,00
K2.50501.0	<b>Cover for medium legs</b>	€ 260,00
K2.50502.0	<b>Cover for short legs</b>	€ 260,00
K2.45352.0	<b>Aluminium off-ground spider</b> with three rubber feet (set) 7007/7004	€ 1.100,00
K2.47373.0	<b>Rubber feet (7004) 3 pieces</b> for K2.45353.0	€ 250,00

## APPENDIX

### ARRIMOTION System

Ident. No.	Description	Units required
<b>COMPONENTS FOR BASIC VERSION 6 AXES</b>		
K2.52103.0	<b>CCB-1</b> Camera Control Box	1
K2.52218.0	<b>CCB-HDD</b> Harddisk	1
K2.52107.0	<b>MCB-1</b> Motor Control Box	1
K2.52104.0	<b>LCB-1</b> Lens Control Box	1
K2.52206.0	<b>Head Adapter</b> to mount CCB on ARRIHEAD 2 (not compatible with Arrihead1) Accessory Bracket required	1
K2.52134.0	<b>CHM-1</b> Controlled Head Motor for pan and tilt	2
K2.52102.0	<b>JBO-1</b> Jogbox	1
K2.52135.0	<b>JCA-1</b> Jogbox Cable Adapter	1
K2.52036.0	<b>CLM-2</b> Lens Control Motor	2
K2.52224.0	<b>CC-M2</b> Long Cable for CLM-2 (required for ARRIMOTION)	2
K2.52152.0	<b>K-JBO-CCB</b> Cable to connect JCA/BLT/GPI to CCB	2
K2.52098.0	<b>K-MCB-CHM</b> Cable to connect CHM and MCB	2
<b>CAMERA CABLES AS NEEDED</b>		
K2.52219.0	<b>K-CAM-CCB-1</b> Cable to connect 435 (ES), 535(B), 16SR3(HS) to the CCB. This cable can also be used with the 435 Advanced, if the special features of the camera are not needed.	1
K2.52220.0	<b>K-CAM-CCB-2</b> Cable for 435 Advanced	1
K2.52221.0	<b>K-CAM-CCB-3</b> Cable for ARRICAM	1
K2.52222.0	<b>BLT-1</b> Bloop Light	1
K2.52216.0	<b>K-ARRIH-MCB</b> Connects Encoded ARRIHEAD with MCB	1
K2.52215.0	<b>K-LDD-LDS</b> Connects LDD Plug from ARRICAM and FEM-2 with ARRIMOTION	1
<b>COMPONENTS FOR LIVE ACTION (DOLLY) 9 AXES</b>		
K2.52103.0	<b>CCB-1</b> Camera Control Box	1
K2.52217.0	<b>CCB-SDD</b> Flashdisk (optional)	1
K2.52218.0	<b>CCB-HDD</b> Harddisk	1
K2.52107.0	<b>MCB-1</b> Motor Control Box	1
K2.52104.0	<b>LCB-1</b> Lens Control Box	1
K2.52206.0	<b>Head Adapter</b> to mount CCB on ARRIHEAD 2 (not compatible with Arrihead1) Accessory Bracket required	1
K2.52134.0	<b>CHM-1</b> Controlled Head Motor for pan and tilt	2
K2.52102.0	<b>JBO-1</b> Jogbox	1
K2.52135.0	<b>JCA-1</b> Jogbox Cable Adapter	1
K2.52036.0	<b>CLM-2</b> Lens Control Motor	2
K2.52224.0	<b>CC-M2</b> Long Cable for CLM-2 (required for ARRIMOTION)	2
K2.52152.0	<b>K-JBO-CCB</b> Cable to connect JCA/BLT/GPI to CCB	2
K2.52098.0	<b>K-MCB-CHM</b> Cable to connect CHM and MCB	2
K2.52137.0	<b>LSW-1</b> Laptop software	1
K2.52108.0	<b>ACB-1</b> Auxiliary Control Box	1
<b>CAMERA CABLES AS NEEDED</b>		
K2.52219.0	<b>K-CAM-CCB-1</b> Cable to connect 435 (ES), 535(B), 16SR3(HS) to the CCB. This cable can also be used with the 435 Advanced if the special features of the camera are not needed.	1
K2.52220.0	<b>K-CAM-CCB-2</b> Cable for 435 Advanced	1
K2.52221.0	<b>K-CAM-CCB-3</b> Cable for ARRICAM	1
K2.52222.0	<b>BLT-1</b> Bloop Light	1
K2.52216.0	<b>K-ARRIH-MCB</b> Connects Encoded ARRIHEAD with MCB	1
K2.52215.0	<b>K-LDD-LDS</b> Connects LDD Plug from ARRICAM and FEM-2 with ARRIMOTION	1

## APPENDIX

### ARRIMOTION System

Ident. No.	Description	Units required
<b>COMPONENTS FOR TRICK+LIVE ACTION + REMOTE OPERATION 12 AXES</b>		
K2.52103.0	<b>CCB-1</b> Camera Control Box	1
K2.52217.0	<b>CCB-SDD</b> Flashdisk (optional)	
K2.52218.0	<b>CCB-HDD</b> Harddisk	1
K2.52107.0	<b>MCB-1</b> Motor Control Box	1
K2.52104.0	<b>LCB-1</b> Lens Control Box	1
K2.52206.0	Head Adapter to mount CCB on ARRIHEAD 2 (not compatible with Arrihead1) Accessory Bracket required	1
K2.52134.0	<b>CHM-1</b> Controlled Head Motor for pan and tilt	1
K2.52102.0	<b>JBO-1</b> Jogbox	1
K2.52135.0	<b>JCA-1</b> Jogbox Cable Adapter	3
K2.52036.0	<b>CLM-2</b> Lens Control Motor	3
K2.52224.0	<b>CC-M2</b> Long Cable for CLM-2 (required for ARRIMOTION)	3
K2.52152.0	<b>K-JBO-CCB</b> Cable to connect JCA/BLT/GPI to CCB	3
K2.52098.0	<b>K-MCB-CHM</b> Cable to connect CHM and MCB	2
K2.52137.0	<b>LSW-1</b> Laptop software	1
K2.52108.0	<b>ACB-1</b> Auxiliary Control Box	2
K2.52136.0	<b>JHC-1</b> Jogbox Handwheel Controller	1
<b>CAMERA CABLES AS NEEDED</b>		
K2.52219.0	<b>K-CAM-CCB-1</b> Cable to connect 435 (ES), 535(B), 16SR3(HS) to the CCB. This cable can also be used with the 435 Advanced if the special features of the camera are not needed.	1
K2.52220.0	<b>K-CAM-CCB-2</b> Cable for 435 Advanced	1
K2.52221.0	<b>K-CAM-CCB-3</b> Cable for ARRICAM	
K2.52223.0	<b>GPI-1</b> General Purpose Interface	1
K2.52222.0	<b>BLT-1</b> Bloop Light	1
K2.52216.0	<b>K-ARRIH-MCB</b> Connects Encoded ARRIHEAD with MCB	1
K2.52215.0	<b>K-LDD-LDS</b> Connects LDD Plug from ARRICAM and FEM-2 with ARRIMOTION	1
<b>COMPONENTS FOR ARRIFLEX 435 ADVANCED IF USED WITH OTHER MOTION CONTROL SYSTEMS</b>		
K2.52138.0	<b>MCI-1</b> Motion Control Interface for 435 Advanced	1
K2.52147.0	<b>K-MCI-ICS</b> Cable for single frame capping shutter with MCI	1
K2.52211.0	<b>K-MCI-ICS WS</b> Cable for single frame capping shutter with MCI Angled Fischer Connector	1
K2.52145.0	<b>MCA-1</b> Motion Control Adapter	1
K2.52148.0	<b>K-KUPER-MCA</b> Cable Kuper	1
K2.52149.0	<b>K-MCI-MCA</b> Cable	1
K2.52212.0	<b>K-MCA-1-MCI-1</b> WS Cable , Angled Fischer Connector on MCI Side	1

## DISCONTINUED ITEMS

### DISCONTINUED ITEMS - MATTEBOXES AND ACCESSORIES

Ident-No.	Description	Price / EURO
K2.47107.0	<p>* <b>Lightweight Support LWS-3</b>            convertible to Super 16            includes Ø98mm and Ø170mm rods            required for:            - 4"x4" matte box MB 17 B (K2.47247.0),            - 4"x5.65" matte box MB-19 (K2.47099.0),            - lightweight follow focus system (K2.21541.0 / K0.59996.0)            - follow focus FF-4 (k2.47121.0)</p>	€ 470,00
K0.59954.0	<p><b>LIGHTWEIGHT MATTE BOX LMB-2</b>            * <b>3"x3" Lightweight Matte Box LMB-2</b>            consisting of: LMB-2 filter stage (K2.21973.0) and rectangular sun shade (K2.21975.0)            and two 3"x3" filter frames</p>	€ 590,00
K2.21973.0	<p>* <b>LMB-2 Filter stage</b>            with two 3"x3" filter frames            with adapter ring Ø 80 mm and Ø 80 mm adapter ring for serie 9 filter</p>	€ 510,00
K2.21975.0	* <b>Rectangular sun shade</b>	€ 80,00
K4.22040.0	* <b>3"x3" Filter frame</b> for filter stage K2.21973.0	€ 40,00
K2.21974.0	* <b>Round sun shade</b> for filter stage K2.21973.0	€ 100,00
K2.42351.0	<p><b>ACCESSORIES FOR PRODUCTION MATTE BOX MB-14</b>            * <b>Carrier MB-14C</b>            without sun shade, for close-ups</p>	€ 490,00
K2.44473.0	<p><b>5"X6" PRODUCTION MATTE BOX MB-15</b>            * <b>5"x6" Prod. Matte Box MB-15</b>            (for Ø 19mm support rods)            for 2 filter frames 5"x6" with french flag holder (bridge plate BP required)</p>	€ 2.320,00
K2.44473.A	<p>* <b>5"x6" Prod. Matte Box MB-15</b>            (for Ø 15mm support rods)            for 2 filter frames 5"x6" with french flag holder (bridge plate BP required)</p>	€ 2.320,00
K0.59976.0	* <b>Light shield set</b> top/bottom flag (K2.44738.0) and side flags pair (K2.44746.0)	€ 1.000,00
K2.44738.0	* <b>Top/bottom flags</b>	€ 400,00
K2.44746.0	* <b>Side flags pair</b>	€ 600,00
K0.59965.0	* <b>Set of mattes</b> for K2.44473.0 matte box comprising mattes for lenses from focal length: 18-20 mm, 24-28mm, 32mm, 35-40 mm, 50-65 mm, 85-180 mm	€ 360,00
K2.34740.0	* <b>Matte for 18-20 mm lens</b>	€ 80,00
K2.34742.0	* <b>Matte for 24-28 mm lens</b>	€ 80,00
K2.34743.0	* <b>Matte for 32 mm lens</b>	€ 80,00
K2.34744.0	* <b>Matte for 35-40 mm lens</b>	€ 80,00
K2.34745.0	* <b>Matte for 50-65 mm lens</b>	€ 80,00
K2.34746.0	* <b>Matte for 85-180 mm lens</b>	€ 80,00
K4.32527.0	* <b>5"x6" Filter frame</b> 2 pieces, for K2.44473.0 and K2.44473.A	€ 280,00

## DISCONTINUED ITEMS

DISCONTINUED ITEMS - MATTEBOXES AND ACCESSORIES

Ident-No.	Description	Price / EURO
	<b>ACCESSORIES FOR PRODUCTION MATTEBOX MB-17</b>	
K4.47628.0	* <b>Conversion set</b> for MB-17 to MB-17B	€ 390,00
	<b>SIZE R1 FILTER RINGS</b>	
K2.34180.0	* <b>6" Filter ring</b> for ARRI 12mm	€ 250,00
K2.34260.A	* <b>138mm Filter ring Ø121mm</b> for Cooke 20-60,25-250MkII/IIB	€ 340,00
K2.34260.B	* <b>138mm Filter ring Ø114mm</b> with rubber sleeve for UP14mm/180mm and LDS UP 14mm/180mm	€ 340,00
	<b>SIZE R2 FILTER RINGS / REDUCTION RING</b>	
K2.47223.0	* <b>138mm Filter ring Ø87mm (takes reduction rings size R6)</b> for Zeiss Vario Sonnar	€ 220,00
	<b>SIZE R3 FILTER RINGS</b>	
K2.32903.0	* <b>4 1/2" Filter ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10.4-52 with rubber sleeve and connection ring Ø 125 mm	€ 195,00

## DISCONTINUED ITEMS

### DISCONTINUED ITEMS - MISCELLANEOUS

Ident-No.	Description	Price / EURO
	<b>ARRIFLEX 235 / 435 / 535B ARRIGLOW MASKS</b>	
K2.47169.0	* <b>Glowmask Blank</b>	€ 160,00
	<b>ARRIFLEX 535B VIDEO TOP</b>	
K2.43594.0	* <b>100 % Video top</b> for c-mount video cameras for operation without viewfinder system	€ 4.030,00
	<b>ELECTRONIC ACCESSORIES</b>	
K2.47022.0	* <b>Accessory connector ZV 2 / 24V</b> with 2 connectors, 9-pin; for use with 16SR3 or 535B	€ 440,00
	<b>HANDHELD</b>	
K2.21350.0	* <b>Auxiliary handgrip</b> without switch	€ 400,00
	<b>CHANGING BAG</b>	
K2.50540.0	* <b>Film changing bag</b> for 120m/400ft magazine	€ 180,00
K2.50541.0	* <b>Film changing bag</b> for 300m/1000ft magazine	€ 230,00
	<b>BARNEY AND RAIN COVERS - FOR 16SR</b>	
K2.46873.0	* <b>Barney for noise reduction</b>	€ 640,00
K2.49087.0	* <b>Heated barney</b>	€ 870,00
K2.47046.0	* <b>Rain cover</b> for 16 SR and Vario Sonnar	€ 560,00
K2.47047.0	* <b>Rain cover</b> for 16 SR and prime lenses	€ 560,00
	<b>RAIN COVERS - FOR 535B</b>	
K2.45357.0	* <b>Rain cover for 535/535B</b> with 120m/400ft magazine and prime lens	€ 490,00
K2.45359.0	* <b>Rain cover for 535/535B</b> with 120m/400ft magazine and zoom lens	€ 630,00
K2.45358.0	* <b>Rain cover for 535/535B</b> with 300m/1000ft magazine and prime lens	€ 490,00
K2.45360.0	* <b>Rain cover for 535/535B</b> with 300m/1000ft magazine and zoom lens and with 6.6" x6.6" production matte box MB-14	€ 630,00
	<b>LENS SUPPORTS AND RINGS</b>	
K2.23480.0	* <b>Lens support LS-6</b> for Vario Sonnar	€ 200,00
K2.23490.0	* <b>Support ring for Vario Sonnar</b>	€ 190,00
K2.37002.0	* <b>Support ring for Angénieux</b> 25-250 HP/HR	€ 260,00
K2.35925.0	* <b>Support ring for Cooke</b> 20-100 and 18-100	€ 190,00
K2.36494.0	* <b>Support ring for Cooke</b> 25-250 MkII/IIB	€ 200,00
	<b>HOLDER FOR SERVO MOTOR ON ZOOM LENS</b>	
K2.44476.0	* <b>Holder with adapter (MH-3)</b> for servo zoom motor and hydraulic drive (for Ø19mm rods)	€ 350,00

## DISCONTINUED ITEMS

### DISCONTINUED ITEMS - MISCELLANEOUS

Ident-No.	Description	Price / EURO
<b>LENS IRIS GEAR RINGS</b>		
	for lenses without geared iris rings	
K2.43351.0	* <b>Iris gear ring</b> for Zeiss 10-100, 11-110	€ 170,00
K2.44811.0	* <b>Iris gear ring</b> for 35 mm high speed primes	€ 170,00
K2.44825.0	* <b>Iris gear ring</b> for standard primes	€ 225,00
K2.44833.0	* <b>Iris gear ring</b> for 16 mm high speed primes and T3 180 mm	€ 170,00
K2.44835.0	* <b>Iris gear ring</b> for Cooke T4 25-250	€ 170,00
K2.44863.0	* <b>Iris gear ring</b> for Cooke 10-30, 20-60	€ 170,00
K2.44928.0	* <b>Iris gear ring</b> for Angénieux T2.9 20-121	€ 170,00
<b>ACCESSORIES FOR LENS MOTOR CLM-1</b>		
K2.41390.0	* <b>CLM-1 holder for 35 III</b>	€ 1.100,00
K2.41385.0	* <b>LC-A 1 Battery adapter</b> 4-pin XLR (connection between battery and power supply module)	€ 120,00
K2.41386.0	* <b>LC-A 2 Battery adapter</b> 5-pin XLR (connection between battery and power supply module)	€ 120,00
K2.41380.0	* <b>Adapter, offset,</b> for Ø 15 mm support rods	€ 530,00
K2.47030.0	* <b>LC-D2 Cable</b> for 35III, 35BL (connection between camera and ICU)	€ 250,00
K2.47048.0	* <b>LC-D4 Cable</b> for 16SR II (connection between camera and ICU)	€ 250,00
<b>DIRECTORS VIEWFINDER</b>		
K2.33657.0	* <b>ARRI director' s finder</b> with PL-mount, without ground glass	€ 3.100,00
<b>GROUND GLASSES FOR 16 MM</b>		
K2.47051.0	* <b>Ground glass 1.66 (S16)</b>	€ 420,00
K2.47052.0	* <b>Ground glass 1.37</b>	€ 420,00
K2.47053.0	* <b>Ground glass TV 1.33/1.37</b>	€ 420,00
K2.47142.0	* <b>Ground glass 1.85 (S16)</b>	€ 420,00
K2.47143.0	* <b>Ground glass 1.66/TV1.33 (S16)</b>	€ 420,00
K2.47144.0	* <b>Ground glass HDTV 1.78/TV 1.33</b>	€ 420,00
<b>GROUND GLASS FOR 35 MM</b>		
K2.32083.0	* <b>Academy format 1:1.37</b>	€ 420,00
K2.32083.A	* <b>Wide screen format 1:1.66</b>	€ 420,00
K2.32083.B	* <b>Wide screen format 1:1.85</b>	€ 420,00
K2.32083.C	* <b>Scope format (factor2) 1:2.35</b>	€ 420,00
K2.32083.E	* <b>TV-ISO format 1:1.33</b>	€ 420,00
K2.33063.0	* <b>Combined format 1.37/1.85/1.33</b>	€ 420,00

# ARNOLD & RICHTER CINE TECHNIK GMBH & CO BETRIEBS KG

General Sale and Delivery Terms and Conditions for Merchants <sup>1</sup>

## 1. General; Scope

The terms and conditions delineated herein shall be the sole terms and conditions which apply to all of ARRI's current and future business transactions. Unless ARRI has approved of such in writing, any terms or conditions which conflict with, deviate from or modify the terms and conditions delineated herein shall not be binding on ARRI irrespective of whether ARRI had prior notice of such terms or conditions. ARRI hereby expressly objects to any such conflicting, deviating or modified terms or conditions.

## 2. Contract Formation

**2.1** Any offers made by ARRI shall be without obligation and subject to change without notice provided that the parties have not agreed to a lock-up period.

**2.2** The customer is bound to its order for a period of four weeks after its receipt by ARRI. A contract is deemed to exist upon the customer's receipt of ARRI's written confirmation regarding the order or the effective delivery of the applicable goods to the customer pursuant to the terms hereof.

**2.3** The scope and type of delivery for an order shall be established solely through ARRI's written confirmation relating to such order. Any errors or omissions in ARRI's sales prospectus, pricelists, offer documents or other related documentation may be amended without ARRI incurring any liability for damages or compensation in relation to such errors or omissions.

## 3. Payment, Set-Off, Withholding

**3.1** The purchase price for the contract shall be that price which is specified by ARRI for such contract and shall apply ex works, exclusive of any value-added tax; if the price is not indicated, the pricelist then in effect shall apply. If the sale has occurred through delivery to a place other than the place of performance (at the customer's request), any costs incurred for packaging, shipping, freight, customs or other related costs will be charged separately. If the customer fails to accept delivery when tendered by ARRI, it must nevertheless make payment.

**3.2** In the event that the manufacturing costs for the contracted goods (including, but not limited to, wages, salaries, materials or production costs) rise subsequent to formation of the contract, ARRI shall have the right to increase the purchase price in accordance therewith.

**3.3** Invoices from ARRI are due upon ARRI making the goods available to the customer and are payable without deductions within 10 days of the issuance thereof. Upon a default in payment, any overdue amounts will accrue interest at a rate of 8% above the basic interest rate. ARRI reserves its right to assert any further claims regarding damages resulting from a default.

**3.4** The customer can offset its payments only if its counterclaim thereto have been judicially sustained or recognized by a declaratory judgment. A right to withholding shall only apply to counterclaims arising specifically from the contract which is the subject of such withholding.

## 4. Delivery

**4.1** The dates for delivery and/or the making available of the goods are not binding unless a date for such has been agreed to in writing by ARRI.

**4.2** ARRI is entitled to carry out advance and/or partial deliveries of the goods.

**4.3** In the event that ARRI is unable to deliver or make the goods available to the customer due to events of force majeure lasting for a period of three months or more, ARRI's obligation to deliver or make the goods available shall be deemed extinguished in its entirety.

**4.4** ARRI shall be entitled to postpone delivery or availability of the goods for the entire duration of the force majeure events.

**4.5** Events of force majeure shall be deemed to be any events which are beyond ARRI's control and which make delivery impossible or unreasonably difficult, including, for example, strikes, lawful lockouts, war, import or export prohibitions, scarcity of energy supplies or raw materials, or the delayed delivery to ARRI of goods required for the performance of its obligations hereunder for reasons beyond ARRI's control. If ARRI is released from its obligations as described in Section 4.3 above, the customer shall be entitled to rescind the applicable contract. Compensation for damages for non-performance can be claimed by the customer only if the default in delivery is due to ARRI's gross negligence or is intentionally caused by ARRI.

## 5. Transfer of Risk

**5.1** The risk of loss or damage to the goods passes to the buyer as soon as ARRI has dispatched the goods from its premises (i.e., plant, factory or warehouse) or upon the surrendering of the goods to the applicable carrier or to the customer itself, as the case may be. The above shall also apply in the event that ARRI serves as the carrier for the goods.

**5.2** If the forwarding or collection of the goods is delayed due to reasons attributable to the customer, the risk of loss shall be transferred to the customer upon the readiness of the goods for dispatch.

## 6. Defective Goods

**6.1** The customer must inspect the delivered goods immediately upon its receipt of such. The customer must notify ARRI in writing of any apparent defects within one week of the goods' receipt. ARRI must be notified of hidden defects in writing within two weeks of their emergence but in no event later than one year after delivery of such goods. In the event that the customer fails to meet the aforementioned notification obligations, the goods shall be deemed to have been accepted and the rights set forth in Sections 6.2 and 6.3 below shall not be in effect.

**6.2** In the event that the customer has notified ARRI of defects in a timely manner and is thus eligible to make a claim for re-performance, ARRI shall have the right, at its own cost, either to remedy the defect or to redeliver conforming goods.

**6.3** If ARRI twice fails to remedy a defect or if ARRI is otherwise unable to accomplish its re-performance obligation or fails to do so within a time period reasonably set forth by the customer, the customer shall be entitled to reduce the purchase price under the contract or to cancel the contract. Instead of seeking performance, the customer can make a claim for damages or for compensation for expenses. However, if the customer elects to rescind the contract it shall have no right to make any claim for damages with respect to the defective goods.

**6.4** Provided that ARRI has not acted fraudulently, any claims of the customer regarding the goods shall become void and unenforceable one year after delivery of the applicable goods.

**6.5** The prescription period of one year in Section 6.4 above shall be replaced by a prescription period of two years for goods from the product range „Light“ of ARRI that are distributed under the brand „ARRI“.

## **7. Liability**

**7.1** ARRI shall be liable for any damage hereunder caused by it intentionally or caused by its gross negligence.

**7.2** In the event of simple negligence by ARRI, ARRI shall be liable only for ordinary and foreseeable damage arising from the contract, and only to the extent that ARRI has breached material contractual obligations. Further, in the event of simple negligence by ARRI, ARRI shall be liable for personal injury and/or health-related damage attributable to ARRI.

**7.3** ARRI shall not be liable for consequential damages and unforeseen damages (including consequential damages resulting from defective goods) as well as loss of profits in the event it has acted with simple negligence.

**7.4** ARRI shall be subject to no liability beyond that which is delineated in this Section 7.

**7.5** To the extent that ARRI's liability is excluded or limited, such exclusion or limitation shall apply to any persons or entities employed by ARRI in the performance of its contractual obligations.

**7.6** The limitations of liability delineated herein shall not apply to any legally prescribed strict liability, in particular any such strict liability arising from laws regarding guarantees or product warranties.

## **8. Retention of Title**

**8.1** Ownership of the delivered goods shall remain with ARRI until it has received full payment for such goods. Title to the goods shall first pass to the customer upon ARRI's receipt of all payments which are due under the current applicable contract.

**8.2** Prior to obtaining title to the goods, the customer is not entitled to pledge, to assign by way of security, to process or to alter the goods. The customer is, however, authorized to sell the goods to third parties in the ordinary course of business unless a non-assignability agreement regarding the consideration exists between the customer and the third party. If a third party acquires an

interest in the goods through a resale to such party, the customer agrees to assign to ARRI all of its correlating rights and claims against such third party. ARRI hereby accepts such assignment.

**8.3** Any combination, amalgamation and/or processing of the goods (sections 947, 948 and 950 BGB [German Civil Code]) shall be deemed to have been made on behalf of ARRI. ARRI shall acquire title to the resulting product in the ratio of the invoiced value of the goods and services provided by ARRI to the total invoiced value of the resulting product. If the goods have been re-sold to a third party, the assignment of rights and claims performed in accordance with Section 8.2 above shall be valid solely up to the amount of the invoiced value of goods and services provided by ARRI.

**8.4** Upon a default in payment by the customer, ARRI has the right to disclose to any applicable third party that it holds an interest in the goods pursuant to the assignment delineated above and to assert any of its claims directly. The customer is obligated to provide and deliver to ARRI all documentation required for the assertion of such claims. The customer must also make available to ARRI, completely and in a timely fashion, all information about any events that might affect the obligations described above.

## **9. Jurisdiction; Governing Law**

**9.1** The parties hereto agree that the exclusive jurisdiction for any transaction and/or contract between the parties is Munich, Germany.

**9.2** The relationship of the parties hereto shall be exclusively governed by and in all respects construed in accordance with the laws of the Federal Republic of Germany with no application whatsoever of the United Nations sales law.

Last modified: 1st January 2006

<sup>1</sup> Kaufleute as defined in the HGB [German Commercial Code]

# ARNOLD & RICHTER CINE TECHNIK GMBH & CO BETRIEBS KG

Allgemeine Verkaufs- und Lieferbedingungen der Arnold & Richter Cine Technik GmbH & Co Betriebs KG für Kaufleute

## 1. Allgemeines - Geltungsbereich

Diese Geschäftsbedingungen gelten für die gesamte gegenwärtige und künftige Geschäftsbeziehung ausschließlich. Entgegenstehende oder abweichende Geschäftsbedingungen oder vertragsändernde Bestimmungen sind selbst bei Kenntnis unverbindlich, wenn ARRI ihrer Geltung nicht schriftlich zustimmt. Ihnen wird hiermit ausdrücklich widersprochen.

## 2. Vertragsschluss

**2.1** Die Angebote von ARRI sind freibleibend und unverbindlich, sofern keine Bindungsdauer vereinbart wurde.

**2.2** Der Kunde ist an seinen Auftrag vier Wochen nach Zugang bei ARRI gebunden. Ein Vertrag kommt mit Zugang der schriftlichen Bestätigung von ARRI oder Anlieferung beim Kunden zustande.

**2.3** Art und Umfang der Lieferung bestimmt sich ausschließlich nach der Auftragsbestätigung durch ARRI. Etwaige irrtumsbedingte Fehler in Verkaufsprospekten, Preislisten, Angebotsunterlagen oder sonstigen Dokumentationen von ARRI dürfen berichtigt werden, ohne dass eine Schadensersatzpflicht entsteht.

## 3. Zahlung, Aufrechnung, Zurückbehaltungsrecht

**3.1** Der Kaufpreis ist der von ARRI genannte Preis, und gilt ab Werk, exklusive MwSt., soweit nicht genannt gilt die gültige Preisliste. Beim Versandkauf werden Verpackungs-, Verladungs-, Frachtkosten, Zollkosten oder sonstige Kosten gesondert berechnet. Befindet sich der Kunde am Fälligkeitstag im Annahmeverzug, muss er dennoch den Kaufpreis zahlen.

**3.2** Steigen nach Vertragsschluss die Kostenfaktoren für die Herstellung des Vertragsgegenstandes, insbesondere aber nicht abschließend Löhne, Gehälter, Material- oder Produktionskosten ist ARRI berechtigt, die Preise entsprechend zu erhöhen.

**3.3** Rechnungen von ARRI sind nach Bereitstellung der Ware ohne Abzug fällig und innerhalb von 10 Tagen nach Ausstellung zahlbar. Bei Verzug ist die Geldschuld mit 8% über dem Basiszinsatz zu verzinsen. Die Geltendmachung weitergehender Verzugschäden ist vorbehalten.

**3.4** Der Kunde kann nur mit rechtskräftig festgestellten oder anerkannten Gegenansprüchen aufrechnen. Ein Zurückbehaltungsrecht des Kunden besteht nur bei Gegenansprüchen aus demselben Vertragsverhältnis.

## 4. Lieferung

**4.1** Die Liefer- bzw. Bereitstellungszeiten sind unverbindlich, sofern nicht schriftlich ein Fixtermin vereinbart wurde.

**4.2** ARRI ist zu Vorab- und Teillieferungen berechtigt.

**4.3** Wird ARRI die Lieferung bzw. Bereitstellung infolge höherer Gewalt, mindestens für einen Zeitraum von 3 Monaten unmöglich, entfällt die Lieferpflicht.

**4.4** ARRI ist berechtigt, die Lieferung bzw. Bereitstellung um die Dauer der Behinderung hinauszuschieben.

**4.5** Unter den Begriff der höheren Gewalt fallen alle Umstände, welche ARRI nicht zu vertreten hat und durch die die Lieferung unmöglich oder unzumutbar erschwert wird, wie z.B. Streik, rechtmäßige Aussperrung, Krieg, Ein- und Ausfuhrverbote, Energie- und Rohstoffmangel und von ARRI nicht zu vertretende, nicht rechtzeitige Selbstlieferung. Wird ARRI von seiner Lieferpflicht frei, kann der Kunde vom Vertrag zurücktreten. Schadensersatz wegen Nichterfüllung darf der Kunde nur geltend machen, wenn der Lieferverzug auf grobem Verschulden oder auf Vorsatz von ARRI beruht.

## 5. Gefahrübergang

**5.1** Die Gefahr geht auf den Kunden über, sobald der Vertragsgegenstand ab Werk abgesendet bzw. an die den Transport ausführende Person oder den Kunden übergeben wird. Dies gilt auch beim Transport durch ARRI.

**5.2** Verzögert sich der Versand bzw. die Abholung infolge von Umständen, die der Kunde zu vertreten hat, so geht die Gefahr mit der Versandbereitschaft auf ihn über.

## 6. Rechte des Kunden bei Mängeln

**6.1** Der Kunde hat die Sache unverzüglich zu untersuchen. Offensichtliche Mängel sind binnen einer Woche nach Zugang der Ware schriftlich anzuzeigen, verdeckte Mängel binnen 2 Wochen nach deren Auftreten, spätestens innerhalb eines Jahres. Versäumt der Kunde diese Ausschlussfristen gilt die Ware als genehmigt. Rechte aus Ziffer 6.2 und 6.3 bestehen nicht.

**6.2** Steht dem Kunden aufgrund eines rechtzeitig angezeigten Mangels ein Nacherfüllungsanspruch zu, kann ARRI den Mangel unentgeltlich beseitigen oder eine mangelfreie Sache liefern.

**6.3** Schlägt eine Nachbesserung durch ARRI zweimal fehl, erbringt ARRI die Nacherfüllung nicht oder nicht innerhalb der vom Kunden gesetzten angemessenen Nachfrist, kann der Kunde mindern oder vom Vertrag zurücktreten. Der Kunde kann statt der Leistung aufwendungs- oder Schadensersatz verlangen. Wählt der Kunde den Rücktritt vom Vertrag, steht ihm daneben kein Schadensersatz wegen des Mangels zu.

**6.4** Die Ansprüche des Kunden verjähren 1 Jahr nach Übergabe der Ware sofern ARRI nicht arglistig handelt.

**6.5** An die Stelle der Verjährungsfrist von 1 Jahr in Ziffer 6.4 tritt eine Verjährungsfrist von 2 Jahren, sofern es sich um Waren aus dem Produktbereich „Licht“ von ARRI handelt, die unter der Bezeichnung „ARRI“ vertrieben werden.

## 7. Haftung

**7.1** ARRI haftet für Vorsatz und grobe Fahrlässigkeit.

**7.2** Für einfache Fahrlässigkeit haftet ARRI nur bei vertragstypischen und vorhersehbaren Schäden, sofern wesentliche Vertragspflichten (Kardinalpflichten) verletzt werden, sowie bei zurechenbaren Körper- und Gesundheitsschäden.

**7.3** Eine Haftung für mittelbare und unvorhersehbare Schäden sowie Mangelfolgeschäden und entgangenem Gewinn ist bei einfacher Fahrlässigkeit ausgeschlossen.

**7.4** Eine weitergehende Haftung von ARRI als in diesen Geschäftsbedingungen vorgesehen ist ausgeschlossen.

**7.5** Soweit die Haftung von ARRI ausgeschlossen oder beschränkt ist, gilt dies auch für die persönliche Haftung von Erfüllungsgehilfen.

**7.6** Diese Haftungsbeschränkungen gelten nicht für eine gesetzlich vorgeschriebene verschuldensunabhängige Haftung, insbesondere aus Garantie oder Produkthaftungsgesetz.

## **8. Eigentumsvorbehalt**

**8.1** Die gelieferten Waren bleiben bis zur vollständigen Bezahlung Eigentum von ARRI. Das Eigentum geht erst mit Ausgleich sämtlicher Verbindlichkeiten aus der laufenden Geschäftsbeziehung auf den Kunden über.

**8.2** Der Kunde ist nicht berechtigt, die Vorbehaltsware zu verpfänden, zur Sicherung zu übereignen, zu verarbeiten oder umzugestalten. Er ist berechtigt, die Ware im ordentlichen Geschäftsgang an Dritte zu veräußern, es sei denn, es besteht für die Gegenleistung ein Abtretungsverbot zwischen dem Kunden und dem Dritten. Erwirbt ein Dritter Rechte an dem Sicherungsgut, so tritt der Kunde schon jetzt sämtliche hierdurch entstehenden Rechte an ARRI ab, die durch die Weiterveräußerung gegen den Dritten erwachsen. ARRI nimmt die Abtretung an.

**8.3** Eine Verbindung, Vermischung oder Verarbeitung des Vertragsgegenstandes (§§ 947, 948 und 950 BGB) gilt als im Auftrag von ARRI erfolgt. ARRI erwirbt das Eigentum an der hergestellten Sache im Verhältnis des Rechnungswertes der eigenen Leistung zum Gesamtrechnungswert der hergestellten Sache. Im Falle der Weiterveräußerung gilt die Abtretung der Forderung aus dem Weiterverkauf entsprechend Ziffer 8.2 nur bis zur Höhe des Rechnungswertes der von ARRI erbrachten Leistung.

**8.4** Bei Verzug des Kunden kann ARRI Sicherungsrechte offen legen und alle Rechte selbst geltend machen. Der Kunde muss ARRI alle Unterlagen zur Geltendmachung aushändigen sowie umfassend und rechtzeitig von jedem obige Verpflichtungen betreffenden Vorgang Auskunft erteilen.

## **9. Gerichtsstand, Anwendbares Recht**

**9.1** Beide Parteien erklären sich mit der ausschließlichen Zuständigkeit des Gerichtsstands München einverstanden.

**9.2** Es gilt ausschließlich das Recht der Bundesrepublik Deutschland unter Ausschluss des UN-Kaufrechtes.

Stand: 1. Januar 2006

**ARNOLD & RICHTER CINE TECHNIK GmbH & Co Betriebs KG**

Türkenstrasse 89 · D-80799 Munich · phone +49 (0)89 3809-0 · fax +49 (0)89 3809-1245 · [www.arri.com](http://www.arri.com)