

**ARRI**  <sup>®</sup>

---

Camera Price Lists





## PRICE LIST September 2004

CAMERAS  
LENSES  
ACCESSORIES





## Table of Contents

<b>Cameras</b>	<b>1- 4</b>
<b>Ground Glasses</b>	<b>5</b>
<b>Frameglow Masks</b>	<b>6</b>
<b>Magazines</b>	<b>7</b>
<b>Viewfinders</b>	<b>8-9</b>
<b>Video Assist</b>	<b>10</b>
<b>Electronic Accessories</b>	<b>11- 12</b>
<b>Lens Data System</b>	<b>13 - 15</b>
<b>LDS Lenses</b>	<b>16</b>
<b>Mechanical Accessories</b>	<b>17</b>
<b>Update Accessories</b>	<b>18</b>

All sales are subject to our General Terms of Sale and Delivery (GTSD) dated 15.06.2004.  
Prices, specifications and technical data contained herein are subject to change without notice.  
Terms of delivery: Ex factory Munich, packing, shipping and insurance charges not included. VAT not included.  
Export of all ARRI products to other countries only with ARRI's previous consent in writing.  
Effective July 1<sup>ST</sup>, 2004. All previous price lists are obsolete.



Ident-No.	Description	Price / EURO
<b>K0.60001.0</b>	<p><b>ARRICAM Studio (ST) with Studio Viewfinder and 4 perforation movement</b></p> <p>35mm silent production camera with electronically adjustable shutter (0°-180°) and crystal controlled motor (1-60 fps forwards, 1-32 fps reverse). For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary. Note: reverse run only with Studio magazines. Movement with double pull-down claws and double registration pins</p> <p><b>Camera price includes:</b> Studio Viewfinder (spherical) Studio Eyepiece Top Load Adapter Film gate Universal Aperture Format Mask (ANSI) Gel filter holder for filmgate Ground glass/ fieldlens tool Toolset</p>	<b>€158.600,00</b>
<b>K2.54179.0</b>	<p><b>Aperture Format Mask Set (11 Masks) OPTIONAL!</b> for individual masks refer to the ARRI Web Site</p>	<b>€1.660,00</b>
<b>K0.60005.0</b>	<p><b>ARRICAM Lite (LT) with Lite Viewfinder 2 and 4 Perforation movement</b></p> <p>35mm lightweight production camera with electronically adjustable shutter (0°-180°) and crystal controlled motor (1-40 fps forwards, 1-32 fps reverse). For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary, Note: reverse run only with Studio magazines. Movement with double pull-down claws and double registration pins</p> <p><b>Camera price includes:</b> Lite Viewfinder 2 (spherical) Lite Universal Eyepiece Film gate Universal Aperture Format Mask (ANSI) Gel filter holder for filmgate Ground glass/ fieldlens tool Toolset</p>	<b>€139.950,00</b>
<b>K2.54179.0</b>	<p><b>Aperture Format Mask Set (11 Masks) OPTIONAL!</b> for individual masks refer to the ARRI Web Site</p>	<b>€1.660,00</b>
<b>K2.54165.0</b>	<p><b>3 Perforation Conversion Kit</b> 3-perforation movement for Studio or Lite</p> <p><b>Includes:</b> Film gate Aperture Format Mask HDTV 1.78 3 perforation (ANSI) Gel filter holder for filmgate</p> <p><b>For conversion please contact your local authorized ARRI Service Center</b></p> <p><b>For power supplies, matte boxes, lenses, follow focus FF3/FF4 and LFD see ARRIFLEX price list</b></p>	<b>€29.700,00</b>

Ident-No.	Description	Price / EUR
<b>K0.60002.0</b>	<p><b>ARRICAM Studio (ST) with Studio Universal Viewfinder and 4 perforation movement</b></p> <p>35mm silent production camera with electronically adjustable shutter (0°-180°) crystal controlled motor (1-60 fps forwards, 1-32 fps reverse) For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary. Note: reverse run only with Studio magazines. Movement with double pull-down claws and double registration pins</p> <p><b>Camera price includes:</b> Studio Universal Viewfinder (spherical &amp; anamorphic) Studio Eyepiece Top Load Adapter Film gate Universal Aperture Format Mask (ANSI) Gel filter holder for filmgate Ground glass/ fieldlens tool Toolset</p>	<b>€164.600,00</b>
<b>K2.54179.0</b>	<p><b>Aperture Format Mask Set (11 Masks) OPTIONAL!</b> for individual masks refer to the ARRI Web Site</p>	<b>€1.660,00</b>
<b>K0.60006.0</b>	<p><b>ARRICAM Lite (LT) with Lite Universal Viewfinder and 4 perforation movement</b></p> <p>35mm lightweight production camera with electronically adjustable shutter (0°-180°) crystal controlled motor (1-40 fps forwards, 1-32 fps reverse) For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary, Note: reverse run only with Studio magazines. Movement with double pull-down claws and double registration pins</p> <p><b>Camera price includes:</b> Lite Universal Viewfinder (spherical &amp; anamorphic) Lite Universal Eyepiece Film gate Universal Aperture Format Mask (ANSI) Gel filter holder for filmgate Ground glass/ fieldlens tool Toolset</p>	<b>€142.200,00</b>
<b>K2.54179.0</b>	<p><b>Aperture Format Mask Set (11 Masks) OPTIONAL!</b> for individual masks refer to the ARRI Web Site</p>	<b>€1.660,00</b>
<b>K2.54165.0</b>	<p><b>3 Perforation Conversion Kit</b> 3-perforation movement for Studio or Lite</p> <p><b>Includes:</b> Film gate Aperture Format Mask HDTV 1.78 3 perforation (ANSI) Gel filter holder for filmgate</p> <p><b>For conversion please contact your local authorized ARRI Service Center</b></p> <p><b>For power supplies, matte boxes, lenses, follow focus FF3/FF4 and LFD see ARRIFLEX price list</b></p>	<b>€29.700,00</b>



Ident-No.	Description	Price / EUR
<b>K0.60007.0</b>	<p><b>ARRICAM Studio (ST) with Studio Viewfinder and 3 perforation movement</b></p> <p>35mm silent production camera with electronically adjustable shutter (0°-180°) and crystal controlled motor (1-60 fps forwards, 1-32 fps reverse). For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary. Note: reverse run only with Studio magazines Movement with double pull-down claws and double registration pins</p> <p><b>Camera price includes:</b> Studio Viewfinder (spherical) Studio Eyepiece Top Load Adapter Film gate Aperture Format HDTV 1.78 3 perforation (ANSI) Gel filter holder for filmgate Ground glass/ fieldlens tool Toolset</p>	<b>€158.600,00</b>
<b>K2.47395.0</b>	<p><b>Aperture Format Mask Set 3 perforation (2 Masks) OPTIONAL!</b> for individual masks refer to the ARRI Web Site</p>	<b>€800,00</b>
<b>K0.60008.0</b>	<p><b>ARRICAM Lite (LT) with Lite Viewfinder 2 and 3 perforation movement</b></p> <p>35mm lightweight production camera with electronically adjustable shutter (0°-180°) and crystal controlled motor (1-40 fps forwards, 1-32 fps reverse). For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary, Note: reverse run only with Studio magazines Movement with double pull-down claws and double registration pins</p> <p><b>Camera price includes:</b> Lite Viewfinder 2 (spherical) Lite Universal Eyepiece Film gate Aperture Format Mask HDTV 1.78 3 perforation (ANSI) Gel filter holder for filmgate Ground glass/ fieldlens tool Toolset</p>	<b>€139.950,00</b>
<b>K2.47395.0</b>	<p><b>Aperture Format Mask Set 3 perforation (2 Masks) OPTIONAL!</b> for individual masks refer to the ARRI Web Site</p>	<b>€800,00</b>
<b>K2.54183.0</b>	<p><b>4 Perforation Conversion Kit</b> 4-perforation movement for Studio or Lite</p> <p><b>Includes:</b> Film gate Universal Aperture Format Mask (ANSI) Gel filter holder for filmgate</p> <p><b>For conversion please contact your local authorized ARRI Service Center For power supplies, matte boxes, lenses, follow focus FF3/FF4 and LFD see ARRIFLEX price list</b></p>	<b>€29.700,00</b>

Ident-No.	Description	Price / EUR
<b>K0.60009.0</b>	<p><b>ARRICAM Studio (ST) with Studio Universal Viewfinder and 3 perforation movement</b></p> <p>35mm silent production camera with electronically adjustable shutter (0°-180°) and crystal controlled motor (1-60 fps forwards, 1-32 fps reverse). For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary. Note: reverse run only with Studio magazines. Movement with double pull-down claws and double registration pins</p> <p><b>Camera price includes:</b> Studio Universal Viewfinder (spherical &amp; anamorphic) Studio Eyepiece Top Load Adapter Film gate Aperture Format Mask HDTV 1.78 3 perforation (ANSI) Gel filter holder for filmgate Ground glass/ fieldlens tool Toolset</p>	<b>€164.600,00</b>
<b>K2.47395.0</b>	<p><b>Aperture Format Mask Set 3 perforation (2 Masks) OPTIONAL!</b> for individual masks refer to the ARRI Web Site</p>	<b>€800,00</b>
<b>K0.60010.0</b>	<p><b>ARRICAM Lite (LT) with Lite Universal Viewfinder and 3 perforation movement</b></p> <p>35mm lightweight production camera with electronically adjustable shutter (0°-180°) and crystal controlled motor (1-40 fps forwards, 1-32 fps reverse). For reverse run Speed Control Box [K2.54010.0] or WRC [K2.52087.0] is necessary, Note: reverse run only with Studio magazines. Movement with double pull-down claws and double registration pins</p> <p><b>Camera price includes:</b> Lite Universal Viewfinder (spherical &amp; anamorphic) Lite Universal Eyepiece Film gate Gel filter holder for film gate Aperture Format Mask HDTV 1.78 3 perforation (ANSI) Gel filter holder for filmgate Ground glass/ fieldlens tool Toolset</p>	<b>€142.200,00</b>
<b>K2.47395.0</b>	<p><b>Aperture Format Mask Set 3 perforation (2 Masks) OPTIONAL!</b> for individual masks refer to the ARRI Web Site</p>	<b>€800,00</b>
<b>K2.54183.0</b>	<p><b>4 Perforation Conversion Kit</b> 4-perforation movement for Studio or Lite</p> <p><b>Includes:</b> Film gate Universal Aperture Format Mask (ANSI) Gel filter holder for filmgate</p> <p><b>For conversion please contact your local authorized ARRI Service Center For power supplies, matte boxes, lenses, follow focus FF3/FF4 and LFD see ARRIFLEX price list</b></p>	<b>€29.700,00</b>

Ident-No.	Description	Price / EUR
<b>ARRICAM Ground Glasses</b> (for Studio and Lite camera)		
K2.54100.0	Academy TV 1,33 safe	€520,00
K2.54101.0	Academy 1,66	€520,00
K2.54102.0	Academy TV 1,78 transmitted	€520,00
K2.54086.0	Academy 1,78 + 1,55 + 1,33 CGG	€520,00
K2.54103.0	Academy 1,85	€520,00
K2.54104.0	Academy 1,85 + TV 1,33 safe	€520,00
K2.54000.0	Academy 1,37 + TV 1,33 safe	€520,00
K2.54058.0	Academy 1,66 + 1,37 + TV 1,33 safe	€520,00
K2.54059.0	Academy 1,85 + 1,37 + TV 1,33 safe	€520,00
K2.54084.0	Academy Scope (Factor 2) 2,35	€520,00
K2.54062.0	Academy 3P TV 1.33 safe/transmitted	€520,00
K2.54083.0	ANSI Super 35 Silent 1,33	€520,00
K2.54105.0	ANSI Super 35 TV 1,33 safe	€520,00
K2.54106.0	ANSI Super 35 TV 1,78 transmitted	€520,00
K2.54060.0	ANSI Super 35 TV 1,78 + TV 1,33 transmitted	€520,00
K2.54107.0	ANSI Super 35 TV 1,78 safe	€520,00
K2.54085.0	ANSI Super 35 1,78 + 1,55 + 1,33 CGG	€520,00
K2.54108.0	ANSI Super 35 1,85	€520,00
K2.54061.0	ANSI Super 35 2,35 + 1,85+TV 1,33 transmitted	€520,00
K2.54109.0	ANSI Super 35 2,35 centric	€520,00
K2.54110.0	ANSI Super 35 2,35 + 1,85 1/4 offset	€520,00
K2.54087.0	ANSI Super 35 2,35 + 1,85 centric	€520,00
K2.54111.0	ANSI Super 35 2,35 + 1,85 common top	€520,00
K2.54063.0	ANSI Super 35 3P TV 1,78+TV 1,33 transmitted	€520,00
K2.54142.0	Groundglass Blank	€520,00
K4.52685.0	Ground glass/fieldlens tool	spare €25,00

Ident-No.	Description		Price / EUR
<b><u>Masks for Studio Mask Frameglow (K2.54017.0) and for Lite Mask Frameglow (K2.54037.0)</u></b>			
K2.54117.0	Academy	TV 1,33 safe	K2.54100.0 €210,00
K2.54118.0	Academy	1,66	K2.54101.0 €210,00
K2.54113.0	Academy	TV 1,78 transmitted	K2.54102.0 €210,00
K2.54090.0	Academy	1,78 + 1,55 + 1,33 CGG	K2.54086.0 €210,00
K2.54112.0	Academy	1,85	K2.54103.0 €210,00
K2.54120.0	Academy	1,85+ TV 1.33 safe	K2.54104.0 €210,00
K2.54051.0	Academy	1,37 + TV 1,33 safe	K2.54000.0 €210,00
K2.54052.0	Academy	1,66 + 1,37 + TV 1,33 safe	K2.54058.0 €210,00
K2.54053.0	Academy	1,85 + 1,37 + TV 1,33 safe	K2.54059.0 €210,00
K2.54123.0	Academy	Scope (Factor 2) 2,35	K2.54084.0 €210,00
K2.54056.0	Academy	3P TV 1,33 safe/transmitted	K2.54062.0 €210,00
K2.54119.0	ANSI Super 35	Silent 1,33	K2.54083.0 €210,00
K2.54121.0	ANSI Super 35	TV 1,33 safe	K2.54105.0 €210,00
K2.54122.0	ANSI Super 35	TV 1,78 transmitted	K2.54106.0 €210,00
K2.54054.0	ANSI Super 35	TV 1,78+TV 1,33 transmitted	K2.54060.0 €210,00
K2.54115.0	ANSI Super 35	TV 1,78 safe	K2.54107.0 €210,00
K2.54089.0	ANSI Super 35	1,78 + 1,55 + 1,33 CGG	K2.54085.0 €210,00
K2.54114.0	ANSI Super 35	1,85	K2.54108.0 €210,00
K2.54092.0	ANSI Super 35	2,35 centric	K2.54109.0 €210,00
K2.54091.0	ANSI Super 35	2,35 + 1,85 centric	K2.54087.0 €210,00
K2.54057.0	ANSI Super 35	3P TV 1,78 + TV 1,33 transmitted	K2.54063.0 €210,00
K2.54141.0	Mask blank		€210,00
<b><u>Masks for Studio Mask Frameglow (K2.54017.0) only</u></b>			
K2.54055.0	ANSI Super 35	2,35 + 1,85 + TV 1,33 transmitted	K2.54061.0 €210,00
K2.54116.0	ANSI Super 35	2,35 + 1,85 common top	K2.54111.0 €210,00
K2.54088.0	ANSI Super 35	2,35 + 1,85 1/4 offset	K2.54110.0 €210,00
<b><u>Masks for Lite Mask Frameglow (K2.54037.0) only</u></b>			
K2.54094.0	ANSI Super 35	2,35 + 1,85 + TV 1,33 transmitted	K2.54061.0 €210,00
K2.54095.0	ANSI Super 35	2,35 + 1,85 common top	K2.54111.0 €210,00
K2.54096.0	ANSI Super 35	2,35 + 1,85 1/4 offset	K2.54110.0 €210,00

Ident-No.	Description	Price / EUR
<b>Studio Magazines</b> (fit on Studio and Lite camera with the appropriate adapter)		
K2.54015.0	<b>Studio Magazine 120/400</b> 120m/400ft lightweight magazine with built-in RAW STOCK/ASA display, runs forward and reverse, mechanical take-up controls, includes loop protector.	€10.470,00
K2.54027.0	<b>Studio Magazine 300/1000</b> 300m/1000ft lightweight magazine with built-in RAW STOCK/ASA display, runs forward and reverse, mechanical take-up controls and mechanical footage check, includes loop protector.	€14.230,00
K2.54045.0	<b>Top Load Adapter</b> Allows Studio magazines to be mounted on the ARRICAM Studio in top load position.	€2.940,00
	spare	
K2.54139.0	<b>Dual Port Adapter</b> Allows Studio magazines to be mounted on the ARRICAM Studio in top load or in an angled back load position.	€5.200,00
K2.54125.0	<b>Twin Adapter (TWA-1)</b> Allows Studio magazines to be mounted on the ARRICAM Studio in top load or in a straight back load position	€5.200,00
K2.54047.0	<b>Back Load Adapter</b> Allows Studio magazines to be mounted on the ARRICAM Studio in back load position.	€3.100,00
K2.54048.0	<b>Studio Mag to Lite Camera Adapter</b> Allows Studio magazines to be mounted on the ARRICAM Lite in back load position.	€2.680,00
K2.54126.0	<b>Magazine Stabilization Bracket</b> For use when the Studio camera and a Studio 300 m/1000 ft Magazine are subject to extrem g-forces.	€720,00
<b>Lite Magazines</b> (fit on Lite camera without an adapter)		
K2.54028.0	<b>Lite Steadicam Magazine</b> 120m/400ft lightweight active displacement magazine, runs forward only, built-in RAW STOCK/ASA display, for Steadicam applications.	€11.500,00
K2.54097.0	<b>Lite Shoulder Magazine with Spindle for Film Cores</b> 120m/400ft lightweight active displacement magazine, runs forward only, built-in RAW STOCK/ASA display, for hand held applications.	€11.500,00
K2.54169.0	<b>Lite Shoulder Magazine with Collapsible Core</b> 120m/400ft lightweight active displacement magazine, runs forward only, built-in RAW STOCK/ASA display, for hand held applications.	€12.120,00
K2.54127.0	<b>Lite Mag to Studio Camera Adapter</b> Allows Lite magazines to be mounted on the ARRICAM Studio in back load position.	€5.210,00
	NEW	

Ident-No.	Description		Price / EUR
<b>Studio Viewfinders</b> (fit on Studio and Lite camera)			
K2.54175.0	<b>Studio Viewfinder</b> <b>For spherical viewing</b> Bright and versatile viewfinder can be used camera left or right. Keeps an upright image in all positions. Image can be rotated manually. Viewfinder arm telescopes closer/farther from camera body Flip in contrast filter. Accepts Studio extensions, Studio video assist, Studio Readout and Studio Frameglows <b>Studio Eyepiece not included.</b>	spare	€14.390,00
K4.53000.0	<b>Studio spherical Viewfinder Arm</b> Does not include eyepiece, eyecup or optical tower.	spare	€7.390,00
K2.54190.0	<b>Studio Universal Viewfinder</b> <b>Switches between spherical and anamorphic viewing</b> Bright and versatile viewfinder can be used camera left or right. Keeps an upright image in all positions. Image can be rotated manually. Viewfinder arm telescopes closer/farther from camera body Flip in contrast filter. Accepts Studio extensions, Studio video assist, Studio Readout, Studio Frameglows and Studio Universal Bracket. <b>Studio Eyepiece not included.</b>	spare	€20.370,00
K2.54170.0	<b>Studio Universal Viewfinder Arm</b> Does not include eyepiece, eyecup or optical tower.	spare	€14.390,00
K2.54178.0	<b>Studio Universal Viewfinder Bracket</b> Provides a mechanical stop when the Studio Universal Viewfinder is swung over to the camera's right side		€300,00
K2.54003.0	<b>Studio Eyepiece</b> Fits on Studio Viewfinder and Studio Universal Viewfinder. Includes eyecup.	spare	€2.680,00
K2.54004.0	<b>Studio Zoom Extension</b> Long eyepiece extension with 2x zoom magnification Fits on Studio Viewfinder, Studio Universal Viewfinder, Lite Viewfinder 2 and Lite Universal Viewfinder		€6.200,00
K2.54005.0	<b>Studio Medium Extension</b> Medium eyepiece extension Fits on Studio Viewfinder, Studio Universal Viewfinder, Lite Viewfinder 2 and Lite Universal Viewfinder		€3.410,00
K2.54018.0	<b>Studio Anamorphic Extension</b> Long Eyepiece extension with 2x zoom magnification and flip-in anamorphic de-squeezer Fits on Studio Viewfinder or Lite Viewfinder 2. <b>Is not necessary if Studio Universal Viewfinder or Lite Universal Viewfinder are used</b>		€8.720,00
K2.54008.0	<b>Studio Readout</b> Display of fps, shutter angle, EXPOSED FILM or RAW STOCK, with connector for LDD, fits on Studio and Studio Universal Viewfinder		€4.780,00
K2.54017.0	<b>Studio Mask Frameglow</b> Mask Frameglow module for Studio and Studio Universal Viewfinder Accepts Academy and Super format masks		€2.260,00

Ident-No.	Description	Price / EUR
<b><u>Lite Viewfinders</u></b> (fit on Lite and Studio camera)		
<b>K2.54176.0</b>	<b>Lite Viewfinder 2</b> <b>For spherical viewing</b> Small and lightweight viewfinder can be used camera left or right. Keeps an upright image in all positions. Image can be rotated manually. Viewfinder arm telescopes closer/farther from camera body, Has a flip in contrast filter. Accepts Studio Finder Extensions, Lite video assist, Lite Mask Frameglow and Lite Universal Viewfinder Bracket. When used on Studio camera, magazines require back load position Includes Lite Universal Eyepiece (K4.52734.0)	spare <b>€11.650,00</b>
<b>K4.53012.0</b>	<b>Lite spherical Viewfinder-2 Arm</b> Does not include eyepiece, eyecup or optical tower.	spare <b>€4.980,00</b>
<b>K2.54099.0</b>	<b>Lite Universal Viewfinder</b> <b>Switches between spherical and anamorphic viewing,</b> Small and lightweight viewfinder can be used camera left or right. Keeps an upright image in all positions. Image can be rotated manually. Viewfinder arm telescopes closer/farther from camera body, Has a flip in contrast filter. Accepts Studio Finder Extensions, Lite video assist, Lite Mask Frameglow and Lite Universal Viewfinder Bracket. When used on Studio camera, magazines require back load position Includes Lite Universal Eyepiece (K4.52734.0)	spare <b>€15.700,00</b>
<b>K4.52768.0</b>	<b>Lite Universal Viewfinder Arm</b> Does not include eyepiece, eyecup or optical tower.	spare <b>€8.780,00</b>
<b>K4.52734.0</b>	<b>Lite Universal Eyepiece</b> Fits on Lite Viewfinder 2, Lite Universal Viewfinder, Studio Viewfinder and Studio Universal Viewfinder. Includes eyecup.	spare <b>€2.780,00</b>
<b>K2.54037.0</b>	<b>Lite Mask Frameglow</b> Mask Frameglow module for Lite Viewfinder, Lite Viewfinder 2 and Lite Universal Viewfinder. Accepts Academy and Super format masks	<b>€2.260,00</b>
<b>K2.54151.0</b>	<b>Lite Universal Viewfinder Bracket</b> Provides a mechanical stop when the Lite Viewfinder 2 or Lite Universal Viewfinder is swung over to the camera's right side	<b>€300,00</b>
<b><u>Accessories for ALL ARRICAM Viewfinders</u></b>		
<b>K2.54196.0</b>	<b>Heated Eyecup HE-4 (new version)</b> A robust heated eyecup with 2 power settings. Fits all Studio and Lite Eyepieces. <b>Includes ARRICAM Heated Eyecup Cable KC-63 (K4.54460.0)</b>	<b>€1.030,00</b>
<b>K4.54460.0</b>	<b>ARRICAM Heated Eyecup Cable KC-63</b> Short coiled cable connects Heated Eyecup HE-4 to ARRICAM	spare <b>€250,00</b>
<b><u>Accessories for discontinued Lite Viewfinder</u></b>		
<b>K2.54046.0</b>	<b>Lite Eyepiece</b> Fits only on Lite Viewfinder. Includes eyecup.	spare <b>€1.840,00</b>
<b>K2.54050.0</b>	<b>Lite Extension</b> Eyepiece Extension for Lite Viewfinder with 2x magnification Fits only on Lite Viewfinder	<b>€2.890,00</b>

Ident-No.	Description	Price / EUR
<b><u>Video Assist Cameras</u></b>		
<b>K2.54041.0</b>	<b>Studio Integrated Video System (IVS), PAL</b> Color video assist for Studio and Studio Universal Viewfinder	<b>€15.120,00</b>
<b>K2.54042.0</b>	<b>Studio Integrated Video System (IVS), NTSC</b> Color video assist for Studio and Studio Universal Viewfinder	<b>€15.120,00</b>
<b>K2.54039.0</b>	<b>Lite Integrated Video System (IVS), PAL</b> Color video assist for Lite Viewfinder, Lite Viewfinder 2 and Lite Universal Viewfinder	<b>€15.120,00</b>
<b>K2.54032.0</b>	<b>Lite Integrated Video System (IVS), NTSC</b> Color video assist for Lite Viewfinder, Lite Viewfinder 2 and Lite Universal Viewfinder	<b>€15.120,00</b>
<b><u>100% Video Tops</u></b>		
<b>K2.54033.0</b>	<b>Studio 100% Video Top</b> 100% optical module fits on Studio or Lite camera, accepts Studio Integrated Video System.	<b>€4.040,00</b>
<b>K2.54038.0</b>	<b>Lite 100% Video Top</b> 100% optical module fits on Studio or Lite camera, accepts Lite Integrated Video System.	<b>€4.040,00</b>
<b><u>Video Monitors</u></b>		
<b>K2.54031.0</b>	<b>6.6" Video Monitor, for PAL and NTSC</b> includes cable KCV-2 (K4.47299.0)	<b>€3.600,00</b>
<b>K4.47299.0</b>	<b>Cable for 6,6 Video Monitor (0,4m/1,3feet) KCV-2</b>	<b>€330,00</b> <span style="float: right;">spare</span>
<b>K2.54035.0</b>	<b>2" Video Monitor, for NTSC ( Academy Format only)</b> A coiled cable is permanently attached	<b>€1.840,00</b>
<b>K2.54040.0</b>	<b>2" Video Monitor, for PAL (Academy Format only)</b> A coiled cable is permanently attached	<b>€1.840,00</b>



Ident-No.	Description	Price / EUR
<b><u>Speed Control Box and Accessories</u></b>		
<b>K2.54010.0</b>	<b>Speed Control Box (SCB)</b> Attaches to Studio camera or to Remote Control Station or connects via cable to Studio or Lite camera. RUN & RAMP button, 0.001 resolution fps input, forward/reverse switch, simple 1 step speed ramps with shutter or iris compensation, external synchronization. <b>Does not include any cables.</b>	<b>€6.250,00</b>
<b>K2.54160.0</b>	<b>Speed Control Box Remote Cable (0,6m/1,8feet) KC 86</b> Connects Speed Control Box, MCB Cable Adapter or Remote Control Station to Studio or Lite CAC connector	<b>€310,00</b>
<b>K2.54128.0</b>	<b>Speed Control Box Remote Cable (3m/9feet) KC 65</b> Connects Speed Control Box, MCB Cable Adapter or Remote Control Station to Studio or Lite CAC connector	<b>€310,00</b>
<b>K2.54131.0</b>	<b>Speed Control Box Remote Cable (15m/45feet) KC 69</b> Connects Speed Control Box, MCB Cable Adapter or Remote Control Station to Studio or Lite CAC connector	<b>€450,00</b>
<b>K2.54134.0</b>	<b>Cable Drum (50m/165feet)</b> Extension for cables that connect to the Studio or Lite CAC connector When used with Speed Control Box, no SYNC features are available.	<b>€930,00</b>
<b>K2.54155.0</b>	<b>Camera Sync Cable (15m/45 feet) KC 78</b> Synchronizes two or more ARRICAMs frame & phase accurately to each other. Connects Studio or Lite CAC connector of the master to Speed Control Box SYNC IN connector of the slave.	<b>€250,00</b>
<b>K4.43313.0</b>	<b>Pick-up Box</b> Connects to Speed Control Box. Senses signal from Cathode Ray Tube monitors. <b>Does not include cable.</b>	<b>€750,00</b>
<b>K2.54129.0</b>	<b>Cable for Pick-up Box (10m/33feet) KC 66</b> Connects the Pick-up Box to the Speed Control Box SYNC IN connector.	<b>€200,00</b>
<b><u>Other Control Boxes and Accessories</u></b>		
<b>K2.54021.0</b>	<b>Manual Control Box (MCB)</b> Without SCB: sets camera fps or shutter. With SCB: runs manual speed or depth-of-field ramps Attaches to Studio camera, Remote Control Station or via MCB Cable Adapter to Studio or Lite camera. <b>Does not include cable.</b>	<b>€1.770,00</b>
<b>K2.54171.0</b>	<b>Timing Shift Box (TSB)</b> Adjusts timing between mirror shutter and movement for a streaking effect. Attaches to Studio camera, Remote Control Station or via MCB Cable Adapter to Studio or Lite camera. <b>Does not include cable.</b>	<b>€3.050,00</b>
<b>K2.52213.0</b>	<b>MCB Cable Adapter</b> Attaches to Manual Control Box or Timing Shift Box and connects via Speed Control Box Remote Cable (K2.54160.0, K2. 54128.0 or K2.54131.0) to Studio or Lite CAC connector <b>Replaces K2.54136.0. Does not include cable.</b>	<b>€550,00</b>

Ident-No.	Description	Price / EUR
<b><u>Other Electronic Accessories</u></b>		
<b>K2.54143.0</b>	<b>Remote Control Station (RCS)</b> Accepts Speed Control Box, Manual Control Box, Timing Shift Box, Lens Data Display Classic , Lens Data Display for Focus Puller, WHA-2. Connects to Studio or Lite CAC connector with Speed Control Box Remote Cable (K2.52160.0, K2. 54128.0 or K2.54131.0). Can be mounted on Studio or Lite handles or on WHA-2 Rod or Rosette Bracket <b>Does not include cable.</b>	<b>€3.660,00</b>
<b>K2.54093.0</b>	<b>In-camera Slate System</b> Attaches to Studio or Lite camera. Lite Lens Data Box (K2.54025.0) necessary to attach the In-camera Slate Box (ISB) to the Lite camera. Consists of: In-camera Slate Box (ISB), Recording Module and a hand-held PC. Records man and machine readable slate information onto film. <b>Recording Module must be installed by an authorized ARRI Service Center</b>	<b>€13.550,00</b>
<b>K2.47436.0</b>	<b>In-camera Slate Reader</b> Decodes automatically the In-camera Slate data from the film and creates a log list which can be used to split up material into sub-clips and sync sound. Outputs LTC directly to synchronize sound during telecine.	<b>€14.070,00</b>
<b>K2.54177.0</b>	<b>Accessory Power Box (APB)</b> Provides additional 24V and 12V accessory power outlets and a camera right RUN button. Can be powered by the camera or a separate battery.	<b>€2.720,00</b>
<b>K2.54191.0</b>	<b>Power Y Cable for Accessory Power Box</b> Supplies camera and Accessory Power Box from one single battery Use for maximum power from Accessory Power Box	<b>€700,00</b>
<b>K2.54011.0</b>	<b>Power Bridgeplate (19mm rods)</b> A Bridgeplate with two built-in 24V RS accessory power connectors Attaches to Studio or Lite camera	<b>€1.940,00</b>
<b>K2.35900.A</b>	<b>Bridgeplate BP-3 (15mm rods)</b> Attaches to Studio or Lite camera	<b>€1.060,00</b>
<b>K2.54022.0</b>	<b>Work Light</b> Attaches to Studio or Lite camera. <b>A coiled cable is permanently attached.</b>	<b>€440,00</b>
<b>K2.45886.0</b>	<b>Camera Handgrip, Right with On/Off Switch</b> <b>A coiled cable is permanently attached.</b>	<b>€560,00</b>
<b>K2.46942.0</b>	<b>Remote Switch RS-4</b> <b>A straight cable is permanently attached.</b>	<b>€490,00</b>
<b>K2.54130.0</b>	<b>CAC Distribution Box</b> Connects to the Studio or Lite CAC connector and provides 3 CAC connectors.	<b>€860,00</b>

Ident-No.	Description	Price / EUR
<b><u>Lens Data Boxes and Accessories</u></b>		
<b>K2.54014.0</b>	<b>Studio Lens Data Box (LDB)</b> Attaches to Studio camera. Controls up to 3 lens motors, manages LDS signals & wireless transmission to Wireless Lens Control System.	<b>€6.560,00</b>
<b>K2.54194.0</b>	<b>Studio Lens Data Box (LDB-2) with new modem</b> Attaches to Studio camera. Controls up to 3 lens motors, manages LDS signals & wireless transmission to Wireless Lens Control System.	<b>€6.560,00</b>
<b>K2.54144.0</b>	<b>Studio LDB Adapter</b> Two plates and a cable that allow the Studio Lens Data Box to be mounted 1m/3 feet from the camera. Includes LDB Adapter Cable KC-75 (K2.54150.0)	<b>€2.600,00</b>
<b>K2.52225.0</b>	<b>Dovetail Shoe</b> When this shoe is attached to the Studio LDB Adapter, the Adapter can be mounted on the Dovetail Rod Clamp, WHA-2 Rod Bracket or WHA-2 Rosette Bracket.	<b>€110,00</b>
<b>K2.54148.0</b>	<b>Dovetail Rod Clamp (19mm)</b> Attaches Studio LDB Adapter with Dovetail Shoe to 19mm rods	<b>€290,00</b>
<b>K4.52563.0</b>	<b>Dovetail Rod Clamp (15mm)</b> Attaches Studio LDB Adapter with Dovetail Shoe to 15mm rods	<b>€290,00</b>
<b>K2.52082.0</b>	<b>Dovetail 3/8 Clamp</b> Attaches Studio LDB Adapter with Dovetail Shoe to any 3/8 threaded hole	<b>€290,00</b>
<b>K2.54025.0</b>	<b>Lite Lens Data Box (LDB)</b> Attaches to Lite camera. Controls up to 3 lens motors, manages LDS signals & wireless transmission to Wireless Lens Control System.	<b>€6.560,00</b>
<b>K2.54195.0</b>	<b>Lite Lens Data Box (LDB-2) with new modem</b> Attaches to Lite camera. Controls up to 3 lens motors, manages LDS signals & wireless transmission to Wireless Lens Control System.	<b>€6.560,00</b>
<b>K2.52096.0</b>	<b>Antenna Cable (3m/9feet) WC-A2</b> Connects Studio or Lite Lens Data Box to LCS antenna	<b>€180,00</b>

Ident-No.	Description	Price / EUR
<b><u>Lens Data Display Classic</u></b>		
<b>K2.54012.0</b>	<b>Lens Data Display Classic (LDD) with cable KC 60 (K4.55855.0)</b> The LDD shows lens settings & camera status, calculates depth of field and manages focus marks. Cable KC 60 connects to Studio Readout, Lite Frameglow, Remote Control Station or FEM-2 (435 Advanced)	<b>€6.720,00</b>
<b>K4.55855.0</b>	<b>LDD Standard Cable (0.5m/1.5feet) KC 60</b> Connects Lens Data Display Classic to Studio Readout, Lite Frameglow, Remote Control Station or FEM-2 (435 Advanced)	<b>spare €320,00</b>
<b>K2.54156.0</b>	<b>LDD Standard Cable (3m/9feet) KC 79</b> Connects Lens Data Display Classic to Studio Readout, Lite Frameglow, Remote Control Station or FEM-2 (435 Advanced)	<b>€190,00</b>
<b>K2.54132.0</b>	<b>LDD CAC Cable (3m/9feet) KC 67</b> Connects Lens Data Display Classic to Studio or Lite CAC connector	<b>€260,00</b>
<b>K2.54133.0</b>	<b>LDD CAC Cable (15m/45feet) KC 68</b> Connects Lens Data Display Classic to Studio or Lite CAC connector	<b>€370,00</b>
<b>K2.54153.0</b>	<b>LDD/SCB Remote Cable (3m/9 feet) KC-76</b> Connects Speed Control Box to Lens Data Display Classic when the Lens Data Display (Classic) is cabled to CAC connector of camera	<b>€260,00</b>
<b>K2.54154.0</b>	<b>LDD Compensation Cable (0.2m/0.6 feet) KC-77</b> Must be used when Lens Data Display Classic is connected to CAC or SAC connector with a cable longer than 3m/9feet	<b>€200,00</b>
<b><u>Lens Data Display for Focus Puller</u></b>		
<b>K2.54163.0</b>	<b>Lens Data Display for Focus Puller (LDD-FP)</b> The LDD-FP shows lens settings & camera status, calculates depth of field and manages focus marks. Includes cable LDDFP-RDO (K2.54172.0), which connects to Studio Readout, Lite Frameglow, Remote Control Station or FEM-2 (435 Advanced)	<b>€7.730,00</b>
<b>K2.54166.0</b>	<b>MB Bracket for LDD-FP</b> Attaches LDD-FP to MB-14 or MB-15 matte box	<b>€340,00</b>
<b>K2.54167.0</b>	<b>MB Bracket for LDD-FP</b> Attaches LDD-FP to MB-16 or MB-18 matte box	<b>€230,00</b>
<b>K2.54168.0</b>	<b>MB Bracket for LDD-FP</b> Attaches LDD-FP to MB-19 matte box	<b>€230,00</b>
<b>K2.54172.0</b>	<b>LDD-FP Standard Cable (0.6m/2feet) LDDFP-RDO</b> Connects LDD-FP with Studio Readout, Lite Frameglow, Remote Control Station or FEM-2 (435 Advanced)	<b>spare €230,00</b>
<b>K2.52232.0</b>	<b>LDD-FP CAC Cable (1,5m/4,5ft) LDDFP-CAC</b> Connects LDD-FP to Studio or Lite CAC connector Does not work with cable drum	<b>€200,00</b>

Ident-No.	Description	Price / EUR
<b><u>Wired Handgrip Attachment (WHA-2) and Accessories</u></b>		
<b>K2.54079.0</b>	<b>Wired Handgrip Attachment (WHA-2)</b> Works with Studio and Lite camera and 435 Advanced. Handgrip attachment for using the hand units of the Wireless Lens Control System (WFU, WZU) or the WRC-1 in cable configuration. <b>Does not include cable.</b>	<b>€1.790,00</b>
<b>K2.52264.0</b>	<b>Wired Handgrip Attachment (WHA-3)</b> <b>Same as WHA-2 except for an additional button for focus tracking when used with LDD-FP.</b>	<b>€2.050,00</b>
<b>K4.41397.0</b>	<b>WHA-2 LCS Cable (1m/3feet) LC-M1</b> Connects WHA-2 or WHA-3 to: Studio or Lite Lens Data Box LCS connector, or Remote Control Station WHA-2 connector, or 435 Advanced FEM-2 LCS connector.	<b>€160,00</b>
<b>K4.41395.0</b>	<b>WHA-2 LCS Cable (3,5m/11feet) LC-Z1</b> Connects WHA-2 or WHA-3 to: Studio or Lite Lens Data Box LCS connector, or Remote Control Station WHA-2 connector, or 435 Advanced FEM-2 LCS connector.	<b>€160,00</b>
<b>K2.54135.0</b>	<b>WHA-2 CAC Cable (3m/9 feet) KC 70</b> Connects WHA-2 or WHA-3 to Studio or Lite CAC connector Also for software updates to WHA-2	<b>€260,00</b>
<b>K2.52150.0</b>	<b>WHA-2 Rod Bracket</b> Attaches the WHA-2 or WHA-3 to 19mm or 15mm support rods	<b>€1.390,00</b>
<b>K2.52153.0</b>	<b>WHA-2 Rosette Bracket</b> Attaches the WHA-2 or WHA-3 to the ARRIHEAD rosette	<b>€1.000,00</b>
<b><u>Other Lens Data System Accessories</u></b>		
<b>K2.54137.0</b>	<b>ICU Cable (1m/3 feet) KC 72</b> Connects ICU (K2.47028.0) to Studio or Lite CAC connector Use for speed/iris ramps with non LDS lenses Note: If the WRC (K2.52087.0) is used, the ICU is not needed	<b>€260,00</b>

Ident-No.	Description	Price / EUR
<b><u>LDS Ultra Prime Lenses</u></b>		
<b>Meter scale</b>	<b>Feet scale</b>	
K2.52198.0	K2.52199.0      LDS Ultra Prime      T2/12mm	€16.900,00
K2.52111.0	K2.52123.0      LDS Ultra Prime      T1.9/14mm	€14.500,00
K2.52112.0	K2.52124.0      LDS Ultra Prime      T1.9/16mm	€12.300,00
K2.52113.0	K2.52125.0      LDS Ultra Prime      T1.9/20mm	€11.500,00
K2.52114.0	K2.52126.0      LDS Ultra Prime      T1.9/24mm	€11.300,00
K2.52115.0	K2.52127.0      LDS Ultra Prime      T1.9/28mm	€10.950,00
K2.52116.0	K2.52128.0      LDS Ultra Prime      T1.9/32mm	€10.950,00
K2.52117.0	K2.52129.0      LDS Ultra Prime      T1.9/40mm	€10.800,00
K2.52118.0	K2.52130.0      LDS Ultra Prime      T1.9/50mm	€10.600,00
K2.52200.0	K2.52201.0      LDS Ultra Prime      T1.9/65mm	€11.350,00
K2.52119.0	K2.52131.0      LDS Ultra Prime      T1.9/85mm	€10.750,00
K2.52120.0	K2.52132.0      LDS Ultra Prime      T1.9/100mm	€11.800,00
K2.52121.0	K2.52133.0      LDS Ultra Prime      T1.9/135mm	€11.900,00
K2.52202.0	K2.52203.0      LDS Ultra Prime      T1.9/180mm	€13.900,00
K2.54072.0	Case for six LDS Ultra Primes 14mm to 180 mm	€680,00
K2.45690.0	Case for one 10 or 12 mm Ultra Prime or one 12mm LDS Ultra Prime	€720,00

Ident-No.	Description	Price / EUR
<b><u>Hand Held Accessories</u></b>		
K2.54023.0	<b>Shoulder Set</b> Attaches to Studio or Lite camera. Includes Shoulder Pad	€3.310,00
K4.54469.0	<b>Shoulder Pad</b> Attaches directly to Studio or Lite camera.	spare €270,00
<b><u>Camera Handles</u></b>		
K2.54064.0	<b>Studio Camera Handle</b> Carrying handle for Studio camera if Studio or Studio Universal Viewfinder is used.	€1.630,00
K2.54078.0	<b>Lite Camera Handle</b> Carrying handle for Lite camera if Lite or Lite Universal Viewfinder is used.	€1.450,00
K2.54081.0	<b>Studio Center Handle</b> Carrying handle for Studio camera if Lite or Lite Universal Viewfinder is used.	€910,00
K2.54082.0	<b>Lite Center Handle</b> Carrying handle for Lite camera if Studio or Studio Universal Viewfinder is used.	€520,00
<b><u>Other Mechanical Accessories</u></b>		
K2.52214.0	<b>Universal Low Mode Set</b> Allows Studio or Lite camera to be underslung on a Steadicam or other camera support device. Compatible with all Viewfinders and 100% Video Tops <b>Replaces K2.54066.0 and K2.54076.0</b>	€1.950,00
K2.54030.0	<b>Accessory Shoe Expander</b>	€240,00
K2.54077.0	<b>3/8" Accessory Shoe Adapter</b>	€130,00
<b><u>Cases</u></b>		
K2.54024.0	<b>Case for Arricam Studio</b>	€990,00
K2.54026.0	<b>Case for Arricam Lite</b>	€990,00
K2.54068.0	<b>Case for two Studio Magazines 120/400</b>	€680,00
K2.54069.0	<b>Case for one Studio Magazine 300/1000</b>	€680,00
K2.54070.0	<b>Case for two Lite Shoulder or Steadicam Magazines</b>	€660,00

Ident-No.	Description	Price / EUR
<b><u>Software Update Cables</u></b>		
<b>K2.54124.0</b>	<b>ARRICAM Software Update Cable</b> (2m/6.5feet) KC 61 Use to update ARRICAM cameras and accessories Connects a PC serial port (DB9 pin) to Studio or Lite CAC connector.	<b>€200,00</b>
<b>K2.52248.0</b>	<b>Lite Accessory Update Cable</b> (0.4m/1.3ft) KC 85 If only a ARRICAM Lite camera body is available, this cable is needed to update Speed Control Box [K2.54010.0], Manual Control Box [K2.54021.0] or Timing Shift Box [K2.5454171.0]. The cable connects between the Lite camera body (Lite LDB connector) and the accessories.	<b>€500,00</b>
<b>K2.54135.0</b>	<b>WHA-2 CAC Cable</b> (3m/9 feet) KC 70 Connects WHA-2 to Studio or Lite CAC connector <b>Also for software updates to WHA-2</b>	<b>€260,00</b>
<b>K4.55849.0</b>	<b>WRC Update Cable</b> (2m/6feet) KC 84 Use to update the WRC software. Connects a PC serial port (DB9 pin) to the WRC.	<b>€170,00</b>
<b><u>Other Update Accessories</u></b>		
<b>K2.54152.0</b>	<b>Software Update Adapter</b> This adapter is used for updating ARRICAM accessories without a camera body present.	<b>€2.420,00</b>
<b><u>Magazine Charge Cables</u></b>		
<b>K2.54192.0</b>	<b>Studio Magazine Charge Cable</b> (1m/3feet) KC 81 Use to charge Studio magazine display battery. Connects to any 24V power supply with XLR plugs Regular ARRI camera batteries can be used as power supply	<b>€350,00</b>
<b>K2.54193.0</b>	<b>Lite Magazine Charge Cable</b> (1m/3feet) KC 83 Use to charge Lite magazine display battery. Connects to any 24V power supply with XLR plugs Regular ARRI camera batteries can be used as power supply	<b>€350,00</b>
<b>K2.54157.0</b>	<b>Studio Magazine Charge Cable</b> (1m/3feet) KC 80 Use to charge Studio magazine display battery. Connects to any 24V power supply with banana plugs	<b>€350,00</b>
<b>K2.54158.0</b>	<b>Lite Magazine Charge Cable</b> (1m/3feet) KC 82 Use to charge Lite magazine display battery. Connects to any 24V power supply with banana plugs	<b>€350,00</b>



# GENERAL TERMS OF SALE AND DELIVERY (GTSD)

## Arnold & Richter Cine Technik GmbH & Co Betriebs KG for Merchants<sup>1</sup>

### 1. General; Scope

The terms and conditions delineated herein shall be the sole terms and conditions which apply to all of ARRI's current and future business transactions. Unless ARRI has approved of such in writing, any terms or conditions which conflict with, deviate from or modify the terms and conditions delineated herein shall not be binding on ARRI irrespective of whether ARRI had prior notice of such terms or conditions. ARRI hereby expressly objects to any such conflicting, deviating or modified terms or conditions.

### 2. Contract Formation

- 2.1 Any offers made by ARRI shall be without obligation and subject to change without notice provided that the parties have not agreed to a lock-up period.
- 2.2 The customer is bound to its order for a period of four weeks after its receipt by ARRI. A contract is deemed to exist upon the customer's receipt of ARRI's written confirmation regarding the order or the effective delivery of the applicable goods to the customer pursuant to the terms hereof.
- 2.3 The scope and type of delivery for an order shall be established solely through ARRI's written confirmation relating to such order. Any errors or omissions in ARRI's sales prospectus, pricelists, offer documents or other related documentation may be amended without ARRI incurring any liability for damages or compensation in relation to such errors or omissions.

### 3. Payment, Set-Off, Withholding

- 3.1 The purchase price for the contract shall be that price which is specified by ARRI for such contract and shall apply *ex works*, exclusive of any value-added tax; if the price is not indicated, the pricelist then in effect shall apply. If the sale has occurred through delivery to a place other than the place of performance (at the customer's request), any costs incurred for packaging, shipping, freight, customs or other related costs will be charged separately. If the customer fails to accept delivery when tendered by ARRI, it must nevertheless make payment.
- 3.2 In the event that the manufacturing costs for the contracted goods (including, but not limited to, wages, salaries, materials or production costs) rise subsequent to formation of the contract, ARRI shall have the right to increase the purchase price in accordance therewith.
- 3.3 Invoices from ARRI are due upon ARRI making the goods available to the customer and are payable without deductions within 10 days of the issuance thereof. Upon a default in payment, any overdue amounts will accrue interest at a rate of 8% above the basic interest rate. ARRI reserves its right to assert any further claims regarding damages resulting from a default.
- 3.4 The customer can offset its payments only if its counterclaim thereto have been judicially sustained or recognized by a declaratory judgment. A right to withholding shall only apply to counterclaims arising specifically from the contract which is the subject of such withholding.

### 4. Delivery

- 4.1 The dates for delivery and/or the making available of the goods are not binding unless a date for such has been agreed to in writing by ARRI.
- 4.2 ARRI is entitled to carry out advance and/or partial deliveries of the goods.
- 4.3 In the event that ARRI is unable to deliver or make the goods available to the customer due to events of force majeure lasting for a period of three months or more, ARRI's obligation to deliver or make the goods available shall be deemed extinguished in its entirety.
- 4.4 ARRI shall be entitled to postpone delivery or availability of the goods for the entire duration of the force majeure events.
- 4.5 Events of force majeure shall be deemed to be any events which are beyond ARRI's control and which make delivery impossible or unreasonably difficult, including, for example, strikes, lawful lockouts, war, import or export prohibitions, scarcity of energy supplies or raw materials, or the delayed delivery to ARRI of goods required for the performance of its obligations hereunder for reasons beyond ARRI's control. If ARRI is released from its obligations as described in Section 4.3 above, the customer shall be entitled to rescind the applicable contract. Compensation for damages for non-performance can be claimed by the customer only if the default in delivery is due to ARRI's gross negligence or is intentionally caused by ARRI.

### 5. Transfer of Risk

- 5.1 The risk of loss or damage to the goods passes to the buyer as soon as ARRI has dispatched the goods from its premises (i.e., plant, factory or warehouse) or upon the surrendering of the goods to the applicable carrier or to the customer itself, as the case may be. The above shall also apply in the event that ARRI serves as the carrier for the goods.
- 5.2 If the forwarding or collection of the goods is delayed due to reasons attributable to the customer, the risk of loss shall be transferred to the customer upon the readiness of the goods for dispatch.

### 6. Defective Goods

- 6.1 The customer must inspect the delivered goods immediately upon its receipt of such. The customer must notify ARRI in writing of any apparent defects within one week of the goods' receipt. ARRI must be notified of hidden defects in writing within two weeks of their emergence but in no event later than one year after delivery of such goods. In the event that the customer fails to meet the aforementioned notification obligations, the goods shall be deemed to have been accepted and the rights set forth in Sections 6.2 and 6.3 below shall not be in effect.
- 6.2 In the event that the customer has notified ARRI of defects in a timely manner and is thus eligible to make a claim for re-performance, ARRI shall have the right, at its own cost, either to remedy the defect or to redeliver conforming goods.
- 6.3 If ARRI twice fails to remedy a defect or if ARRI is otherwise unable to accomplish its re-performance obligation or fails to do so within a time period reasonably set forth by the customer, the customer shall be entitled to reduce the purchase price under the contract or to cancel the contract. Instead of seeking performance, the customer can make a claim for damages or for compensation for expenses. However, if the customer elects to rescind the contract it shall have no right to make any claim for damages with respect to the defective goods.
- 6.4 Provided that ARRI has not acted fraudulently, any claims of the customer regarding the goods shall become void and unenforceable one year after delivery of the applicable goods.

### 7. Liability

- 7.1 ARRI shall be liable for any damage hereunder caused by it intentionally or caused by its gross negligence.
- 7.2 In the event of simple negligence by ARRI, ARRI shall be liable only for ordinary and foreseeable damage arising from the contract, and only to the extent that ARRI has breached material contractual obligations. Further, in the event of simple negligence by ARRI, ARRI shall be liable for personal injury and/or health-related damage attributable to ARRI.
- 7.3 ARRI shall not be liable for consequential damages and unforeseen damages (including consequential damages resulting from defective goods) as well as loss of profits in the event it has acted with simple negligence.
- 7.4 ARRI shall be subject to no liability beyond that which is delineated in this Section 7.
- 7.5 To the extent that ARRI's liability is excluded or limited, such exclusion or limitation shall apply to any persons or entities employed by ARRI in the performance of its contractual obligations.
- 7.6 The limitations of liability delineated herein shall not apply to any legally prescribed strict liability, in particular any such strict liability arising from laws regarding guarantees or product warranties.

### 8. Retention of Title

- 8.1 Ownership of the delivered goods shall remain with ARRI until it has received full payment for such goods. Title to the goods shall first pass to the customer upon ARRI's receipt of all payments which are due under the current applicable contract.
- 8.2 Prior to obtaining title to the goods, the customer is not entitled to pledge, to assign by way of security, to process or to alter the goods. The customer is, however, authorized to sell the goods to third parties in the ordinary course of business unless a non-assignability agreement regarding the consideration exists between the customer and the third party. If a third party acquires an interest in the goods through a resale to such party, the customer agrees to assign to ARRI all of its correlating rights and claims against such third party. ARRI hereby accepts such assignment.
- 8.3 Any combination, amalgamation and/or processing of the goods (sections 947, 948 and 950 BGB [German Civil Code]) shall be deemed to have been made on behalf of ARRI. ARRI shall acquire title to the resulting product in the ratio of the invoiced value of the goods and services provided by ARRI to the total invoiced value of the resulting product. If the goods have been re-sold to a third party, the assignment of rights and claims performed in accordance with Section 8.2 above shall be valid solely up to the amount of the invoiced value of goods and services provided by ARRI.
- 8.4 Upon a default in payment by the customer, ARRI has the right to disclose to any applicable third party that it holds an interest in the goods pursuant to the assignment delineated above and to assert any of its claims directly. The customer is obligated to provide and deliver to ARRI all documentation required for the assertion of such claims. The customer must also make available to ARRI, completely and in a timely fashion, all information about any events that might affect the obligations described above.

### 9. Jurisdiction; Governing Law

- 9.1 The parties hereto agree that the exclusive jurisdiction for any transaction and/or contract between the parties is Munich, Germany.
- 9.2 The relationship of the parties hereto shall be exclusively governed by and in all respects construed in accordance with the laws of the Federal Republic of Germany with no application whatsoever of the United Nations sales law.

Munich, 15.06.2004

1) *Kaufleute* as defined in the HGB [German Commercial Code]

# Allgemeine Verkaufs- und Lieferbedingungen der Arnold & Richter Cine Technik GmbH & Co Betriebs KG für Kaufleute

## 1. Allgemeines – Geltungsbereich

Diese Geschäftsbedingungen gelten für die gesamte gegenwärtige und künftige Geschäftsbeziehung ausschließlich. Entgegenstehende oder abweichende Geschäftsbedingungen oder vertragsändernde Bestimmungen sind selbst bei Kenntnis unverbindlich, wenn ARRI ihrer Geltung nicht schriftlich zustimmt. Ihnen wird hiermit ausdrücklich widersprochen.

## 2. Vertragsschluss

- 2.1 Die Angebote von ARRI sind freibleibend und unverbindlich, sofern keine Bindungsdauer vereinbart wurde.
- 2.2 Der Kunde ist an seinen Auftrag vier Wochen nach Zugang bei ARRI gebunden. Ein Vertrag kommt mit Zugang der schriftlichen Bestätigung von ARRI oder Anlieferung beim Kunden zustande.
- 2.3 Art und Umfang der Lieferung bestimmt sich ausschließlich nach der Auftragsbestätigung durch ARRI. Etwaige irrtumsbedingte Fehler in Verkaufsprospekten, Preislisten, Angebotsunterlagen oder sonstigen Dokumentationen von ARRI dürfen berichtigt werden, ohne dass eine Schadensersatzpflicht entsteht.

## 3. Zahlung, Aufrechnung, Zurückbehaltungsrecht

- 3.1 Der Kaufpreis ist der von ARRI genannte Preis, und gilt ab Werk, exklusive MwSt., soweit nicht genannt gilt die gültige Preisliste. Beim Versandkauf werden Verpackungs-, Verladungs-, Frachtkosten, Zolllasten oder sonstige Kosten gesondert berechnet. Befindet sich der Kunde am Fälligkeitstag im Annahmeverzug, muss er dennoch den Kaufpreis zahlen.
- 3.2 Steigen nach Vertragsschluss die Kostenfaktoren für die Herstellung des Vertragsgegenstandes, insb. aber nicht abschließend Löhne, Gehälter, Material- oder Produktionskosten ist ARRI berechtigt die Preise entsprechend zu erhöhen.
- 3.3 Rechnungen von ARRI sind nach Bereitstellung der Ware ohne Abzug fällig und innerhalb von 10 Tagen nach Ausstellung zahlbar. Bei Verzug ist die Geldschuld mit 8% über dem Basiszinssatz zu verzinsen. Die Geltendmachung weitergehender Verzugschäden ist vorbehalten.
- 3.4 Der Kunde kann nur mit rechtskräftig festgestellten oder anerkannten Gegenansprüchen aufrechnen. Ein Zurückbehaltungsrecht des Kunden besteht nur bei Gegenansprüchen aus demselben Vertragsverhältnis.

## 4. Lieferung

- 4.1 Die Liefer- bzw. Bereitstellungszeiten sind unverbindlich, sofern nicht schriftlich ein Fixtermin vereinbart wurde.
  - 4.2 ARRI ist zu Vorab- und Teillieferungen berechtigt.
  - 4.3 Wird ARRI die Lieferung bzw. Bereitstellung infolge höherer Gewalt, mindestens für einen Zeitraum von 3 Monaten unmöglich, entfällt die Lieferpflicht.
  - 4.4 ARRI ist berechtigt, die Lieferung bzw. Bereitstellung um die Dauer der Behinderung hinauszuschieben.
  - 4.5 Unter den Begriff der höheren Gewalt fallen alle Umstände, welche ARRI nicht zu vertreten hat und durch die die Lieferung unmöglich oder unzumutbar erschwert wird, wie z.B. Streik, rechtmäßige Aussperrung, Krieg, Ein- und Ausfuhrverbote, Energie- und Rohstoffmangel und von ARRI nicht zu vertretende, nicht rechtzeitige Selbstlieferung. Wird ARRI von seiner Lieferpflicht frei, kann der Kunde vom Vertrag zurücktreten. Schadensersatz wegen Nichterfüllung darf der Kunde nur geltend machen wenn der Lieferverzug auf grobem Verschulden oder auf Vorsatz von ARRI beruht.
- ## 5. Gefahrübergang
- 5.1 Die Gefahr geht auf den Kunden über, sobald der Vertragsgegenstand ab Werk abgesendet bzw. an die den Transport ausführende Person oder den Kunden übergeben wird. Dies gilt auch beim Transport durch ARRI.
  - 5.2 Verzögert sich der Versand bzw. die Abholung infolge von Umständen, die der Kunde zu vertreten hat, so geht die Gefahr mit der Versandbereitschaft auf ihn über.

## 6. Rechte des Kunden bei Mängeln

- 6.1 Der Kunde hat die Sache unverzüglich zu untersuchen. Offensichtliche Mängel sind binnen einer Woche nach Zugang der Ware schriftlich anzuzeigen, verdeckte Mängel binnen 2 Wochen nach deren Auftreten, spätestens innerhalb eines Jahres. Versäumt der Kunde diese Ausschlussfristen gilt die Ware als genehmigt. Rechte aus Ziffer 6.2 und 6.3 bestehen nicht.
- 6.2 Steht dem Kunden aufgrund eines rechtzeitig angezeigten Mangels ein Nacherfüllungsanspruch zu, kann ARRI den Mangel unentgeltlich beseitigen oder eine mangelfreie Sache liefern.
- 6.3 Schlägt eine Nachbesserung durch ARRI zweimal fehl, erbringt ARRI die Nacherfüllung nicht oder nicht innerhalb der vom Kunden gesetzten angemessenen Nachfrist, kann der Kunde mindern oder vom Vertrag zurücktreten. Der Kunde kann statt der Leistung Aufwendungs- oder Schadensersatz verlangen. Wählt der Kunde den Rücktritt vom Vertrag, steht ihm daneben kein Schadensersatz wegen des Mangels zu.
- 6.4 Die Ansprüche des Kunden verjähren 1 Jahr nach Übergabe der Ware sofern ARRI nicht arglistig handelt.

## 7. Haftung

- 7.1 ARRI haftet für Vorsatz und grobe Fahrlässigkeit.
- 7.2 Für einfache Fahrlässigkeit haftet ARRI nur bei vertragstypischen und vorhersehbaren Schäden, sofern wesentliche Vertragspflichten (Kardinalpflichten) verletzt werden, sowie bei zurechenbaren Körper- und Gesundheitsschäden.
- 7.3 Eine Haftung für mittelbare und unvorhersehbare Schäden sowie Mangelfolgeschäden und entgangenem Gewinn ist bei einfacher Fahrlässigkeit ausgeschlossen.
- 7.4 Eine weitergehende Haftung von ARRI als in diesen Geschäftsbedingungen vorgesehen ist ausgeschlossen.
- 7.5 Soweit die Haftung von ARRI ausgeschlossen oder beschränkt ist, gilt dies auch für die persönliche Haftung von Erfüllungsgehilfen.
- 7.6 Diese Haftungsbeschränkungen gelten nicht für eine gesetzlich vorgeschriebene verschuldensunabhängige Haftung, insbesondere aus Garantie oder Produkthaftungsgesetz.

## 8. Eigentumsvorbehalt

- 8.1 Die gelieferten Waren bleiben bis zur vollständigen Bezahlung Eigentum von ARRI. Das Eigentum geht erst mit Ausgleich sämtlicher Verbindlichkeiten aus der laufenden Geschäftsbeziehung auf den Kunden über.
- 8.2 Der Kunde ist nicht berechtigt, die Vorbehaltsware zu verpfänden, zur Sicherung zu übereignen, zu verarbeiten oder umzugestalten. Er ist berechtigt, die Ware im ordentlichen Geschäftsgang an Dritte zu veräußern, es sei denn, es besteht für die Gegenleistung ein Abtretungsverbot zwischen dem Kunden und dem Dritten. Erwirbt ein Dritter Rechte an dem Sicherungsgut, so tritt der Kunde schon jetzt sämtliche hierdurch entstehenden Rechte an ARRI ab, die durch die Weiterveräußerung gegen den Dritten erwachsen. ARRI nimmt die Abtretung an.
- 8.3 Eine Verbindung, Vermischung oder Verarbeitung des Vertragsgegenstandes (§§ 947, 948 und 950 BGB) gilt als im Auftrag von ARRI erfolgt. ARRI erwirbt das Eigentum an der hergestellten Sache im Verhältnis des Rechnungswertes der eigenen Leistung zum Gesamtrechnungswert der hergestellten Sache. Im Falle der Weiterveräußerung gilt die Abtretung der Forderung aus dem Weiterverkauf entsprechend Ziffer 8.2 nur bis zur Höhe des Rechnungswertes der von ARRI erbrachten Leistung.
- 8.4 Bei Verzug des Kunden kann ARRI Sicherungsrechte offen legen und alle Rechte selbst geltend machen. Der Kunde muss ARRI alle Unterlagen zur Geltendmachung aushändigen sowie umfassend und rechtzeitig von jedem obige Verpflichtungen betreffenden Vorgang Auskunft erteilen.

## 9. Gerichtsstand, Anwendbares Recht

- 9.1 Beide Parteien erklären sich mit der ausschließlichen Zuständigkeit des Gerichtstandes München einverstanden.
- 9.2 Es gilt ausschließlich das Recht der Bundesrepublik Deutschland unter Ausschluss des UN-Kaufrechtes.

München, den 15.06.2004





ARNOLD & RICHTER CINE TECHNIK

TÜRKENSTRASSE 89 • D-80799 MÜNCHEN  
PHONE +49-89-3809-0 • FAX +49-89-3809-1244  
[www.arri.com](http://www.arri.com)



**PRICE LIST September 09, 2004**  
**CAMERAS**  
**ACCESSORIES**

**Preliminary Euro Price List draft for ARRIFLEX 235**  
**as of September 09, 2004.**  
**Items in red still need work.**





## Table of Contents

<b>Cameras</b>	<b>1</b>
<b>Ground Glasses</b>	<b>2</b>
<b>Magazines</b>	<b>3</b>
<b>Viewfinders</b>	<b>4</b>
<b>Video Assist &amp; On Board Monitors</b>	<b>5</b>
<b>Electronic Accessories</b>	<b>6 - 7</b>
<b>Mechanical Accessories</b>	<b>8 - 9</b>

All sales are subject to our General Terms of Sale and Delivery (GTSD) dated 15.06.2004.  
Prices, specifications and technical data contained herein are subject to change without notice.  
Terms of delivery: Ex factory Munich, packing, shipping and insurance charges not included. VAT not included.  
Export of all ARRI products to other countries only with ARRI's previous consent in writing.  
Effective September 9, 2004. All previous price lists are obsolete.





Ident-No.	Description	Price / EURO
-----------	-------------	--------------

**All technical data are subject to change without notice.**

<b>K1.55000.0</b>	<b>ARRIFLEX 235 camera body 4P</b> A small and lightweight, yet fully featured 35 mm MOS camera with a crystal controlled motor (1-60 fps forward, 25 fps reverse), a manually adjustable mirror shutter (45° to 180°) and a single pulldown claw, single registration pin 4 perforation movement. Compatible with all ARRI 60m/200' and 120m/400' 235, 435, 35-3 or 35-2C magazines.  Camera price includes: 235 Shutter Tool, filmgate, video assist port cover, viewfinder port cover, lens port cover & magazine port cover. Viewfinders, handles, magazines and other accessories have to be ordered separately.	<b>29.400,00 €</b>
<b>K1.55000.3</b>	<b>ARRIFLEX 235 camera body 3P</b> A small and lightweight, yet fully featured 35 mm MOS camera with a crystal controlled motor (1-60 fps forward, 25 fps reverse), a manually adjustable mirror shutter (45° to 180°) and a single pulldown claw, single registration pin 3 perforation movement. Compatible with all ARRI 60m/200' and 120m/400' 235, 435, 35-3 or 35-2C magazines.  Camera price includes: 235 Shutter Tool, filmgate, video assist port cover, viewfinder port cover, lens port cover & magazine port cover. Viewfinders, handles, magazines and other accessories have to be ordered separately.	<b>29.900,00 €</b>
<b>K5.65361.0</b>	<b>235 Shutter Tool (spare)</b> A tool needed to change the open shutter angle of the ARRIFLEX 235.	<b>20,00 €</b>

Ident-No.	Description	Price / EURO
<b><u>Ground Glasses Normal 35</u></b>		
K2.44420.0	Normal format 1:1.37	520,00 €
K2.44420.A	Wide screen format 1:1.66	520,00 €
K2.44420.B	Wide screen format 1:1.85	520,00 €
K2.44420.C	Scope (F2) format 1:2.35	520,00 €
K2.44420.D	TV-ISO-format 1:1.33	520,00 €
K2.44420.K	Combined format 1.37/1.85	520,00 €
K2.44420.L	Combined format 1.37/1.85/TV	520,00 €
K2.44420.M	Combined format 1.37/1.66	520,00 €
K2.44420.N	Combined format 1.37/1.66/TV	520,00 €
K2.44420.P	Combined format 1.66/TV	520,00 €
K2.44420.S	Combined format 1.85/TV	520,00 €
K2.44420.V	Combined format 1.66/1.85	520,00 €
K2.44420.X	HDTV 1:1.78	520,00 €
K2.41200.D	Combined format 1.78/1.55/1.33	520,00 €

### Ground Glasses DIN Super 35

Maximum camera aperture: 24mm x 18mm / 0.944" x 0.7087"

K2.44420.E	S35 Full aperture format 1:1.33	520,00 €
K2.44420.F	S35 Format 1:2.35	520,00 €
K2.44420.G	S35 Wide screen format 1:1.85	520,00 €
K2.44420.H	S35 Combined format 2.35/1.85	520,00 €
K2.44420.I	S35 Combined format 1.85/TV	520,00 €
K2.44420.W	S35 centric 1:2.35	520,00 €
K2.44420.2	S35 HDTV 1:1.78	520,00 €
K2.41200.F	S35 TV-Safe	520,00 €
K2.41200.C	S35 Combined format 1.78/1.55/1.33	520,00 €

### Ground Glasses ANSI Super 35

Maximum camera aperture: 24.9mm x 18.7mm / 0.980" x 0.7362"

K2.47433.0	S35 Silent 1.33	520,00 €
K2.47413.0	S35 TV 1,33 safe	520,00 €
K2.47414.0	S35 TV 1.78 transmitted	520,00 €
K2.47410.0	S35 TV 1.78+TV 1,33 transmitted	520,00 €
K2.47415.0	S35 TV 1.78 safe	520,00 €
K2.47419.0	S35 1.78 + 1.55 + 1.33 CGG	520,00 €
K2.47409.0	S35 1.85	520,00 €
K2.47411.0	S35 2.35 + 1,85+TV 1,33 transm.	520,00 €
K2.47416.0	S35 2.35 centric	520,00 €
K2.47417.0	S35 2.35 + 1.85 1/4 offset	520,00 €
K2.47420.0	S35 2.35 + 1.85 centric	520,00 €
K2.47418.0	S35 2.35 + 1.85 common top	520,00 €
K2.47412.0	3P-S35 TV 1.78+TV 1,33 transm.	520,00 €

Ident-No.	Description	Price / EURO
<b>K2.55001.0</b>	<b>235 Shoulder Magazine 60/200 (SHM-1)</b> 60m/200' lightweight magazine with mechanical raw stock indicator. Compatible with ARRIFLEX 235 and all ARRIFLEX 435 models. Includes loop protector.	<b>4.700,00 €</b>
<b>K2.55016.0</b>	<b>235 Shoulder Magazine 120/400 (SHM-2)</b> 120m/400' lightweight magazine with mechanical raw stock indicator. Compatible with ARRIFLEX 235 and all ARRIFLEX 435 models. Includes loop protector.	<b>in preparation</b>
<b>K2.55008.0</b>	<b>235 Steadicam Magazine 120/400 (STM-1)</b> 120m/400' Steadicam magazine with mechanical raw stock indicator. Compatible with ARRIFLEX 235 and all ARRIFLEX 435 models. Includes loop protector.	<b>7.830,00 €</b>
<b>K2.47083.0</b>	<b>435 ARRIMAG 120/400</b> 120m/400ft magazine with mechanical raw stock counter, mechanical take-up controls, runs forward and reverse, includes loop protector. Compatible with all 435 models and the ARRIFLEX 235.	<b>5.200,00 €</b>

Ident-No.	Description	Price / EURO
<b>K2.55009.0</b>	<b>235 Spherical Viewfinder set (SV-1)</b> A small and lightweight spherical viewfinder that can be used camera left and right. The image is kept upright automatically or can be rotated manually. The viewfinder arm telescopes closer/farther from the camera body. Accepts 235 Medium or Long Eyepiece Extensions. Includes 235 eyepiece (K4.65028.0) & eyecup (K4.42203.0).	<b>7.500,00 €</b>
<b>K4.65030.0</b>	<b>235 Spherical Viewfinder arm (spare)</b> Does not include eyepiece, eyecup or optical tower.	<b>4.780,00 €</b>
<b>K2.55010.0</b>	<b>235 Universal Viewfinder set (UV-1)</b> A small and lightweight viewfinder that can be switched between spherical and anamorphic viewing. Can be used camera left and right. The image is kept upright automatically or can be rotated manually. The viewfinder arm telescopes closer/farther from the camera body. Accepts 235 Medium or Long Eyepiece Extensions. Includes 235 eyepiece (K4.65028.0) & eyecup (K4.42203.0).	<b>10.900,00 €</b>
<b>K2.55007.0</b>	<b>235 Universal Viewfinder arm (spare)</b> Does not include eyepiece, eyecup or optical tower	<b>8.630,00 €</b>
<b>K2.55000.0</b>	<b>235 Medium Eyepiece Extension (MEE-1)</b> A 12,5 cm/5 inches long eyepiece extension. Fits on 235 Spherical Viewfinder and 235 Universal Viewfinder. Includes front and rear caps.	<b>1.500,00 €</b>
<b>K2.55012.0</b>	<b>235 Long Eyepiece Extension (LEE-1)</b> A 28,5 cm/11.2 inches long eyepiece extension with 2x zoom magnification. Fits on 235 Spherical Viewfinder and 235 Universal Viewfinder. Includes front and rear caps	<b>in preparation</b>
<b>K4.65028.0</b>	<b>235 Eyepiece (spare)</b> 8x magnification eyepiece that fits on 235 Spherical Viewfinder, 235 Universal Viewfinder, 235 Medium Eyepiece Extension and 235 Long Eyepiece Extension. Includes eyecup.	<b>1.440,00 €</b>
<b>K2.47527.0</b>	<b>Heated Eyecup (HE-4)</b> A robust heated eyecup with two power settings. Fits all ARRICAM and ARRIFLEX eyepieces. Includes Heated Eyecup Cable for 235 and 435 cameras KC-42-SP-S.	<b>1.010,00 €</b>
<b>K4.47473.0</b>	<b>Heated Eyecup Cable for 235 and 435 cameras KC-42-SP-S (spare)</b> A coiled cable that connects the RS socket of the 235 or 435 to the Heated Eyecup HE-4.	<b>259,00 €</b>

Ident-No.	Description	Price / EURO
<b>K2.47525.0</b>	<b>235 Integrated Video System NTSC (IVS-2)</b> A color video assist that attaches directly to the 235 camera body, independently of the viewfinder. Includes IVS cover plate	<b>11.800,00 €</b>
<b>K2.47524.0</b>	<b>235 Integrated Video System PAL (IVS-2)</b> A color video assist that attaches directly to the 235 camera body, independently of the viewfinder. Includes IVS cover plate	<b>11.800,00 €</b>
<b>K2.54031.0</b>	<b>6.6" Video Monitor</b> Automatically switches for PAL and NTSC. Includes cable KCV-2 (K4.47299.0)	<b>3.600,00 €</b>
<b>K4.47299.0</b>	<b>Cable for 6,6 Video Monitor (0.4m/1.3ft) KCV-2 (spare)</b>	<b>330,00 €</b>
<b>K2.54035.0</b>	<b>2" Video Monitor, for NTSC</b> Academy Format only. A coiled cable is permanently attached	<b>1.840,00 €</b>
<b>K2.54040.0</b>	<b>2" Video Monitor, for PAL</b> Academy Format only. A coiled cable is permanently attached	<b>1.840,00 €</b>

Ident-No.	Description	Price / EURO
<b>K2.47553.0</b>	<b>235 On Board Battery (OBB-1)</b> A 25.2Vdc, 1.6 Ah capacity on board battery designed specifically for the ARRIFLEX 235. Does not include On Board Battery Cable	<b>390,00 €</b>
<b>K2.47554.0</b>	<b>235 On Board Battery Charger</b>	<b>in preparation</b>
<b>K2.47555.0</b>	<b>235 On Board Battery Cable</b> A cable that connects the 235 On Board battery to the BAT connector of the 235.	<b>190,00 €</b>
<b>K2.55011.0</b>	<b>235 Accessory Expansion Cable KC-88-S</b> A splitter cable that connects to the REMOTE socket of the 235 camera and provides a CCU and an ACC socket on the other side.	<b>in preparation</b>
<b>K2.47197.0</b>	<b>Remote Control Unit 1 (RCU-1)</b> A wired remote with LCD display. Allows manual and automatic control of frame rate, shutter angle and ramps. Control of shutter angle only for cameras with electronically adjustable mirror shutters. Compatible with ARRIFLEX 235, all 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models. Includes RCU cable (1.5m/5feet) KC-39 (K4.47329.0). Not compatible with ARRICAM; use Wireless Remote Control 1 WRC-1 (K2.52087.0) instead for ARRICAM.	<b>2.680,00 €</b>
<b>K2.55013.0</b>	<b>External Display (EXD-1)</b> An external display that duplicates the information of the camera mounted display. Includes MODE, SEL, SET, RUN and PHASE buttons. Compatible with ARRIFLEX 235, all 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models. Not compatible with ARRICAM. Can be connected to the CCU socket (REMOTE on 235) with RCU cable (1.5m/5feet) KC-39 (K4.47329.0).	<b>in preparation</b>
<b>K4.47329.0</b>	<b>RCU Cable Short (1.5m/5feet) KC-39 (spare)</b> Connects the Remote Control Unit (RCU-1) or External Display (EXD-1) to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.	<b>170,00 €</b>
<b>K2.47350.0</b>	<b>RCU Cable Long (20m/60feet) KC-41</b> Connects the Remote Control Unit (RCU-1) or External Display (EXD-1) to the CCU connector of all ARRIFLEX 435 models as long as FEM-1 (discontinued) or FEM-2 (K2.52226.0) are present, 535B and all 16SR3 models, or to the REMOTE connector of the ARRIFLEX 235.	<b>320,00 €</b>
<b>K2.54177.0</b>	<b>Accessory Power Box (APB)</b> Provides additional 24V and 12V accessory power outlets. Must be powered with a splitter cable (Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62) from the camera battery or through a separate battery. Note: The Accessory Power Box can also be used on all other cameras.	<b>2.720,00 €</b>

Ident-No.	Description	Price / EURO
<b>K2.54191.0</b>	<b>Power Y Cable for Accessory Power Box (2.2m/7.2ft) KC-62</b> Supplies camera and Accessory Power Box from one single battery. Use for maximum power from Accessory Power Box.	<b>700,00 €</b>
<b>K2.45886.0</b>	<b>Camera Handgrip, Right</b> With on/off Switch. A coiled cable is permanently attached. Connects to the RS socket.	<b>560,00 €</b>
<b>K2.46942.0</b>	<b>Remote Switch (RS-4)</b> Remote camera RUN. A straight cable is permanently attached. Connects to the RS socket.	<b>490,00 €</b>
<b>K2.65002.0</b>	<b>235 Software Update Cable</b> Use to update ARRIFLEX 235 cameras. Connects PC serial port (DB9 pin) to ARRIFLEX 235 REMOTE socket.	<b>200,00 €</b>

Ident-No.	Description	Price / EURO
<b>K2.55004.0</b>	<b>235 Standard Camera Handle (SCH-1)</b> A single post camera handle that attaches to the 235 camera body and is compatible with all magazines. When used with the Shoulder Magazine 60/200 or Shoulder Magazine 120/400, the SCH-1 can be reversed so the handgrip is in the center of gravity (left/right).	<b>590,00 €</b>
<b>K2.55006.0</b>	<b>235 Low Mode Handle (LMH-1)</b> A sturdy triple post camera handle that attaches to the 235 camera body. Compatible with all magazines. Includes Handle Extension Block (HEB-1, K4.65107.0)	<b>790,00 €</b>
<b>K2.55014.0</b>	<b>235 Low Mode Support (LMS-1)</b> A sturdy triple post camera handle with integrated Steadicam low mode plate that attaches to the 235 camera body. Consists of the Low Mode Bracket (K4.65142.0), Low Mode Handle (K4.65140.0) and Low Mode Riser (K4.65141.0). Compatible with all magazines.	<b>in preparation</b>
<b>K2.55015.0</b>	<b>235 Side Bracket (SBR-1)</b> The 235 Side Bracket offers two adjustable 19mm support rods positioned camera right for attachment of lens motors, Lightweight Follow Focus LFF-1 and other accessories with rod mounts. It attaches to the 235 via the right-side 3/8" thread and the handgrip	<b>in preparation</b>
<b>K4.65107.0</b>	<b>Handle Extension Block (HEB-1) (spare)</b> Extends the 235 Low Mode Handle (LHM-1, K2.5506.0) for a better grip. Includes three 3/8-16 threaded mounting points. Can also be attached to all 3/8 threaded mounting points on the 235 camera body, other 235 camera handles or on various other ARRI camera handles.	<b>in preparation</b>
<b>K2.54077.0</b>	<b>3/8" Accessory Shoe Adapter</b> The adapter attaches to any 3/8-16 attachment point and allows the use a device with an accessory shoe.	<b>130,00 €</b>
<b>K2.55002.0</b>	<b>235 Riser Plate (RP-1)</b> This plate brings the 235 optical axis to the same height as the 435, 535 and 16SR3, so the standard bridgeplate can be used.	<b>490,00 €</b>
<b>K2.55005.0</b>	<b>235 Shoulder Pad (SP-1)</b> A rubber pad that attaches with velcro to the bottom of the ARRIFLEX 235 camera.	<b>175,00 €</b>



Ident-No.	Description	Price / EURO
<b>K0.60021.0</b>	<b>Lightweight Follow Focus Set for 19mm (LFF-1/19)</b> A compact, lightweight, high-precision modular follow focus designed for small and lightweight cameras like the 235, but also compatible with the other ARRI cameras. The LFF-1 attaches to 19mm support rods via the Rod Mounting Bracket (RMB-1, K2.55017.0). Its unique features include a 360° rotatable focus arm and internally reversible drive direction, making it easily usable above or below the lens. It is compatible with the focus knobs from the Lightweight Focus Drive (LFD) system. The LFF-1 set consists of the LFF-1 Drive (K2.47549.0), focus knob left FK-1 (K2.47246.0, includes 1 bevelled Marking Disk K4.47621.0), the Rod Mounting Bracket RMB-1 (K2.55017.0) and small gear for prime lenses and 16mm zooms (K2.47252.0) NOTE: when used with the 235, the LFF-1 requires the 235 Side Bracket SBR-1 (K2.55015.0), or 19mm bridge plate.	<b>in preparation</b>
<b>K2.47549.0</b>	<b>LFF-1 Drive</b>	<b>in preparation</b>
<b>K2.55017.0</b>	<b>Rod Mounting Bracket (RMB-1)</b> This bracket mounts the LFF-1 to a single 19mm support rod.	<b>in preparation</b>
<b>K2.47246.0</b>	<b>Focus Knob Left (FK-1)</b> Includes 1 bevelled Marking Disk K4.47621.0.	<b>in preparation</b>
<b>K2.47250.0</b>	<b>Focus Knob Right (FK-2)</b> For use with LFF-1 when working with a rod mounted mattebox on the camera right side. Includes 1 bevelled Marking Disk K4.47621.0.	<b>in preparation</b>
<b>K2.32730.0</b>	<b>Focus Lever</b>	<b>90,00 €</b>
<b>K2.32731.0</b>	<b>Flexible Shaft long (900mm)</b>	<b>in preparation</b>
<b>K2.34100.0</b>	<b>Flexible Shaft short (300mm)</b>	<b>in preparation</b>
<b>K4.47621.0</b>	<b>Marking Disk, bevelled (spare)</b>	<b>20,00 €</b>
<b>K2.47292.0</b>	<b>Marking Disk, flat</b>	<b>30,00 €</b>
<b>K2.47252.0</b>	<b>Gear for Prime Lenses and 16mm Zooms</b>	<b>in preparation</b>
<b>K2.32981.0</b>	<b>Gear for Cooke Zooms, Angenieux 25-250HR, Angenieux Optimo Zooms</b> also good for large primes	<b>in preparation</b>
<b>K2.32995.0</b>	<b>Gear for lenses with axial movement of focus ring</b>	<b>in preparation</b>
<b>K2.65004.0</b>	<b>Case for ARRIFLEX 235 &amp; two 60m/200ft Magazines</b> The following items fit in this case: ARRIFLEX 235 camera body with either one of the three handles and a viewfinder attached, 2x 235 Shoulder Magazines 60/200, On Board Battery, accessories.	<b>in preparation</b>
<b>K2.65005.0</b>	<b>Case for ARRIFLEX 235 &amp; two 120m/400ft Magazines</b> The following items fit in this case: ARRIFLEX 235 camera body with either one of the three handles and a viewfinder attached, 2x 235 Shoulder Magazines 120/400, On Board Battery, accessories.	<b>in preparation</b>

# GENERAL TERMS OF SALE AND DELIVERY (GTSD)

## Arnold & Richter Cine Technik GmbH & Co Betriebs KG for Merchants<sup>1</sup>

### 1. General; Scope

The terms and conditions delineated herein shall be the sole terms and conditions which apply to all of ARRI's current and future business transactions. Unless ARRI has approved of such in writing, any terms or conditions which conflict with, deviate from or modify the terms and conditions delineated herein shall not be binding on ARRI irrespective of whether ARRI had prior notice of such terms or conditions. ARRI hereby expressly objects to any such conflicting, deviating or modified terms or conditions.

### 2. Contract Formation

- 2.1 Any offers made by ARRI shall be without obligation and subject to change without notice provided that the parties have not agreed to a lock-up period.
- 2.2 The customer is bound to its order for a period of four weeks after its receipt by ARRI. A contract is deemed to exist upon the customer's receipt of ARRI's written confirmation regarding the order or the effective delivery of the applicable goods to the customer pursuant to the terms hereof.
- 2.3 The scope and type of delivery for an order shall be established solely through ARRI's written confirmation relating to such order. Any errors or omissions in ARRI's sales prospectus, pricelists, offer documents or other related documentation may be amended without ARRI incurring any liability for damages or compensation in relation to such errors or omissions.

### 3. Payment, Set-Off, Withholding

- 3.1 The purchase price for the contract shall be that price which is specified by ARRI for such contract and shall apply *ex works*, exclusive of any value-added tax; if the price is not indicated, the pricelist then in effect shall apply. If the sale has occurred through delivery to a place other than the place of performance (at the customer's request), any costs incurred for packaging, shipping, freight, customs or other related costs will be charged separately. If the customer fails to accept delivery when tendered by ARRI, it must nevertheless make payment.
- 3.2 In the event that the manufacturing costs for the contracted goods (including, but not limited to, wages, salaries, materials or production costs) rise subsequent to formation of the contract, ARRI shall have the right to increase the purchase price in accordance therewith.
- 3.3 Invoices from ARRI are due upon ARRI making the goods available to the customer and are payable without deductions within 10 days of the issuance thereof. Upon a default in payment, any overdue amounts will accrue interest at a rate of 8% above the basic interest rate. ARRI reserves its right to assert any further claims regarding damages resulting from a default.
- 3.4 The customer can offset its payments only if its counterclaim thereto have been judicially sustained or recognized by a declaratory judgment. A right to withholding shall only apply to counterclaims arising specifically from the contract which is the subject of such withholding.

### 4. Delivery

- 4.1 The dates for delivery and/or the making available of the goods are not binding unless a date for such has been agreed to in writing by ARRI.
- 4.2 ARRI is entitled to carry out advance and/or partial deliveries of the goods.
- 4.3 In the event that ARRI is unable to deliver or make the goods available to the customer due to events of force majeure lasting for a period of three months or more, ARRI's obligation to deliver or make the goods available shall be deemed extinguished in its entirety.
- 4.4 ARRI shall be entitled to postpone delivery or availability of the goods for the entire duration of the force majeure events.
- 4.5 Events of force majeure shall be deemed to be any events which are beyond ARRI's control and which make delivery impossible or unreasonably difficult, including, for example, strikes, lawful lockouts, war, import or export prohibitions, scarcity of energy supplies or raw materials, or the delayed delivery to ARRI of goods required for the performance of its obligations hereunder for reasons beyond ARRI's control. If ARRI is released from its obligations as described in Section 4.3 above, the customer shall be entitled to rescind the applicable contract. Compensation for damages for non-performance can be claimed by the customer only if the default in delivery is due to ARRI's gross negligence or is intentionally caused by ARRI.

### 5. Transfer of Risk

- 5.1 The risk of loss or damage to the goods passes to the buyer as soon as ARRI has dispatched the goods from its premises (i.e., plant, factory or warehouse) or upon the surrendering of the goods to the applicable carrier or to the customer itself, as the case may be. The above shall also apply in the event that ARRI serves as the carrier for the goods.
- 5.2 If the forwarding or collection of the goods is delayed due to reasons attributable to the customer, the risk of loss shall be transferred to the customer upon the readiness of the goods for dispatch.

### 6. Defective Goods

- 6.1 The customer must inspect the delivered goods immediately upon its receipt of such. The customer must notify ARRI in writing of any apparent defects within one week of the goods' receipt. ARRI must be notified of hidden defects in writing within two weeks of their emergence but in no event later than one year after delivery of such goods. In the event that the customer fails to meet the aforementioned notification obligations, the goods shall be deemed to have been accepted and the rights set forth in Sections 6.2 and 6.3 below shall not be in effect.
- 6.2 In the event that the customer has notified ARRI of defects in a timely manner and is thus eligible to make a claim for re-performance, ARRI shall have the right, at its own cost, either to remedy the defect or to redeliver conforming goods.
- 6.3 If ARRI twice fails to remedy a defect or if ARRI is otherwise unable to accomplish its re-performance obligation or fails to do so within a time period reasonably set forth by the customer, the customer shall be entitled to reduce the purchase price under the contract or to cancel the contract. Instead of seeking performance, the customer can make a claim for damages or for compensation for expenses. However, if the customer elects to rescind the contract it shall have no right to make any claim for damages with respect to the defective goods.
- 6.4 Provided that ARRI has not acted fraudulently, any claims of the customer regarding the goods shall become void and unenforceable one year after delivery of the applicable goods.

### 7. Liability

- 7.1 ARRI shall be liable for any damage hereunder caused by it intentionally or caused by its gross negligence.
- 7.2 In the event of simple negligence by ARRI, ARRI shall be liable only for ordinary and foreseeable damage arising from the contract, and only to the extent that ARRI has breached material contractual obligations. Further, in the event of simple negligence by ARRI, ARRI shall be liable for personal injury and/or health-related damage attributable to ARRI.
- 7.3 ARRI shall not be liable for consequential damages and unforeseen damages (including consequential damages resulting from defective goods) as well as loss of profits in the event it has acted with simple negligence.
- 7.4 ARRI shall be subject to no liability beyond that which is delineated in this Section 7.
- 7.5 To the extent that ARRI's liability is excluded or limited, such exclusion or limitation shall apply to any persons or entities employed by ARRI in the performance of its contractual obligations.
- 7.6 The limitations of liability delineated herein shall not apply to any legally prescribed strict liability, in particular any such strict liability arising from laws regarding guarantees or product warranties.

### 8. Retention of Title

- 8.1 Ownership of the delivered goods shall remain with ARRI until it has received full payment for such goods. Title to the goods shall first pass to the customer upon ARRI's receipt of all payments which are due under the current applicable contract.
- 8.2 Prior to obtaining title to the goods, the customer is not entitled to pledge, to assign by way of security, to process or to alter the goods. The customer is, however, authorized to sell the goods to third parties in the ordinary course of business unless a non-assignability agreement regarding the consideration exists between the customer and the third party. If a third party acquires an interest in the goods through a resale to such party, the customer agrees to assign to ARRI all of its correlating rights and claims against such third party. ARRI hereby accepts such assignment.
- 8.3 Any combination, amalgamation and/or processing of the goods (sections 947, 948 and 950 BGB [German Civil Code]) shall be deemed to have been made on behalf of ARRI. ARRI shall acquire title to the resulting product in the ratio of the invoiced value of the goods and services provided by ARRI to the total invoiced value of the resulting product. If the goods have been re-sold to a third party, the assignment of rights and claims performed in accordance with Section 8.2 above shall be valid solely up to the amount of the invoiced value of goods and services provided by ARRI.
- 8.4 Upon a default in payment by the customer, ARRI has the right to disclose to any applicable third party that it holds an interest in the goods pursuant to the assignment delineated above and to assert any of its claims directly. The customer is obligated to provide and deliver to ARRI all documentation required for the assertion of such claims. The customer must also make available to ARRI, completely and in a timely fashion, all information about any events that might affect the obligations described above.

### 9. Jurisdiction; Governing Law

- 9.1 The parties hereto agree that the exclusive jurisdiction for any transaction and/or contract between the parties is Munich, Germany.
- 9.2 The relationship of the parties hereto shall be exclusively governed by and in all respects construed in accordance with the laws of the Federal Republic of Germany with no application whatsoever of the United Nations sales law.

Munich, 15.06.2004

1) *Kaufleute* as defined in the HGB [German Commercial Code]

# Allgemeine Verkaufs- und Lieferbedingungen der Arnold & Richter Cine Technik GmbH & Co Betriebs KG für Kaufleute

## 1. Allgemeines – Geltungsbereich

Diese Geschäftsbedingungen gelten für die gesamte gegenwärtige und künftige Geschäftsbeziehung ausschließlich. Entgegenstehende oder abweichende Geschäftsbedingungen oder vertragsändernde Bestimmungen sind selbst bei Kenntnis unverbindlich, wenn ARRI ihrer Geltung nicht schriftlich zustimmt. Ihnen wird hiermit ausdrücklich widersprochen.

## 2. Vertragsschluss

- 2.1 Die Angebote von ARRI sind freibleibend und unverbindlich, sofern keine Bindungsdauer vereinbart wurde.
- 2.2 Der Kunde ist an seinen Auftrag vier Wochen nach Zugang bei ARRI gebunden. Ein Vertrag kommt mit Zugang der schriftlichen Bestätigung von ARRI oder Anlieferung beim Kunden zustande.
- 2.3 Art und Umfang der Lieferung bestimmt sich ausschließlich nach der Auftragsbestätigung durch ARRI. Etwaige irrumsbedingte Fehler in Verkaufsprospekten, Preislisten, Angebotsunterlagen oder sonstigen Dokumentationen von ARRI dürfen berichtigt werden, ohne dass eine Schadensersatzpflicht entsteht.

## 3. Zahlung, Aufrechnung, Zurückbehaltungsrecht

- 3.1 Der Kaufpreis ist der von ARRI genannte Preis, und gilt ab Werk, exklusive MwSt., soweit nicht genannt gilt die gültige Preisliste. Beim Versandkauf werden Verpackungs-, Verladungs-, Frachtkosten, Zolllasten oder sonstige Kosten gesondert berechnet. Befindet sich der Kunde am Fälligkeitstag im Annahmeverzug, muss er dennoch den Kaufpreis zahlen.
- 3.2 Steigen nach Vertragsschluss die Kostenfaktoren für die Herstellung des Vertragsgegenstandes, insb. aber nicht abschließend Löhne, Gehälter, Material- oder Produktionskosten ist ARRI berechtigt die Preise entsprechend zu erhöhen.
- 3.3 Rechnungen von ARRI sind nach Bereitstellung der Ware ohne Abzug fällig und innerhalb von 10 Tagen nach Ausstellung zahlbar. Bei Verzug ist die Geldschuld mit 8% über dem Basiszinssatz zu verzinsen. Die Geltendmachung weitergehender Verzugschäden ist vorbehalten.
- 3.4 Der Kunde kann nur mit rechtskräftig festgestellten oder anerkannten Gegenansprüchen aufrechnen. Ein Zurückbehaltungsrecht des Kunden besteht nur bei Gegenansprüchen aus demselben Vertragsverhältnis.

## 4. Lieferung

- 4.1 Die Liefer- bzw. Bereitstellungszeiten sind unverbindlich, sofern nicht schriftlich ein Fixtermin vereinbart wurde.
  - 4.2 ARRI ist zu Vorab- und Teillieferungen berechtigt.
  - 4.3 Wird ARRI die Lieferung bzw. Bereitstellung infolge höherer Gewalt, mindestens für einen Zeitraum von 3 Monaten unmöglich, entfällt die Lieferpflicht.
  - 4.4 ARRI ist berechtigt, die Lieferung bzw. Bereitstellung um die Dauer der Behinderung hinauszuschieben.
  - 4.5 Unter den Begriff der höheren Gewalt fallen alle Umstände, welche ARRI nicht zu vertreten hat und durch die die Lieferung unmöglich oder unzumutbar erschwert wird, wie z.B. Streik, rechtmäßige Aussperrung, Krieg, Ein- und Ausfuhrverbote, Energie- und Rohstoffmangel und von ARRI nicht zu vertretende, nicht rechtzeitige Selbstlieferung. Wird ARRI von seiner Lieferpflicht frei, kann der Kunde vom Vertrag zurücktreten. Schadensersatz wegen Nichterfüllung darf der Kunde nur geltend machen wenn der Lieferverzug auf grobem Verschulden oder auf Vorsatz von ARRI beruht.
- ## 5. Gefahrübergang
- 5.1 Die Gefahr geht auf den Kunden über, sobald der Vertragsgegenstand ab Werk abgesendet bzw. an die den Transport ausführende Person oder den Kunden übergeben wird. Dies gilt auch beim Transport durch ARRI.
  - 5.2 Verzögert sich der Versand bzw. die Abholung infolge von Umständen, die der Kunde zu vertreten hat, so geht die Gefahr mit der Versandbereitschaft auf ihn über.

## 6. Rechte des Kunden bei Mängeln

- 6.1 Der Kunde hat die Sache unverzüglich zu untersuchen. Offensichtliche Mängel sind binnen einer Woche nach Zugang der Ware schriftlich anzuzeigen, verdeckte Mängel binnen 2 Wochen nach deren Auftreten, spätestens innerhalb eines Jahres. Versäumt der Kunde diese Ausschlussfristen gilt die Ware als genehmigt. Rechte aus Ziffer 6.2 und 6.3 bestehen nicht.
- 6.2 Steht dem Kunden aufgrund eines rechtzeitig angezeigten Mangels ein Nacherfüllungsanspruch zu, kann ARRI den Mangel unentgeltlich beseitigen oder eine mangelfreie Sache liefern.
- 6.3 Schlägt eine Nachbesserung durch ARRI zweimal fehl, erbringt ARRI die Nacherfüllung nicht oder nicht innerhalb der vom Kunden gesetzten angemessenen Nachfrist, kann der Kunde mindern oder vom Vertrag zurücktreten. Der Kunde kann statt der Leistung Aufwendungs- oder Schadensersatz verlangen. Wählt der Kunde den Rücktritt vom Vertrag, steht ihm daneben kein Schadensersatz wegen des Mangels zu.
- 6.4 Die Ansprüche des Kunden verjähren 1 Jahr nach Übergabe der Ware sofern ARRI nicht arglistig handelt.

## 7. Haftung

- 7.1 ARRI haftet für Vorsatz und grobe Fahrlässigkeit.
- 7.2 Für einfache Fahrlässigkeit haftet ARRI nur bei vertragstypischen und vorhersehbaren Schäden, sofern wesentliche Vertragspflichten (Kardinalpflichten) verletzt werden, sowie bei zurechenbaren Körper- und Gesundheitsschäden.
- 7.3 Eine Haftung für mittelbare und unvorhersehbare Schäden sowie Mangelfolgeschäden und entgangenem Gewinn ist bei einfacher Fahrlässigkeit ausgeschlossen.
- 7.4 Eine weitergehende Haftung von ARRI als in diesen Geschäftsbedingungen vorgesehen ist ausgeschlossen.
- 7.5 Soweit die Haftung von ARRI ausgeschlossen oder beschränkt ist, gilt dies auch für die persönliche Haftung von Erfüllungsgehilfen.
- 7.6 Diese Haftungsbeschränkungen gelten nicht für eine gesetzlich vorgeschriebene verschuldensunabhängige Haftung, insbesondere aus Garantie oder Produkthaftungsgesetz.

## 8. Eigentumsvorbehalt

- 8.1 Die gelieferten Waren bleiben bis zur vollständigen Bezahlung Eigentum von ARRI. Das Eigentum geht erst mit Ausgleich sämtlicher Verbindlichkeiten aus der laufenden Geschäftsbeziehung auf den Kunden über.
- 8.2 Der Kunde ist nicht berechtigt, die Vorbehaltsware zu verpfänden, zur Sicherung zu übereignen, zu verarbeiten oder umzugestalten. Er ist berechtigt, die Ware im ordentlichen Geschäftsgang an Dritte zu veräußern, es sei denn, es besteht für die Gegenleistung ein Abtretungsverbot zwischen dem Kunden und dem Dritten. Erwirbt ein Dritter Rechte an dem Sicherungsgut, so tritt der Kunde schon jetzt sämtliche hierdurch entstehenden Rechte an ARRI ab, die durch die Weiterveräußerung gegen den Dritten erwachsen. ARRI nimmt die Abtretung an.
- 8.3 Eine Verbindung, Vermischung oder Verarbeitung des Vertragsgegenstandes (§§ 947, 948 und 950 BGB) gilt als im Auftrag von ARRI erfolgt. ARRI erwirbt das Eigentum an der hergestellten Sache im Verhältnis des Rechnungswertes der eigenen Leistung zum Gesamtrechnungswert der hergestellten Sache. Im Falle der Weiterveräußerung gilt die Abtretung der Forderung aus dem Weiterverkauf entsprechend Ziffer 8.2 nur bis zur Höhe des Rechnungswertes der von ARRI erbrachten Leistung.
- 8.4 Bei Verzug des Kunden kann ARRI Sicherungsrechte offen legen und alle Rechte selbst geltend machen. Der Kunde muss ARRI alle Unterlagen zur Geltendmachung aushändigen sowie umfassend und rechtzeitig von jedem obige Verpflichtungen betreffenden Vorgang Auskunft erteilen.

## 9. Gerichtsstand, Anwendbares Recht

- 9.1 Beide Parteien erklären sich mit der ausschließlichen Zuständigkeit des Gerichtstandes München einverstanden.
- 9.2 Es gilt ausschließlich das Recht der Bundesrepublik Deutschland unter Ausschluss des UN-Kaufrechtes.

München, den 15.06.2004



ARNOLD & RICHTER CINE TECHNIK

TÜRKENSTRASSE 89 • D-80799 MÜNCHEN  
PHONE +49-89-3809-0 • FAX +49-89-3809-1244  
[www.arri.com](http://www.arri.com)



# PRICE LIST September 2004

CAMERAS  
LENSES  
ACCESSORIES



## Table of Contents

	Page
ARRIFLEX 16SR 3 Advanced	5 – 10
ARRIFLEX 435 XTREME	11 – 20
ARRIFLEX 535 B	21 – 26
LENSES	27 – 31
SUPPORT SYSTEMS	32 – 34
MATTE BOXES	35 – 54
FOLLOW FOCUS	55 – 57
LENS CONTROL SYSTEMS (LCS)	58 – 64
CAMERA CONTROL SYSTEMS AND REMOTE CONTROL UNITS (RCU, WRC)	65
ARRIMOTION SYSTEM	66 - 68
DIRECTOR'S FINDER	69
FILM IDENT SYNC SYSTEM (ARRI-FIS)	70
TRIPODS AND HEADS (ARRIHEAD)	71 – 72

All sales are subject to our General Terms of Sale and Delivery (GTSD) dated 15.06.2004.

Prices, specifications and technical data contained herein are subject to change without notice.

Terms of delivery: Ex factory Munich, packing, shipping and insurance charges not included. VAT not included.

Export of all ARRI products to other countries only with ARRI's previous consent in writing.

Effective September 1<sup>st</sup>, 2004. All previous price lists are obsolete.





Ident-No.	Article	Price / EURO
<b>K1.47003.0</b>	<b>ARRIFLEX 16SR 3 Advanced</b> 16 mm silent production camera frame rate 5-75 fps - LCD-display and manually adjustable mirror shutter - PL-mount relocatable for Super 16 - ARRIGLOW and integrated time code generator - Eyepiece (K4.46439.0) and plug-on adapter for battery (K4.45285.0) - All covers and a tool set for Super 16 conversion (K4.47056.0)	<b>36.800,00 €</b>
<b>K1.47002.0</b>	<b>ARRIFLEX 16SR 3 HS Advanced</b> 16 mm high speed camera frame rate 10-150 fps - LCD-display and manually adjustable mirror shutter - PL-mount relocatable for Super 16 - ARRIGLOW and integrated time code generator - Eyepiece (K4.46439.0) and plug-on adapter for battery (K4.45285.0) - All covers and a tool set for Super 16 conversion (K4.47056.0)	<b>39.900,00 €</b>
<b>FIBER SCREEN FOR 16SR 3 Advanced WITHOUT EXPOSURE METER</b>		
<b>K4.48012.0</b>	<b>Fiber screen 1.37/TV 1.33</b>	<b>1.030,00 €</b>
<b>K2.47353.0</b>	<b>Fiber screen TV 1.33</b>	<b>1.030,00 €</b>
<b>K2.47354.0</b>	<b>Fiber screen 1.37</b>	<b>1.030,00 €</b>
<b>K2.47355.0</b>	<b>Fiber screen (S16) 1.66</b>	<b>1.030,00 €</b>
<b>K2.47356.0</b>	<b>Fiber screen (S16) 1.66/TV1.33</b>	<b>1.030,00 €</b>
<b>K2.47357.0</b>	<b>Fiber screen (S16) 1.85</b>	<b>1.030,00 €</b>
<b>K2.47358.0</b>	<b>Fiber screen (S16) HDTV 1.78/TV1.33</b>	<b>1.030,00 €</b>
<b>K2.47359.0</b>	<b>Fiber screen (S16) HDTV 1.78</b>	<b>1.030,00 €</b>
<b>K2.47360.0</b>	<b>Fiber screen (S16) 1.66/1.85 and TV 1.33/1.78</b>	<b>1.030,00 €</b>

Ident-No.	Article	Price / EURO
	<b>FIBER SCREEN FOR 16SR II and SR 3 WITH EXPOSURE METER</b>	
K4.47386.0	Fiber screen 1.37-TV 1.33	1.030,00 €
K2.47173.0	Fiber screen TV 1.33	1.030,00 €
K2.47174.0	Fiber screen 1.37	1.030,00 €
K2.47209.0	Fiber screen (S16) 1.66	1.030,00 €
K2.47210.0	Fiber screen (S16) 1.66/TV1.33	1.030,00 €
K2.47211.0	Fiber screen (S16) 1.85	1.030,00 €
K2.47213.0	Fiber screen (S16) HDTV 1.78/TV1.33	1.030,00 €
K2.47034.0	Fiber screen (S16) HDTV 1.78	1.030,00 €
K2.47214.0	Fiber screen (S16) 1.66/1.85 and TV 1.33/1.78	1.030,00 €
	<b>MAGAZINES AND TOOLS</b>	
K2.45161.0	Magazine for 16SR 3 120m/400ft coaxial	4.790,00 €
K2.45162.0	Magazine for 16SR 3 120m/400ft coaxial with TC- Exposure module	5.310,00 €
K2.45164.0	HS Magazine for 16SR 3 HS 120m/400ft coaxial	4.830,00 €
K2.45165.0	HS Magazine for 16SR 3 HS 120m/400ft coaxial with TC- Exposure module	5.480,00 €
K2.47336.0	Magazine for 16SR 3 240m/800ft coaxial with TC- Exposure module up to 75fps for 16SR and 16SR 3	5.570,00 €
K2.26100.0	Tool Set for adjusting magazine friction	130,00 €

Ident-No.	Article	Price / EURO
K2.46550.0	<b>24V / 1.2Ah plug-on battery</b>	500,00 €
K2.47014.0	<b>Double charger NCL 24/7R</b> for plug-on battery K2.46550.0	480,00 €
K2.41950.0	<b>24V / 7Ah NC battery (NC24/7R)</b> switchable to 12V / 14Ah (12 V outlet, 5 pins)	1.070,00 €
K2.41966.0	<b>Power cable KC-20</b>	130,00 €
K2.44693.0	<b>Power cable coiled KC-29</b>	160,00 €
K2.42010.0	<b>Battery charger NCL 24 R</b>	800,00 €
K2.43196.0	<b>Adapter cable KC-38</b> to charge plug-on battery	130,00 €
K2.47351.0	<b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin 115-120V/60Hz, 220-240V/50Hz (power cable required, replaces K2.44481.A)	1.440,00 €

Ident-No.	Article	Price / EURO
<b>INTEGRATED VIDEO SYSTEM - IVS</b>		
<b>K2.51103.0</b>	<b>Videoset PAL</b> consisting of: <ul style="list-style-type: none"><li>- video handgrip</li><li>- beamsplitter 80/20</li><li>- video electronic PAL</li><li>- RS-cable K4.47800.0</li></ul>	<b>10.630,00 €</b>
<b>K2.51104.0</b>	<b>Videoset NTSC</b> consisting of: <ul style="list-style-type: none"><li>- video handgrip</li><li>- beamsplitter 80/20</li><li>- video electronic NTSC</li><li>- RS-cable K4.47800.0</li></ul>	<b>10.630,00 €</b>
<b>K2.51100.0</b>	<b>Optic Normal 16</b>	<b>1.550,00 €</b>
<b>K2.51101.0</b>	<b>Optic Super 16</b>	<b>1.550,00 €</b>
<b>K4.47800.0</b>	<b>RS-cable for IVS</b> (spare)	<b>220,00 €</b>
<b>VIEWFINDER EXTENSIONS</b>		
<b>K2.45296.0</b>	<b>Viewfinder extension FE-2</b> for ARRIFLEX 16 SR 3 (190mm) with magnifier	<b>2.230,00 €</b>
<b>K2.47085.0</b>	<b>Viewfinder extension FE-4</b> for ARRIFLEX 16 SR 3 (270mm) with magnifier and swing-in contrast filter ND 6	<b>2.930,00 €</b>
<b>K2.42533.0</b>	<b>Eyepiece leveler EL-3</b>	<b>480,00 €</b>

Ident-No.	Article	Price / EURO
<b>MECHANICAL ACCESSORIES</b>		
K2.45886.0	<b>Camera handgrip right</b> with on/off switch	560,00 €
K2.21350.0	<b>Auxiliary handgrip</b> without switch	390,00 €
K2.47136.0	<b>Extension for handgrip</b>	110,00 €
K2.41460.0	<b>Shoulder set S-3</b>	1.280,00 €
K2.21860.0	<b>Shoulder cushion</b>	140,00 €
K2.47199.0	<b>Low Mode support for Steadicam</b>	720,00 €
K2.45955.0	<b>Adapter bayonet / PL-mount</b>	1.120,00 €
<b>ELECTRICAL ACCESSORIES</b>		
K2.47122.0	<b>External Time code memory battery</b>	880,00 €
K2.43197.0	<b>Work light WL-2</b>	310,00 €
K2.47145.0	<b>Adapter 24/12 V</b> with 2x24V and 2x12V connectors and run button	1.180,00 €
K2.47022.0	<b>Accessory connector ZV 2 / 24V</b> with 2 connectors, 9-pin	440,00 €
K2.47195.0	<b>Accessory connector ZV 3 / 24V</b> with 2 connectors, 8-pin	480,00 €
K2.42210.0	<b>Heated eyecup HE-4 (new version)</b> A robust heated eyecup with 2 power settings. Includes cable KC-27 (K4.44549.0) 2-pin	1.010,00 €

Ident-No.	Article	Price / EURO
	<b>BARNEY AND RAIN COVERS</b>	
K2.46873.0	Barney for noise reduction	640,00 €
K2.49087.0	Heated barney	870,00 €
K2.47046.0	Rain cover for 16 SR and Vario Sonnar	560,00 €
K2.47047.0	Rain cover for 16 SR and prime lenses	560,00 €
	<b>ACCESSORIES</b>	
K2.50540.0	Film changing bag for 120m/400ft magazine	180,00 €
	<b>TRANSPORT CASES</b>	
K2.49000.0	Camera transport case, alum. for ARRIFLEX 16 SR 3 ready for operation with one 120m/400ft magazine, handgrip, matte box, battery and small accessories	640,00 €
K2.43944.0	Magazine transport case, alum. for two 120m/400ft magazines and accessories	440,00 €
K2.47337.0	Magazine transport case, alum. for two 120m/400ft magazines	660,00 €

Ident-No.	Article	Price / EURO
<b>K0.60018.0</b>	<b>ARRIFLEX 435 XTREME</b> 35 mm production camera frame rate 0,1-150 fps forw/rev. electronically adjustable mirror shutter 11°-180° PL-Mount with lens data port for LDS-Lenses, relocatable for Super35 Motion control capable(MCI K2.52138.0 necessary, not incl.in package) Adjustable ramp time (25,40 or 100fps²). Integr. single frame software) Includes: Viewfinder,8 x eyepiece, filmgate, gel filterholder and Universal Aperture Format Mask (S-35 DIN) , Functional expansion module FEM-2.	<b>72.200,00 €</b>
<b>K2.47392.0</b>	<b>Aperture Format Mask Set for Academy and Super 35 Format (DIN) OPTIONAL!</b>  <b>For individual masks refer to the ARRI Web Site</b>	<b>930,00 €</b>
<b>K0.60019.0</b>	<b>ARRIFLEX 435 XTREME ANAM</b> 35 mm production camera as described under K0.60018.0 but with anamorphic viewfinder Functional expansion module FEM-2 included!	<b>75.800,00 €</b>
<b>K0.60020.0</b>	<b>ARRIFLEX 435 XTREME 3- PERFORATION</b> 35 mm production camera as described under K0.60018.0 but with 3 perforation movement and 3 Perf.filmgate (Academy Format) Functional expansion module FEM-2 included!	<b>72.700,00 €</b>
<b>K2.52226.0</b>	<b>Functional expansion module FEM-2 (spare)</b> Faster and longer ramps (0.1 to 150 fps), LDS function, build-in lens motor drivers Supports ARRIFLEX Timecode and various accessories (RCU,CCU,ESU,RU.) plus integrated TC-generator,ACC and CCU interface The URM-1 and URM-3 for wireless lens control is optional. LDS Lenses and Lens Data Displays see ARRICAM PRICE LIST. Camera door with XTREME label included!	<b>8.000,00 €</b>
	<b>FILM GATE MASKS ANSI STANDARD for 4 perforation Filmgate (width 24,9mm)</b> Mask size compatible with ARRICAM Format Masks ARRI Timecode recording not possible	
<b>K5.54352.0</b>	<b>Aperture Format Mask 1.33</b> SUPER 35, ANSI Standard	<b>120,00 €</b>
<b>K5.59773.0</b>	<b>Aperture Format Mask 2.35</b> SUPER 35, ANSI Standard	<b>120,00 €</b>
<b>K5.59774.0</b>	<b>Aperture Format Mask 1.85</b> SUPER 35, ANSI Standard	<b>120,00 €</b>
<b>K5.59775.0</b>	<b>Aperture Format Mask 1.78</b> SUPER 35, ANSI Standard	<b>120,00 €</b>
<b>K5.59776.0</b>	<b>Aperture Format Mask 1.85 asym</b> SUPER 35, ANSI Standard	<b>120,00 €</b>
<b>K2.47374.0</b>	<b>3 perforation Filmgate</b> (ANSI Standard 24.9mm x 14mm) Mask size compatible with ARRICAM Format Masks ARRI Timecode recording not possible	<b>1.850,00 €</b>

Ident-No.	Article	Price / EURO
K2.44420.0	Normal format 1:1.37	520,00 €
K2.44420.A	Wide screen format 1:1.66	520,00 €
K2.44420.B	Wide screen format 1:1.85	520,00 €
K2.44420.C	Scope (F2) format 1:2.35	520,00 €
K2.44420.D	TV-ISO-format 1:1.33	520,00 €
K2.44420.E	S35 Full aperture format 1:1.33	520,00 €
K2.44420.F	S35 Format 1:2.35	520,00 €
K2.44420.G	S35 Wide screen format 1:1.85	520,00 €
K2.44420.H	S35 Combined format 2.35/1.85	520,00 €
K2.44420.I	S35 Combined format 1.85/TV	520,00 €
K2.44420.K	Combined format 1.37/1.85	520,00 €
K2.44420.L	Combined format 1.37/1.85/TV	520,00 €
K2.44420.M	Combined format 1.37/1.66	520,00 €
K2.44420.N	Combined format 1.37/1.66/TV	520,00 €
K2.44420.P	Combined format 1.66/TV	520,00 €
K2.44420.S	Combined format 1.85/TV	520,00 €
K2.44420.V	Combined format 1.66/1.85	520,00 €
K2.44420.W	S 35 centric 1:2.35	520,00 €
K2.44420.X	HDTV 1:1.78	520,00 €
K2.44420.2	S35 HDTV 1:1.78	520,00 €
K2.41200.F	S35 TV-Safe	520,00 €
K2.41200.D	Combined format 1.78/1.55/1.33	520,00 €
K2.41200.C	S35 Combined format 1.78/1.55/1.33	520,00 €
<b>GROUND GLASSES ANSI STANDARD</b>		
K2.47433.0	S35 Silent 1.33 ANSI STANDARD	520,00 €
K2.47413.0	S35 TV 1,33 safe ANSI STANDARD	520,00 €
K2.47414.0	S35 TV 1.78 transmitted ANSI STANDARD	520,00 €
K2.47410.0	S35 TV 1.78+TV 1,33 transmitted ANSI STANDARD	520,00 €
K2.47415.0	S35 TV 1.78 safe ANSI STANDARD	520,00 €
K2.47419.0	S35 1.78 + 1.55 + 1.33 CGG ANSI STANDARD	520,00 €
K2.47409.0	S35 1.85 ANSI STANDARD	520,00 €



Ident-No.	Article	Price / EURO
K2.47411.0	S35 2.35 + 1,85+TV 1,33 transm. ANSI STANDARD	520,00 €
K2.47416.0	S35 2.35 centric ANSI STANDARD	520,00 €
K2.47417.0	S35 2.35 + 1.85 1/4 offset ANSI STANDARD	520,00 €
K2.47420.0	S35 2.35 + 1.85 centric ANSI STANDARD	520,00 €
K2.47418.0	S35 2.35 + 1.85 common top ANSI STANDARD	520,00 €
K2.47412.0	3P-S35 TV 1.78+TV 1,33 transm. ANSI STANDARD	520,00 €

Ident-No.	Article	Price / EURO
K2.47088.0	<b>ARRIGLOW Module</b>	1.450,00 €
K2.47004.3	<b>Mask 1.37</b> for ground glass K2.44420.0	160,00 €
K2.47012.3	<b>Mask 1.66</b> for ground glass K2.44420.A	160,00 €
K2.47011.3	<b>Mask 1.85</b> for ground glass K2.44420.B	160,00 €
K2.47006.3	<b>Mask 2.35</b> for ground glass K2.44420.C	160,00 €
K2.47013.S	<b>Mask TV-ISO</b> for ground glass K2.44420.D	160,00 €
K2.47005.3	<b>Mask Silent (S35)</b> for ground glass K2.44420.E	160,00 €
K2.47018.3	<b>Mask 2.35 (S 35)</b> for ground glass K2.44420.F	160,00 €
K2.47009.3	<b>Mask 1.85 (S 35)</b> for ground glass K2.44420.G	160,00 €
K2.47172.3	<b>Mask 1.85/2.35 (S 35)</b> for ground glass K2.44420.H	160,00 €
K2.47059.3	<b>Mask 1.85 TV (S 35)</b> for ground glass K2.44420.I	160,00 €
K2.46435.3	<b>Mask 1.37, 1.85</b> for ground glass K2.44420.K	160,00 €
K2.47055.S	<b>Mask 1.37, 1.85 TV</b> for ground glass K2.44420.L	160,00 €
K2.47058.3	<b>Mask 1.37, 1.66</b> for ground glass K2.44420.M	160,00 €
K2.47057.S	<b>Mask 1.37, 1.66 TV</b> for ground glass K2.44420.N	160,00 €
K2.47016.S	<b>Mask 1.66 TV</b> for ground glass K2.44420.P	160,00 €
K2.47015.S	<b>Mask 1.85 TV</b> for ground glass K2.44420.S	160,00 €
K2.47017.3	<b>Mask 1.66/1.85</b> for ground glass K2.44420.V	160,00 €
K2.47035.3	<b>Mask 2.35 centric (S 35)</b> for ground glass K2.44420.W	160,00 €
K2.47007.3	<b>Mask 1.78</b> for ground glass K2.44420.X	160,00 €
K2.47008.3	<b>Mask 1.78 (S 35)</b> for ground glass K2.44420.2	160,00 €
K2.47281.3	<b>Mask TV Safe (S 35)</b> for ground glass K2.41200.F	160,00 €

Ident-No.	Article	Price / EURO
K2.47283.3	Mask 1.78/1.55/1.33 for ground glass K2.41200.D	160,00 €
K2.47282.3	Mask 1.78/1.55/1.33 (S 35) for ground glass K2.41200.C	160,00 €
K2.47169.0	Mask Blank	160,00 €
<b>ARRIGLOW MASKS ANSI STANDARD</b>		
K2.47434.0	Mask S35 silent 1.33 for ground glass K2.47433.0	160,00 €
K2.47425.0	Mask S35 TV 1,33 safe for ground glass K2.47413.0	160,00 €
K2.47426.0	Mask S35 TV 1.78 transmitted for ground glass K2.47414.0	160,00 €
K2.47422.0	Mask S35 TV 1.78+TV 1,33 transm. for ground glass K2.47410.0	160,00 €
K2.47427.0	Mask S35 TV 1.78 safe for ground glass K2.47415.0	160,00 €
K2.47431.0	Mask S35 1.78 + 1.55 + 1.33 CGG for ground glass K2.47419.0	160,00 €
K2.47421.0	Mask S35 1.85 for ground glass K2.47409.0	160,00 €
K2.47423.0	Mask S35 2.35 + 1.85+TV for ground glass K2.47411.0	160,00 €
K2.47428.0	Mask S35 2,35 centric for ground glass K2.47416.0	160,00 €
K2.47429.0	Mask S35 2.35 + 1.85 1/4 offset for ground glass K2.47417.0	160,00 €
K2.47432.0	Mask S35 2.35 + 1.85 centric for ground glass K2.47420.0	160,00 €
K2.47430.0	Mask S35 2.35 + 1.85 common top for ground glass K2.47418.0	160,00 €
K2.47424.0	Mask 3P-S35TV 1.78+TV 1,33 transm. for ground glass K2.47412.0	160,00 €

Ident-No.	Article	Price / EURO
<b>MAGAZINES</b>		
<b>K2.47083.0</b>	<b>120m/400ft magazine</b> for 435/435ES and 435 Advanced	<b>5.200,00 €</b>
<b>K2.47096.0</b>	<b>300m/1000ft magazine</b> for 435/435ES and 435 Advanced	<b>10.470,00 €</b>
<b>K2.47094.0</b>	<b>120m/400ft steadicam magazine</b> for 435/435ES and 435 Advanced	<b>7.830,00 €</b>
<b>K2.47733.0</b>	<b>Collapsible Core</b>	<b>210,00 €</b>
<b>POWER SUPPLY</b>		
<b>K2.41950.0</b>	<b>24V / 7Ah NC battery (NC24/7R)</b> switchable to 12V / 14Ah (12 V outlet, 5 pins)	<b>1.070,00 €</b>
<b>K2.41966.0</b>	<b>Power cable KC-20</b>	<b>130,00 €</b>
<b>K2.44693.0</b>	<b>Power cable coiled KC-29</b>	<b>160,00 €</b>
<b>K2.42010.0</b>	<b>Battery charger NCL 24 R</b>	<b>800,00 €</b>
<b>K2.47351.0</b>	<b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin 115-120V/60Hz, 220-240V/50Hz (power cable required, replaces K2.44481.A)	<b>1.440,00 €</b>
<b>K2.52038.0</b>	<b>CHS-2 Module</b> (required for speeds above 130 fps)	<b>1.850,00 €</b>

Ident-No.	Article	Price / EURO
	<b>INTEGRATED VIDEO SYSTEM - IVS</b>	
K2.47365.0	Video Electronic PAL	10.280,00 €
K2.47366.0	Video Electronic NTSC	10.280,00 €
K2.47230.0	Optic Silent	1.550,00 €
K2.47231.0	Optic Academy	1.550,00 €
	<b>VIDEO TOP</b>	
K2.47095.0	<b>100% Video top</b> incl. low mode bracket for 435/435ES and 435 Advanced for operation without viewfinder system	3.810,00 €
	<b>EYEPIECE AND VIEWFINDER EXTENSIONS</b>	
K2.47081.0	Wide angle eyepiece (8 x)	2.680,00 €
K2.47082.0	Finder extender FE-3 (295 mm)	4.120,00 €
K2.47304.0	Finder extender FE-5 (200 mm)	3.350,00 €
K2.42533.0	Eyepiece leveler EL-3	480,00 €
	<b>ANAMORPHIC VIEWFINDER</b>	
K4.47476.0	<b>Anamorphic finder AVF-2</b> with swing-in de-squeezer	8.230,00 €
K2.47216.0	<b>Cable "Bowden" for AVF-1 and AVF-2</b> necessary if used with viewfinder extension FE-3	780,00 €
K2.47218.0	<b>Right-hand support for AVF-2</b> to keep image position horizontal	290,00 €

Ident-No.	Article	Price / EURO
<b>SINGLE FRAME UNITS</b>		
K2.52043.0	Single frame hand controller	3.200,00 €
K2.52044.0	Conversion kit for single frame (included in ARRIFLEX 435 ADVANCED)	830,00 €
K2.52045.0	Integrated Capping Shutter (ICS) for 4 perforation cameras	9.500,00 €
K2.52235.0	Integrated Capping Shutter (ICS) for 3 perforation cameras, incl. two masks	11.830,00 €
K4.52347.0	SF-C1-S cable between ICS and hand controller (spare)	210,00 €
K4.55767.0	IC-C2-S cable between ICS and camera (spare)	180,00 €
K2.52069.0	SF-L1-S cable for Ashai Pentax Spotmeter (optional)	180,00 €
<b>APERTURE FORMAT MASKS FOR SINGLE FRAME</b>		
K2.52057.0	ICS Mask Academy 1.37	160,00 €
K2.52058.0	ICS Mask (2x) 2.35	160,00 €
K2.52059.0	ICS Mask Universal	160,00 €
K2.52060.0	ICS Mask 1.66	160,00 €
K2.52061.0	ICS Mask 1.85	160,00 €
K2.52062.0	ICS Mask 18x24 1.33	160,00 €
K2.52063.0	ICS Mask S35 / 2.35	160,00 €
K2.52064.0	ICS Mask S35 / 1.85	160,00 €
K2.52065.0	ICS Mask HDTV S 35/ 1.78	160,00 €
K2.52066.0	ICS Mask HDTV / 1.78	160,00 €
K2.52067.0	ICS Mask S35 / 1.66	160,00 €
K2.52068.0	ICS Mask S35 ASYM / 2.35	160,00 €
<b>HANDGRIP AND SHOULDER SUPPORT</b>		
K2.45886.0	Camera handgrip right with on/off switch	560,00 €
K2.47093.0	Shoulder set S-4 (without shoulder cushion)	1.600,00 €
K4.46446.0	Shoulder cushion for shoulder set S-4	280,00 €

Ident-No.	Article	Price / EURO
K2.47294.0	<b>SMPTE Time Code Module</b> for 435/435 ES and 435 Advanced	1.340,00 €
K2.52210.0	<b>Update Cable for 435 Advanced</b>	200,00 €
K2.52138.0	<b>Motion Control Interface MCI</b> for 435 Advanced	10.660,00 €
K2.52145.0	<b>Motion Control Adapter MCA-1</b>	930,00 €
K2.52147.0	<b>Cable K-MCI-ICS</b> connects single frame capping shutter with MCI	340,00 €
K2.52211.0	<b>Cable K-MCI-ICS WS</b> connects single frame capping shutter with MCI angled Fisher connector	420,00 €
K2.52148.0	<b>Cable K-Kuper-MCA</b> from Kuper to MCA-1	320,00 €
K2.52149.0	<b>Cable K-MCI-MCA</b> from MCA-1 to MCI-1	270,00 €
K2.52212.0	<b>Cable K-MCA-1-MCI-1 WS</b> connector on MCI side (angled Fischer connector)	330,00 €
K2.52003.0	<b>12V Splitter box</b> with two 12 V outputs, 11-pin	530,00 €
K2.52001.0	<b>24 V Plug-on module</b> with two 24V outputs, 3-pin and run/stop switch	660,00 €
K2.47098.0	<b>Work light for 435</b> with IVS - extension K2.47136.0 necessary	320,00 €
K2.47527.0	<b>Heated Eyecup HE-4 (new version)</b> A robust heated eyecup with 2 power settings 3-pin for RS-socket	1.010,00 €

Ident-No.	Article	Price / EURO
	<b>FILM CHANGING BAG</b>	
K2.50540.0	Film changing bag for 120m/400ft magazine	180,00 €
K2.50541.0	Film changing bag for 300m/1000ft magazine	230,00 €
	<b>ADAPTER</b>	
K2.47289.0	Dovetail accessory adapter	70,00 €
K2.52016.0	Accessory cube	110,00 €
	<b>TRANSPORT CASE</b>	
K2.49077.0	Camera transport case, alum. for ARRIFLEX 435	830,00 €
K2.49078.0	Magazine transport case, alum. for four 120m/400ft magazines	770,00 €
K2.47308.0	Magazine transport case, alum. for one 300m/1000ft magazines	650,00 €
K2.47309.0	Magazine transport case, alum. for two 300m/1000ft magazines	700,00 €
K2.47117.0	Magazine transport case, alum. for two 120m/400ft Steadicam magazines	660,00 €



Ident-No.	Article	Price / EURO
<b>K0.59986.0</b>	<b>ARRIFLEX 535 B</b> 35 mm silent production camera Frame rate 3-60 fps forw./rev. - Manually adjustable mirror shutter 11.2-180° - PL mount relocatable for Super 35 - Viewfinder with super wide angle eyepiece (10 x) - Filmgate, gel filterholder and Universal Aperture Format Mask (S-35 DIN) ARRI Time code recording possible	<b>117.500,00 €</b>
<b>K2.47392.0</b>	<b>Aperture Format Mask Set for Academy and Super 35 Format (DIN) OPTIONAL!</b>  <b>For individual masks refer to the ARRI Web Site</b>	<b>930,00 €</b>
<b>K0.59986.B</b>	<b>ARRIFLEX 535 B 3- PERFORATION</b> 35 mm silent production camera Frame rate 3-60 fps forw./rev. - Manually adjustable mirror shutter 11.2-180° - PL mount relocatable for Super 35 - Viewfinder with super wide angle eyepiece (10 x) - 3 perforation Filmgate Academy Format ARRI Time code recording possible	<b>117.500,00 €</b>
<b>K4.47760.0</b>	<b>3 perforation conversion kit for 535 B</b> with 3 perforation Film gate (Academy Format). For conversion please contact ARRI	<b>32.950,00 €</b>
<b>K2.47375.0</b>	<b>3 perforation Filmgate</b> (ANSI Standard 24.9mm x 14mm) Mask size compatible with ARRICAM Format Masks ARRI Timecode recording not possible  <b>For details on ground glasses and ARRIGLOW masks refer ARRIFLEX 435 - Ground glasses and ARRIGLOW masks</b>	<b>2.120,00 €</b>
<b>MAGAZINES</b>		
<b>K2.42528.0</b>	<b>120m/400ft magazine</b> for 535/535B	<b>9.070,00 €</b>
<b>K2.42529.0</b>	<b>300m/1000ft magazine</b> for 535/535B	<b>10.260,00 €</b>
<b>K2.47170.0</b>	<b>120m/400ft steadicam magazine</b> LM-1 for 535/535B	<b>8.860,00 €</b>

Ident-No.	Article	Price / EURO
K2.41950.0	<b>24V / 7Ah NC battery (NC24/7R)</b> switchable to 12V / 14Ah (12 V outlet, 5 pins)	1.070,00 €
K2.41966.0	<b>Power cable KC-20</b>	130,00 €
K2.44693.0	<b>Power cable coiled KC-29</b>	160,00 €
K2.42010.0	<b>Battery charger NCL 24 R</b>	800,00 €
K2.47351.0	<b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin 115-120V/60Hz, 220-240V/50Hz (power cable required, replaces K2.44481.A)	1.440,00 €

Ident-No.	Article	Price / EURO
	<b>INTEGRATED VIDEO SYSTEM IVS</b>	
K2.47306.0	Vidoelectronic PAL	10.280,00 €
K2.47307.0	Vidoelectronic NTSC	10.280,00 €
K2.47298.0	Optic Silent	1.550,00 €
K2.47301.0	Optic Academy	1.550,00 €
	<b>VIDEO TOP</b>	
K2.43594.0	<b>100 % Video top *</b> for c-mount video cameras for operation without viewfinder system	4.030,00 €
K2.47363.0	<b>100 % Video top (IVS)</b> for integrated video system IVS for operation without viewfinder system	4.030,00 €
	<b>For details on Low Mode Support and accessories refer to ARRIFLEX 535 - Mechanical Accessories</b>	
	<b>EYEPIECE AND VIEWFINDER EXTENSIONS</b>	
K2.41822.0	Super wide angle eyepiece(10 x)	2.680,00 €
K2.47081.0	Wide angle eyepiece (8 x)	2.680,00 €
K2.47082.0	Finder extender FE-3 (295 mm)	4.120,00 €
K2.47304.0	Finder extender FE-5 (200 mm)	3.350,00 €
K2.42533.0	Eyepiece leveler EL-3	480,00 €
	<b>ANAMORPHIC VIEWFINDER</b>	
K2.47087.0	Anamorphic finder AVF-1 for ARRIFLEX 535B	11.030,00 €
K2.47216.0	Cable "Bowden" for AVF-1 and AVF-2 necessary if used with viewfinder extension FE-3	780,00 €
K2.47217.0	Support right for AVF-1 necessary to keep image position horizontal	300,00 €
	<b>* only as long as stock is available</b>	

Ident-No.	Article	Price / EURO
<b>HANDGRIP AND SHOULDER SUPPORT</b>		
K2.45886.0	Camera handgrip right with on/off switch	560,00 €
K2.46450.0	Shoulder Set S-2, adjustable	1.920,00 €
<b>LOW MODE SUPPORT AND ACCESSORIES</b>		
K2.47194.0	Low Mode Support 535B (c-mount)* for Steadicam and Video top (K2.43594.0)	690,00 €
K4.47551.0	Plate for Low Mode Support for K2.47194.0 and K2.47364.0	320,00 €
K2.47364.0	Low Mode Support 535B (IVS) for Steadicam and Video top (K2.47363.0)	690,00 €
K4.48073.0	Front bracket for K2.47364.0	200,00 €
K2.47369.0	Support rod bracket Ø 15 mm	250,00 €
* only as long as stock is available		

Ident-No.	Article	Price / EURO
K2.44274.0	<b>SMPTE Time Code Module</b> for 535/535B camera	1.180,00 €
K2.47022.0	<b>Accessory connector ZV 2 / 24V</b> with 2 connectors, 9-pin	440,00 €
K2.47195.0	<b>Accessory connector ZV 3 / 24V</b> with 2 connectors, 8-pin	480,00 €
K2.47045.0	<b>Work light WL-3 for 535B</b>	300,00 €
K2.42210.0	<b>Heated eyecup HE-4 (new version)</b> A robust heated eyecup with 2 power settings. Includes cable KC-27 (K4.44549.0) 2-pin	1.010,00 €

Ident-No.	Article	Price / EURO
	<b>RAIN COVER</b>	
K2.45357.0	<b>Rain cover for 535/535B</b> with 120m/400ft magazine and prime lens	490,00 €
K2.45359.0	<b>Rain cover for 535/535B</b> with 120m/400ft magazine and zoom lens	630,00 €
K2.45358.0	<b>Rain cover for 535/535B</b> with 300m/1000ft magazine and prime lens	490,00 €
K2.45360.0	<b>Rain cover for 535/535B</b> with 300m/1000ft magazine and zoom lens and with 6.6" x6.6" production matte box MB-14	630,00 €
	<b>ACCESSORIES</b>	
K2.50540.0	<b>Film changing bag</b> for 120m/400ft magazine	180,00 €
K2.50541.0	<b>Film changing bag</b> for 300m/1000ft magazine	230,00 €
	<b>TRANSPORT CASES</b>	
K2.47135.0	<b>Camera transport case, alum.</b> for ARRIFLEX 535B	890,00 €
K2.44772.0	<b>Magazine transport case, alum.</b> for two 120m/400ft magazines	660,00 €
K2.47191.0	<b>Magazine transport case, alum.</b> for two LM-1 magazines	660,00 €
K2.44770.0	<b>Magazine transport case, alum.</b> for one 300m/1000ft magazine	570,00 €
K2.44819.0	<b>Magazine transport case, alum.</b> for two 300m/1000ft magazine	690,00 €

Ident-No.	Article	Price / EURO
<b>ZEISS SUPER SPEED LENSES</b>		
K2.47153.0	9.5 mm Distagon T 1.3 meter	6.720,00 €
K2.47154.0	12 mm Distagon T 1.3 meter	6.720,00 €
K2.47155.0	16 mm Distagon T 1.3 meter	6.460,00 €
K2.47156.0	25 mm Distagon T 1.3 meter	6.250,00 €
K2.47157.0	50 mm Planar T 1.3 meter	6.090,00 €
K2.47158.0	9.5 mm Distagon T 1.3 feet	6.720,00 €
K2.47159.0	12 mm Distagon T 1.3 feet	6.720,00 €
K2.47160.0	16 mm Distagon T 1.3 feet	6.460,00 €
K2.47161.0	25 mm Distagon T 1.3 feet	6.250,00 €
K2.47162.0	50 mm Planar T 1.3 feet	6.090,00 €

Ident-No.	Article	Price / EURO
<b>ZEISS SUPER SPEED LENSES</b>		
K2.47123.0	18 mm Distagon T 1.3 meter	7.720,00 €
K2.47124.0	25 mm Distagon T 1.3 meter	6.980,00 €
K2.47125.0	35 mm Distagon T 1.3 meter	6.510,00 €
K2.47126.0	50 mm Planar T 1.3 meter	6.200,00 €
K2.47127.0	65 mm Planar T 1.3 meter	6.410,00 €
K2.47128.0	85 mm Planar T 1.3 meter	6.460,00 €
K2.47129.0	18 mm Distagon T 1.3 feet	7.720,00 €
K2.47130.0	25 mm Distagon T 1.3 feet	6.980,00 €
K2.47131.0	35 mm Distagon T 1.3 feet	6.510,00 €
K2.47132.0	50 mm Planar T 1.3 feet	6.200,00 €
K2.47133.0	65 mm Planar T 1.3 feet	6.410,00 €
K2.47134.0	85 mm Planar T 1.3 feet	6.460,00 €
K2.32514.0	Case for Super Speed Lenses	420,00 €
<b>STANDARD LENSES (note these are net prices) *</b>		
K2.43382.0	10 mm Distagon T 2.1	5.270,00 €
K2.50055.0	14 mm Distagon T 2.1	4.700,00 €
K2.35392.0	24 mm Distagon T 2.1	1.740,00 €
K2.50057.0	28 mm Distagon T 2.1	2.200,00 €
K2.35393.0	32 mm Distagon T 2.1	1.890,00 €
K2.50024.0	40 mm Planar T 2.1	2.000,00 €
K2.35394.0	50 mm Planar T 2.1	1.790,00 €
K2.35395.0	85 mm Planar T 2.1	1.790,00 €
K2.32518.0	Case for Standard Lenses	210,00 €

\* only as long as stock is available



Ident-No.	Article	Price / EURO
	<b>ZEISS ULTRA PRIMES (meter scale)</b>	
K2.47310.0	10 mm Distagon T 2.1 meter	15.020,00 €
K2.47378.0	12 mm Distagon T 2.0 meter	14.410,00 €
K2.47311.0	14 mm Distagon T 1.9 meter	11.220,00 €
K2.47312.0	16 mm Distagon T 1.9 meter	9.300,00 €
K2.47313.0	20 mm Distagon T 1.9 meter	8.580,00 €
K2.47314.0	24 mm Distagon T 1.9 meter	8.250,00 €
K2.47315.0	28 mm Distagon T 1.9 meter	7.920,00 €
K2.47316.0	32 mm Distagon T 1.9 meter	7.810,00 €
K2.47317.0	40 mm Distagon T 1.9 meter	7.810,00 €
K2.47318.0	50 mm Planar T 1.9 meter	7.810,00 €
K2.47377.0	65 mm Planar T 1.9 meter	8.140,00 €
K2.47319.0	85 mm Planar T 1.9 meter	8.030,00 €
K2.47320.0	100 mm Sonnar T 1.9 meter	8.690,00 €
K2.47321.0	135 mm Sonnar T 1.9 meter	8.910,00 €
K2.47381.0	180 mm Sonnar T 1.9 meter	11.770,00 €
	<b>ULTRA PRIMES (feet scale)</b>	
K2.47322.0	10 mm Distagon T 2.1 feet	15.020,00 €
K2.47380.0	12 mm Distagon T 2.0 feet	14.410,00 €
K2.47323.0	14 mm Distagon T 1.9 feet	11.220,00 €
K2.47324.0	16 mm Distagon T 1.9 feet	9.300,00 €
K2.47325.0	20 mm Distagon T 1.9 feet	8.580,00 €
K2.47326.0	24 mm Distagon T 1.9 feet	8.250,00 €
K2.47327.0	28 mm Distagon T 1.9 feet	7.920,00 €
K2.47328.0	32 mm Distagon T 1.9 feet	7.810,00 €
K2.47329.0	40 mm Distagon T 1.9 feet	7.810,00 €
K2.47330.0	50 mm Planar T 1.9 feet	7.810,00 €
K2.47379.0	65 mm Planar T 1.9 feet	8.140,00 €
K2.47331.0	85 mm Planar T 1.9 feet	8.030,00 €
K2.47332.0	100 mm Sonnar T 1.9 feet	8.690,00 €
K2.47333.0	135 mm Sonnar T 1.9 feet	8.910,00 €
K2.47382.0	180 mm Sonnar T 1.9 feet	11.770,00 €
K2.47346.0	Case for six Ultra Primes	660,00 €
K2.45690.0	Case for one 10mm or 12mm Ultra Prime	720,00 €

Ident-No.	Article	Price / EURO
	<b>VARIABLE PRIMES (note these are net prices) *</b>	
K0.59955.0	VP1-VP2-VP3 Set(Meter scale)	39.800,00 €
K0.59956.0	VP1-VP2-VP3 Set (Feet scale)	39.800,00 €
K2.47039.0	VP1 Vario-Sonnar 16-30 mm T2.2 meter scale	13.440,00 €
K2.47040.0	VP2 Vario-Sonnar 29-60 mm T2.2 meter scale	15.780,00 €
K2.47041.0	VP3 Vario-Sonnar 55-105 mm T2.2 meter scale	14.340,00 €
K2.47042.0	VP1 Vario-Sonnar 16-30 mm T2.2 feet scale	13.440,00 €
K2.47043.0	VP2 Vario-Sonnar 29-60 mm T2.2 feet scale	15.780,00 €
K2.47044.0	VP3 Vario-Sonnar 55-105 mm T2.2 feet scale	14.340,00 €
K2.37003.0	Zoom Lever for VP	50,00 €
K2.47110.0	Zoom Lever adapter	130,00 €
K2.47165.0	Case for VP1	760,00 €
K2.47166.0	Case for VP2	760,00 €
K2.47167.0	Case for VP3	760,00 €
	<b>ARRI MACRO LENSES*</b>	
K2.33870.0	32 mm ARRI-MACRO T 2.1	4.140,00 €
K2.33880.0	40 mm ARRI-MACRO T 2.1	4.140,00 €
K2.33910.0	100 mm ARRI-MACRO T 2.8	8.190,00 €

\* only as long as stock is available

Ident-No.	Article	Price / EURO
	<b>ARRIFLEX SHIFT &amp; TILT BELLOWS SYSTEM (note these are net prices) *</b>	
<b>K0.52001.0</b>	<b>ARRIFLEX Shift and Tilt</b> Bellows system consisting of: K2.52009.0, K2.52008.0, K2.52004.0 K2.52010.0, K2.52011.0, K2.52012.0, K2.52013.0	<b>20.900,00 €</b>
<b>K2.52009.0</b>	<b>Shift and Tilt unit</b>	<b>14.490,00 €</b>
<b>K2.52008.0</b>	<b>Adapter 19 mm</b>	<b>800,00 €</b>
<b>K2.52004.0</b>	<b>Adapter 15 mm</b>	<b>800,00 €</b>
<b>K2.52010.0</b>	<b>Lens T 3.5/24 mm</b>	<b>6.800,00 €</b>
<b>K2.52011.0</b>	<b>Lens T 2.8/45 mm</b>	<b>6.800,00 €</b>
<b>K2.52012.0</b>	<b>Lens T 2.8/90 mm</b>	<b>6.800,00 €</b>
<b>K2.52013.0</b>	<b>Lens T 2/110 mm</b>	<b>8.040,00 €</b>
	<b>OPTIONS (note these are net prices) *</b>	
<b>K2.52020.0</b>	<b>PL-adapter</b> for use of ARRI macro lenses in the macro area	<b>350,00 €</b>
<b>K2.52031.0</b>	<b>Lens T 2.8/18 mm</b>	<b>2.600,00 €</b>
<b>K2.52018.0</b>	<b>Lens T 2.8/20 mm</b>	<b>2.200,00 €</b>
<b>K2.52022.0</b>	<b>Lens T 2.8/60 mm</b>	<b>3.500,00 €</b>
<b>K2.52042.0</b>	<b>CFM Focus Motor</b> UMC Universal motor controller K2.52040.0 necessary	<b>1.600,00 €</b>
	<b>TILT FOCUS LENSES(note these are net prices) *</b>	
<b>K2.52005.0</b>	<b>24 mm Tilt Focus Lens</b>	<b>4.800,00 €</b>
<b>K2.52006.0</b>	<b>45 mm Tilt Focus Lens</b>	<b>4.800,00 €</b>
<b>K2.52007.0</b>	<b>90 mm Tilt Focus Lens</b>	<b>4.800,00 €</b>
	<b>* only as long as stock is available</b>	

Ident-No.	Article	Price / EURO
	<b>LIGHTWEIGHT SUPPORT FOR 16 SR</b>	
<b>K2.47107.0</b>	<b>Lightweight Support LWS-3</b> convertible to Super 16 includes Ø98mm and Ø170mm rods required for: - 4"x4"matte box MB 17 B (K2.47247.0), - 4"x5.65" matte box MB-19 (K2.47099.0), - lightweight follow focus system (K2.21541.0 / K0.59996.0) - follow focus FF-4 (k2.47121.0)	<b>360,00 €</b>
	<b>SUPPORT RODS</b>	
<b>K2.47111.0</b>	<b>Support rods No.3 (Ø 5 mm)</b> for Prime lenses 16-85 mm	<b>50,00 €</b>
<b>K2.47112.0</b>	<b>Support rods No.4 (Ø 27 mm)</b> for Prime lenses 28/100/135mm	<b>50,00 €</b>
<b>K2.47114.0</b>	<b>Support rods No.5 (Ø 113 mm)</b> for Canon 11.5-138mm	<b>90,00 €</b>
<b>K2.47113.0</b>	<b>Support rods No.6 (Ø 126 mm)</b> for Canon 8-64, Vario Sonnar 10-100/11-110 mm with Mutar 2x	<b>90,00 €</b>
	<b>LENS SUPPORT</b>	
<b>K2.23480.0</b>	<b>Lens support LS-6</b> for Vario Sonnar	<b>200,00 €</b>
<b>K2.23490.0</b>	<b>Support ring for Vario Sonnar</b>	<b>190,00 €</b>

Ident-No.	Article	Price / EURO
<b>BRIDGE PLATES WITH SUPPORT RODS Ø 19 mm</b>		
K2.42572.0	<b>Bridge Plate BP-6 (for 16SR)</b> (convertible to Super 16) with 1 pair of support rods 340 mm, Ø 19 mm	1.170,00 €
K2.47090.0	<b>Bridge Plate BP-8 (for 435)</b> (convertible to Super 35) with 1 pair of support rods 440 mm, Ø 19 mm	1.060,00 €
K2.42537.0	<b>Bridge Plate BP-5 (for 535)</b> (convertible to Super 35) with 1 pair of support rods 440 mm, Ø 19 mm	1.170,00 €
K2.43046.0	<b>Support rods 240 mm</b> one pair Ø 19 mm	90,00 €
K4.47347.0	<b>Support rods 340 mm</b> one pair Ø 19 mm	90,00 €
K5.42904.0	<b>Support rods 440 mm</b> one pair Ø 19 mm	160,00 €
<b>BRIDGE PLATES WITH SUPPORT RODS Ø 15 mm</b>		
K2.41010.0	<b>Bridge Plate BP-7 (for 16 SR)</b> (convertible to Super 16) with 1 pair of support rods 340 mm, Ø 15 mm	1.060,00 €
K2.47091.0	<b>Bridge Plate BP-9 (for 435)</b> (convertible to Super 35) with 1 pair of support rods 440 mm, Ø 15 mm	1.060,00 €
K2.35900.A	<b>Bridge Plate BP-3 (for 535)</b> (convertible to Super 35) with 1 pair of support rods 440 mm, Ø 15 mm	1.060,00 €
K2.21958.0	<b>Support rods 240 mm</b> one pair Ø 15 mm	90,00 €
K4.47348.0	<b>Support rods 340 mm</b> one pair Ø 15 mm	90,00 €
K5.21957.0	<b>Support rods 440 mm</b> one pair Ø 15 mm	90,00 €
K2.47092.0	<b>Wedge plate for ARRIHEAD</b> for BP-8 and BP-9	170,00 €

Ident-No.	Article	Price / EURO
	<b>LENS SUPPORT</b>	
<b>K2.47227.0</b>	<b>Lens support LS-9</b> for rods Ø 19 mm (spring-loaded)	<b>400,00 €</b>
<b>K2.47228.0</b>	<b>Lens support LS-10</b> for rods Ø 15 mm (spring-loaded)	<b>400,00 €</b>
	<b>REQUIRED FOR LENS SUPPORT LS-9 and LS-10</b>	
<b>K2.37002.0</b>	<b>Support ring for Angénieux</b> 25-250 HP/HR	<b>260,00 €</b>
<b>K2.35925.0</b>	<b>Support ring for Cooke</b> 20-100 and 18-100	<b>190,00 €</b>
<b>K2.36494.0</b>	<b>Support ring for Cooke</b> 25-250 MkII/IIB	<b>200,00 €</b>
	<b>HOLDER FOR SERVO MOTOR</b>	
<b>K2.44476.0</b>	<b>Holder with adapter (MH-3)</b> for servo zoom motor and hydraulic drive (for Ø19mm rods)	<b>270,00 €</b>

Ident-No.	Article	Price / EURO
	<b>LIGHTWEIGHT MATTE BOX LMB-2</b>	
<b>K0.59954.0</b>	<b>3"x3" Lightweight Matte Box LMB-2</b> consisting of: LMB-2 filter stage (K2.21973.0) and rectangular sun shade (K2.21975.0) and two 3"x3" filter frames	<b>590,00 €</b>
<b>K2.21973.0</b>	<b>LMB-2 Filter stage</b> with two 3"x3" filter frames with adapter ring Ø 80 mm and Ø 80 mm adapter ring for serie 9 filter	<b>510,00 €</b>
<b>K2.21975.0</b>	<b>Rectangular sun shade</b>	<b>80,00 €</b>
<b>K4.22040.0</b>	<b>3"x3" Filter frame</b> for filter stage K2.21973.0 (spare)	<b>40,00 €</b>
<b>K2.21974.0</b>	<b>Round sun shade</b> for filter stage K2.21973.0	<b>90,00 €</b>
	<b>LIGHTWEIGHT MATTE BOX LMB-3</b>	
<b>K2.44471.0</b>	<b>4"x4" Lightweight Matte Box LMB-3</b> consisting of: filter holder LMB-3 Ø 87 mm with adapter ring Ø 80mm and adapterring Ø 80mm for Series 9 filter, 2 filter frames 4"x4" and rectangular sun shade	<b>870,00 €</b>
<b>K2.34577.0</b>	<b>3"x3" Filter frame</b>	<b>220,00 €</b>
<b>K4.43397.0</b>	<b>4"x4" Filter frame</b> (spare)	<b>210,00 €</b>
	<b>LIGHTWEIGHT MATTE BOX LMB-4</b>	
<b>K2.45265.0</b>	<b>6.6"x6.6" Lightweight Matte Box LMB-4</b> for shoulder operation with UP 10mm/12mm and LDS UP 12mm	<b>1.180,00 €</b>
	<b>LIGHTWEIGHT MATTE BOX LMB-5</b>	
<b>K2.47239.0</b>	<b>4"x5.65" Lightweight Matte Box LMB-5</b>	<b>830,00 €</b>
<b>K2.47244.0</b>	<b>Light shield</b>	<b>300,00 €</b>
<b>K2.47108.0</b>	<b>Set of masks</b> for 16mm lenses with focal length 9.5 - 180 mm	<b>170,00 €</b>
<b>K2.47109.0</b>	<b>Set of masks</b> for 35mm lenses with focal length 18 - 180 mm	<b>170,00 €</b>
<b>K2.47104.0</b>	<b>4"x4" Filter frame, horizontal</b>	<b>210,00 €</b>
<b>K4.47514.0</b>	<b>4"x5.65" Filter frame, horizontal</b> (spare)	<b>180,00 €</b>
<b>K2.47243.0</b>	<b>Clamp adapter Ø 80 mm</b> for Zeiss standard lenses	<b>130,00 €</b>

Ident-No.	Article	Price / EURO
K2.47242.0	Clamp adapter Ø 87 mm for Vario Sonnar	130,00 €
K2.47241.0	Clamp adapter Ø 95 mm for Ultra Prime 16-135 mm	130,00 €
K2.47253.0	Clamp adapter Ø 104 mm for LDS Ultra Prime 16-135 mm	130,00 €
K2.52097.0	Clamp adapter Ø 110 mm for Cooke S4 and LDS Cooke S4	140,00 €
K2.47240.0	Clamp adapter Ø 114 mm for UP 14mm/180mm and LDS UP 14mm/180mm	130,00 €



Ident-No.	Article	Price / EURO
K0.59971.0	<b>6.6"x6.6" Prod. Matte Box MB-14</b> (for Ø 19 mm support rods) with french flag holder, 4-filter stage, 4-filter frames 6.6x6.6"(K2.42149.0), set of mattes for 18-180 mm (K2.42306.0) and flexible shaft for graduated filters (K2.34890.0) (without prevention ring or filter ring, bridge plate required, for lenses from 12mm onwards)	3.540,00 €
K2.42149.0	<b>4-filter frames 6.6x6.6" Ø 19 mm (spare)</b>	3.140,00 €
K2.42306.0	<b>Set of mattes for 18-180 mm (spare)</b>	200,00 €
K2.34890.0	<b>Flexible shaft</b>	200,00 €
K0.59987.0	<b>6.6"x6.6" Prod. Matte Box MB-14</b> (for Ø 15 mm support rods) Accessory configuration same as K0.59971.0	3.540,00 €
K2.42149.A	<b>4-filter frames 6.6x6.6" Ø 15 mm (spare)</b>	3.140,00 €
<hr/>		
K0.59972.0	<b>Light shield set</b> top/bottom flags (K2.44447.0) and side flags pair (K2.44726.0)	1.040,00 €
K2.44447.0	<b>Top/bottom flags (spare)</b>	460,00 €
K2.44726.0	<b>Side flags pair (spare)</b>	580,00 €
K2.42351.0	<b>Carrier MB-14C</b> without sun shade, for close-ups	490,00 €
K2.43957.0	<b>Carrier MB-14W</b> for Zeiss 10 mm lens	740,00 €
K2.43344.0	<b>Conversion set</b> for K0.59987.0, for Ø19mm rods	390,00 €
<hr/>		
K2.45504.0	<b>2-filter stage</b> for 2 filters 6.6"x6.6" for UP 10mm when shooting in Super 35	620,00 €
K2.42287.0	<b>3-filter stage</b> for 3 filters 6.6"x6.6" two rotatable as a pair and one alone, all slideable	930,00 €
K2.43187.0	<b>4-filter stage</b> for 4 filters 6.6"x6.6" each rotatable and slideable	1.450,00 €
K2.42286.0	<b>6-filter stage</b> for 6 filters 6.6"x6.6" two pairs rotatable and each separately slideable	1.670,00 €
K2.42293.0	<b>4"x4" Filter stage</b> for 2 filters 4"x4" and one round filter Ø 138 mm each rotatable and slidable	690,00 €

Ident-No.	Article	Price / EURO
<b>K4.32902.0</b>	<b>4"x4" Filter frame</b> 2 pieces, for K2.42293.0 (spare)	<b>210,00 €</b>
<b>K2.32220.0</b>	<b>4"x5.650" Filter frame</b> for K2.42293.0 (MB-15 and MB-14) and for K4.41709.0, K2.45810.0, K2.41596.0 (MB-16)	<b>210,00 €</b>
<b>K2.34980.0</b>	<b>4"x6" Filter frame</b> for K2.42293.0 (MB-15 and MB-14) and for K4.41709.0, K2.45810.0, K2.41596.0 (MB-16)	<b>210,00 €</b>
<b>K2.34882.0</b>	<b>4"x5.650" Filter frame</b> for K2.42287.0, K2.42286.0 and K4.42217.0	<b>440,00 €</b>
<b>K2.34881.0</b>	<b>5"x6" Filter frame</b> for K2.42287.0, K2.42286.0 and K4.42217.0	<b>440,00 €</b>
<b>K4.47074.0</b>	<b>6.6"x6.6" Filter frame</b> (spare for K2.42287.0, K2.42286.0, K2.43187.0 und K4.42217.0)	<b>340,00 €</b>
<b>K4.47076.0</b>	<b>6.6"x6.6" Filter frame geared</b> (spare for K2.42287.0, K2.42286.0 und K4.42217.0)	<b>430,00 €</b>
<b>K2.42304.0</b>	<b>Reduction ring</b> for 4 1/2" filter ring and reflex prevention ring necessary for K2.34280.0, K2.34590.0, K2.49109.0, K2.49102.0, K2.52205.0, K2.32903.0 and K2.32911.0	<b>180,00 €</b>
<b>K2.49109.0</b>	<b>4 1/2" Filter ring</b> for Zeiss Vario Sonnar with rubber sleeve and connection ring Ø 87 mm	<b>190,00 €</b>
<b>K2.47226.0</b>	<b>Connection ring Ø 80 mm</b> for Zeiss Standard Primes reduces from Ø 87mm to Ø 80mm connection to filter ring K2.49109.0 or K2.47223.0	<b>80,00 €</b>
<b>K2.49102.0</b>	<b>4 1/2" Filter ring</b> for Canon 8-64 and 11.5-138 and UP 16-135mm with rubber sleeve and connection ring Ø 95 mm	<b>210,00 €</b>
-----		
<b>K2.52205.0</b>	<b>4 1/2" Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø 114mm	<b>230,00 €</b>
<b>K2.52195.0</b>	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.52196.0</b>	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
-----		

Ident-No.	Article	Price / EURO
<b>K2.32903.0</b>	<b>4 1/2" Filter ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10.4-52 with rubber sleeve and connection ring Ø 125 mm	<b>160,00 €</b>
<b>K2.32911.0</b>	<b>Reflex prevention ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10,4-52 with rubber sleeve and connection ring Ø 125 mm	<b>80,00 €</b>
<b>K2.34786.0</b>	<b>138mm Filter ring</b> for Zeiss Standard Primes with rubber sleeve and connection ring Ø 80 mm	<b>260,00 €</b>
<b>K2.34131.0</b>	<b>Intermediate ring</b> for K2.34786.0, for lenses with short focal lengths  -----	<b>150,00 €</b>
<b>K2.34290.0</b>	<b>138mm Filter ring</b> for Zeiss Vario Sonnar T2/10-100II, and T2.2/11-110, with rubber sleeve and connection ring Ø 87 mm	<b>260,00 €</b>
<b>K2.47342.0</b>	<b>138mm Filter ring</b> for Ultra Primes 16-135 mm with rubber sleeve and connection ring Ø 95 mm	<b>260,00 €</b>
<b>K2.34260.0</b>	<b>138mm Filter ring</b> for Angénieux 25-250 HP with rubber sleeve and connection ring Ø 125mm	<b>380,00 €</b>
<b>K2.34260.A</b>	<b>138mm Filter ring</b> for Cooke 20-60,25-250MkII/IIB and Zeiss 300, with rubber sleeve and connection ring Ø 121mm	<b>390,00 €</b>
<b>K2.34260.B</b>	<b>138mm Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø114mm	<b>390,00 €</b>
<b>K2.34260.C</b>	<b>138mm Filter ring</b> for Cooke 20-250 with rubber sleeve and connection ring Ø 124mm  -----	<b>390,00 €</b>
<b>K2.52194.0</b>	<b>138mm Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø114mm	<b>260,00 €</b>
<b>K2.52195.0</b>	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.52196.0</b>	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>

Ident-No.	Article	Price / EURO
<b>K2.49099.0</b>	<b>Adapter ring</b> for 4 1/2" round filter to use with: K2.47188.0, K2.47189.0, K2.47190.0, K2.47222.0, K2.47223.0, K2.52194.0 and K2.52204.0	<b>140,00 €</b>
<b>K2.52197.0</b>	<b>6" Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø114mm	<b>260,00 €</b>
<b>K2.52195.0</b>	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.52196.0</b>	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.34250.0</b>	<b>6" Filter ring</b> for Cooke 20-100 with rubber sleeve and connection ring Ø 144,4mm	<b>290,00 €</b>
<b>K2.44372.0</b>	<b>6" Filter ring</b> for VP1, VP2, VP3, Cooke 18-100 and Cinetal 25-250 with rubber sleeve and connection ring Ø 150mm	<b>250,00 €</b>
<b>K2.34180.0</b>	<b>6" Filter ring</b> for ARRI 12mm with rubber sleeve and connection ring Ø 135mm	<b>250,00 €</b>
<b>K2.47297.0</b>	<b>6" Filter ring</b> for Angénieux 25-250 HR with rubber sleeve and connection ring Ø 136mm	<b>290,00 €</b>
<b>K2.45505.0</b>	<b>Reflex prevention ring</b> for UP 10mm/12mm and LDS UP 12mm with rubber sleeve and connection ring Ø 156 mm	<b>180,00 €</b>
<b>K2.44366.0</b>	<b>Reflex prevention ring</b> for VP1, VP2, VP3, Cooke 18-100 and Cinetal 25-250 with rubber sleeve and connection ring Ø 150mm	<b>190,00 €</b>
<b>K2.44774.0</b>	<b>Case for MB-14 and -15</b> (with variable dividers)	<b>700,00 €</b>

Ident-No.	Article	Price / EURO
K2.44473.0	<b>5"x6" Prod. Matte Box MB-15</b> (for Ø 19mm support rods) for 2 filter frames 5"x6" with french flag holder (bridge plate BP required)	2.320,00 €
K2.44473.A	<b>5"x6" Prod. Matte Box MB-15</b> (for Ø 15mm support rods) for 2 filter frames 5"x6" with french flag holder (bridge plate BP required)	2.320,00 €
<hr/>		
K0.59976.0	<b>Light shield set</b> top/bottom flag (K2.44738.0) and side flags pair (K2.44746.0)	1.000,00 €
K2.44738.0	<b>Top/bottom flags (spare)</b>	400,00 €
K2.44746.0	<b>Side flags pair (spare)</b>	600,00 €
K0.59965.0	<b>Set of mattes</b> for K2.44473.0 matte box comprising mattes for lenses from focal length: 18-20 mm, 24-28mm, 32mm, 35-40 mm, 50-65 mm, 85-180 mm	360,00 €
K2.34740.0	<b>Matte for 18-20 mm lens</b>	60,00 €
K2.34742.0	<b>Matte for 24-28 mm lens</b>	60,00 €
K2.34743.0	<b>Matte for 32 mm lens</b>	60,00 €
K2.34744.0	<b>Matte for 35-40 mm lens</b>	60,00 €
K2.34745.0	<b>Matte for 50-65 mm lens</b>	60,00 €
K2.34746.0	<b>Matte for 85-180 mm lens</b>	60,00 €
<p style="text-align: center;">-----</p>		
K2.42293.0	<b>4"x4" Filter stage</b> for 2 filters 4"x4" and one round filter Ø 138 mm each rotatable and slidable	690,00 €
<hr/>		
K4.32902.0	<b>4"x4" Filter frame</b> 2 pieces, for K2.42293.0 (spare)	210,00 €
K2.32220.0	<b>4"x5.650" Filter frame</b> for K2.42293.0 (MB-15 and MB-14) and for K4.41709.0, K2.45810.0, K2.41596.0 (MB-16)	210,00 €
K2.34980.0	<b>4"x6" Filter frame</b> for K2.42293.0 (MB-15 and MB-14) and for K4.41709.0, K2.45810.0, K2.41596.0 (MB-16)	210,00 €
K2.34782.0	<b>4"x4" Filter frame</b> for K2.44473.0 and K2.44473.A	270,00 €
K2.34779.0	<b>4"x5.650" Filter frame</b> for K2.44473.0 and K2.44473.A	270,00 €

Ident-No.	Article	Price / EURO
<b>K4.32527.0</b>	<b>5"x6" Filter frame</b> 2 pieces, for K2.44473.0 and K2.44473.A (spare)	<b>280,00 €</b>
<b>K2.42304.0</b>	<b>Reduction ring</b> for 4 1/2" filter ring and reflex prevention ring necessary for K2.34280.0, K2.34590.0, K2.49109.0, K2.49102.0, K2.52205.0, K2.32903.0 and K2.32911.0	<b>180,00 €</b>
<b>K2.49109.0</b>	<b>4 1/2" Filter ring</b> for Zeiss Vario Sonnar with rubber sleeve and connection ring Ø 87 mm	<b>190,00 €</b>
<b>K2.47226.0</b>	<b>Connection ring Ø 80 mm</b> for Zeiss Standard Primes reduces from Ø 87mm to Ø 80mm connection to filter ring K2.49109.0 or K2.47223.0	<b>80,00 €</b>
<b>K2.49102.0</b>	<b>4 1/2" Filter ring</b> for Canon 8-64 and 11.5-138 and UP 16-135mm with rubber sleeve and connection ring Ø 95 mm	<b>210,00 €</b>
<b>K2.52205.0</b>	<b>4 1/2" Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø 114mm	<b>230,00 €</b>
<b>K2.52195.0</b>	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.52196.0</b>	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.32903.0</b>	<b>4 1/2" Filter ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10,4-52 with rubber sleeve and connection ring Ø 125 mm	<b>160,00 €</b>
<b>K2.32911.0</b>	<b>Reflex prevention ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10,4-52 with rubber sleeve and connection ring Ø 125 mm	<b>80,00 €</b>
<b>K2.34786.0</b>	<b>138mm Filter ring</b> for Zeiss Standard Primes with rubber sleeve and connection ring Ø 80 mm	<b>260,00 €</b>

Ident-No.	Article	Price / EURO
K2.34290.0	<b>138mm Filter ring</b> for Zeiss Vario Sonnar T2/10-100II, and T2.2/11-110, with rubber sleeve and connection ring Ø 87 mm	260,00 €
K2.47342.0	<b>138mm Filter ring</b> for Ultra Primes 16-135 mm with rubber sleeve and connection ring Ø 95 mm	260,00 €
K2.34260.0	<b>138mm Filter ring</b> for Angénieux 25-250 HP with rubber sleeve and connection ring Ø 125mm	380,00 €
K2.34260.A	<b>138mm Filter ring</b> for Cooke 20-60,25-250MkII/IIB and Zeiss 300, with rubber sleeve and connection ring Ø 121mm	390,00 €
K2.34260.B	<b>138mm Filter ring</b> with rubber sleeve for UP14mm/180mm,and LDS UP 14mm/180mm Ø114mm	390,00 €
K2.34260.C	<b>138mm Filter ring</b> for Cooke 20-250 with rubber sleeve and connection ring Ø 124mm	390,00 €
-----		
K2.52194.0	<b>138mm Filter ring</b> with rubber sleeve for UP14mm/180mm,and LDS UP 14mm/180mm Ø114mm	260,00 €
K2.52195.0	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	80,00 €
K2.52196.0	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	80,00 €
K2.49099.0	<b>Adapter ring</b> for 4 1/2" round filter to use with: K2.47188.0, K2.47189.0, K2.47190.0, K2.47222.0, K2.47223.0, K2.52194.0 and K2.52204.0	140,00 €
-----		
K2.52197.0	<b>6" Filter ring</b> with rubber sleeve for UP14mm/180mm,and LDS UP 14mm/180mm Ø114mm	260,00 €
K2.52195.0	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	80,00 €
K2.52196.0	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	80,00 €
-----		

Ident-No.	Article	Price / EURO
<b>K2.34250.0</b>	<b>6" Filter ring</b> for Cooke 20-100 with rubber sleeve and connection ring Ø 144,4mm	<b>290,00 €</b>
<b>K2.44372.0</b>	<b>6" Filter ring</b> for VP1, VP2, VP3, Cooke 18-100 and Cinetal 25-250 with rubber sleeve and connection ring Ø 150mm	<b>250,00 €</b>
<b>K2.34180.0</b>	<b>6" Filter ring</b> for ARRI 12mm with rubber sleeve and connection ring Ø 135mm	<b>250,00 €</b>
<b>K2.47297.0</b>	<b>6" Filter ring</b> for Angénieux 25-250 HR with rubber sleeve and connection ring Ø 136mm	<b>290,00 €</b>
<b>K2.44366.0</b>	<b>Reflex prevention ring</b> for VP1, VP2, VP3, Cooke 18-100 and Cinetal 25-250 with rubber sleeve and connection ring Ø 150mm	<b>190,00 €</b>
<b>K2.44774.0</b>	<b>Case for MB-14 and -15</b> (with variable dividers)	<b>700,00 €</b>



Ident-No.	Article	Price / EURO
K2.44472.0	<b>4"x4" Prod. Matte Box MB-16</b> (for Ø 19mm support rods) with 2-filter stage, 2 filter frames 4"x4" and french flag holder (bridge plate required)	2.310,00 €
K2.44472.A	<b>4"x4" Prod. Matte Box MB-16</b> (for Ø 15mm support rods) Accessory configuration same as K2.44472.0	2.310,00 €
K0.59985.0	<b>Light shield set</b> top/bottom flag (K2.41703.0) and side flags pair (K2.41705.0)	920,00 €
K2.41703.0	<b>Top/bottom flags (spare)</b>	380,00 €
K2.41705.0	<b>Side flags pair (spare)</b>	540,00 €
K2.41701.0	<b>Set of mattes for 16 mm lenses</b> of 12-180 mm focal length	160,00 €
K2.41699.0	<b>Set of mattes for 35 mm lenses</b> of 24-180 mm focal length	160,00 €
K2.34890.0	<b>Flexible shaft</b>	200,00 €
K2.43345.0	<b>Conversion set</b> for K2.44472.A for Ø 19 mm rods	380,00 €
K4.41709.0	<b>2-filter stage</b> for two filters 4"x4" each rotatable and slideable (spare)	1.140,00 €
K2.45810.0	<b>3-filter stage</b> for three filters 4"x4" two rotatable as a pair and one alone, all slideable	1.200,00 €
K2.41596.0	<b>4-filter stage</b> for four filters 4"x4" two rotatable as a pair and each separately slideable	1.390,00 €
K2.34577.0	<b>3"x3" Filter frame</b>	220,00 €
K4.47070.0	<b>4"x4" Filter frame</b> (spare)	210,00 €
K4.47072.0	<b>4"x4" Filter frame geared</b>	220,00 €
K2.32220.0	<b>4"x5.650" Filter frame</b> for K2.42293.0 (MB-15 and MB-14) and for K4.41709.0, K2.45810.0, K2.41596.0 (MB-16)	210,00 €
K2.41897.0	<b>4"x5.650" Filter frame geared</b>	260,00 €
K2.34980.0	<b>4"x6" Filter frame</b> for K2.42293.0 (MB-15 and MB-14) and for K4.41709.0, K2.45810.0, K2.41596.0 (MB-16)	210,00 €
K2.41697.0	<b>4"x6" Filter frame geared</b>	260,00 €

Ident-No.	Article	Price / EURO
<b>K2.49109.0</b>	<b>4 1/2" Filter ring</b> for Zeiss Vario Sonnar with rubber sleeve and connection ring Ø 87 mm	<b>190,00 €</b>
<b>K2.47226.0</b>	<b>Connection ring Ø 80 mm</b> for Zeiss Standard Primes reduces from Ø 87mm to Ø 80mm connection to filter ring K2.49109.0 or K2.47223.0	<b>80,00 €</b>
-----		
<b>K2.49102.0</b>	<b>4 1/2" Filter ring</b> for Canon 8-64 and 11.5-138 and UP 16-135mm with rubber sleeve and connection ring Ø 95 mm	<b>210,00 €</b>
-----		
<b>K2.52205.0</b>	<b>4 1/2" Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø 114mm	<b>230,00 €</b>
<b>K2.52195.0</b>	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.52196.0</b>	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
-----		
<b>K2.32903.0</b>	<b>4 1/2" Filter ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10.4-52 with rubber sleeve and connection ring Ø 125 mm	<b>160,00 €</b>
-----		
<b>K2.32911.0</b>	<b>Reflex prevention ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10.4-52 with rubber sleeve and connection ring Ø 125 mm	<b>80,00 €</b>
-----		
<b>K2.43474.0</b>	<b>Case for 4"x4" prod.matte box</b>	<b>680,00 €</b>

Ident-No.	Article	Price / EURO
<b>K2.47247.0</b>	<b>4"x4" Matte Box MB-17B</b> with 2 filter frames 4"x4", and french flag holder (requires light weight support LWS-3 K2.47107.0) if adapter K2.47101.0 for support rods Ø 19 mm or adapter K2.47102.0 for Ø 15 mm rods are used, the respective bridge plate BP is required	<b>1.430,00 €</b>
<b>K2.47101.0</b>	<b>Adapter for bridge plate</b> with support rods Ø 19 mm	<b>190,00 €</b>
<b>K2.47102.0</b>	<b>Adapter for bridge plate</b> with support rods Ø 15 mm	<b>190,00 €</b>
<hr/>		
<b>K2.47286.0</b>	<b>Light shield</b>	<b>320,00 €</b>
<b>K2.42119.0</b>	<b>Set of mattes</b> for 16 mm lenses	<b>170,00 €</b>
<b>K2.45730.0</b>	<b>Set of mattes</b> for 35 mm lenses	<b>220,00 €</b>
<b>K4.47628.0</b>	<b>Conversion set</b> for MB-17 to MB-17B	<b>390,00 €</b>
<hr/>		
<b>K2.34577.0</b>	<b>3"x3" Filter frame</b>	<b>220,00 €</b>
<b>K4.47070.0</b>	<b>4"x4" Filter frame</b> (spare)	<b>210,00 €</b>
<hr/>		
<b>K2.49109.0</b>	<b>4 1/2" Filter ring</b> for Zeiss Vario Sonnar with rubber sleeve and connection ring Ø 87 mm	<b>190,00 €</b>
<b>K2.47226.0</b>	<b>Connection ring Ø 80 mm</b> for Zeiss Standard Primes reduces from Ø 87mm to Ø 80mm connection to filter ring K2.49109.0 or K2.47223.0	<b>80,00 €</b>
<p>-----</p>		
<b>K2.49102.0</b>	<b>4 1/2" Filter ring</b> for Canon 8-64 and 11.5-138 and UP 16-135mm with rubber sleeve and connection ring Ø 95 mm	<b>210,00 €</b>
<p>-----</p>		
<b>K2.52205.0</b>	<b>4 1/2" Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø 114mm	<b>230,00 €</b>
<b>K2.52195.0</b>	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.52196.0</b>	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>

Ident-No.	Article	Price / EURO
	-----	
<b>K2.32903.0</b>	<b>4 1/2" Filter ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10.4-52 with rubber sleeve and connection ring Ø 125 mm	<b>160,00 €</b>
	-----	
<b>K2.32911.0</b>	<b>Reflex prevention ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10,4-52 with rubber sleeve and connection ring Ø 125 mm	<b>80,00 €</b>

Ident-No.	Article	Price / EURO
K2.47178.0	<b>4"x5,65" Prod.Matte Box MB-18</b> (for Ø 19mm support rods) with 3-filter stage, 3 filter frames 4"x5.65" and french flag holder (bridge plate BP required)	2.620,00 €
K2.47178.A	<b>4"x5,65" Prod.Matte Box MB-18</b> (for Ø 15mm support rods) with 3-filter stage, 3 filter frames 4"x5.65" and french flag holder (bridge plate BP required)	2.620,00 €
K0.59990.0	<b>Light shield set</b> top/bottom flag (K2.47183.0) and side flags (K2.47184.0)	970,00 €
K2.47183.0	<b>Top/bottom flags (spare)</b>	410,00 €
K2.47184.0	<b>Side flags pair (spare)</b>	560,00 €
K2.47182.0	<b>Set of mattes</b> for 16 mm lenses	220,00 €
K2.47181.0	<b>Set of mattes</b> for 35 mm lenses	220,00 €
K2.34890.0	<b>Flexible shaft</b>	200,00 €
K2.47180.0	<b>2-filter stage</b> for two 4"x5.65" filter each rotatable and slidable	1.100,00 €
K4.47351.0	<b>3-filter stage</b> for three 4"x5.65" filter each rotatable and slidable (spare)	1.500,00 €
K2.47179.0	<b>4-filter stage</b> for four 4"x5.65" filter one pair and two single rotatable and slidable	1.380,00 €
K2.47185.0	<b>4"x4" Filter frames</b>	190,00 €
K2.47186.0	<b>4"x4" Filter frames, geared</b>	220,00 €
K4.47359.0	<b>4"x5,65" Filter frames</b> (spare)	180,00 €
K4.47361.0	<b>4"x5,65" Filter frames, geared</b> (spare)	210,00 €
K2.49083.0	<b>4"x5,65" Filter frames</b> horizontal	180,00 €
K2.49096.0	<b>4"x5,65" Filter frames, geared</b> horizontal	210,00 €
K2.49027.0	<b>4"x6" Filter frames, geared</b>	230,00 €
K2.49023.0	<b>Filter frame</b> for round filter Ø 138 mm	310,00 €

Ident-No.	Article	Price / EURO
K2.47115.0	<b>Reduction ring</b> for 4 1/2" filter ring and reflex prevention ring necessary for K2.34280.0, K2.34590.0, K2.49109.0, K2.49102.0, K2.32903.0, K2.32911.0 and K2.52205.0	90,00 €
K2.49109.0	<b>4 1/2" Filter ring</b> for Zeiss Vario Sonnar with rubber sleeve and connection ring Ø 87 mm	190,00 €
K2.47226.0	<b>Connection ring Ø 80 mm</b> for Zeiss Standard Primes reduces from Ø 87mm to Ø 80mm connection to filter ring K2.49109.0 or K2.47223.0  -----	80,00 €
K2.49102.0	<b>4 1/2" Filter ring</b> for Canon 8-64 and 11.5-138 and UP 16-135mm with rubber sleeve and connection ring Ø 95 mm  -----	210,00 €
K2.52205.0	<b>4 1/2" Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø 114mm	230,00 €
K2.52195.0	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	80,00 €
K2.52196.0	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0  -----	80,00 €
K2.32903.0	<b>4 1/2" Filter ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10,4-52 with rubber sleeve and connection ring Ø 125 mm  -----	160,00 €
K2.32911.0	<b>Reflex prevention ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10,4-52 with rubber sleeve and connection ring Ø 125 mm	80,00 €
K2.47223.0	<b>138mm Filter ring</b> for Zeiss Vario Sonnar with rubber sleeve and connection ring Ø 87 mm	220,00 €
K2.47226.0	<b>Connection ring Ø 80 mm</b> for Zeiss Standard Primes reduces from Ø 87mm to Ø 80mm connection to filter ring K2.49109.0 or K2.47223.0	80,00 €

Ident-No.	Article	Price / EURO
<b>K2.47222.0</b>	<b>138mm Filter ring</b> with rubber sleeve and connection ring Ø 100 mm	<b>220,00 €</b>
<b>K2.47224.0</b>	<b>Connection ring Ø 95 mm</b> for Ultra Prime 16-135mm reduces from Ø 100mm to Ø 95mm to use with K2.47222.0	<b>80,00 €</b>
<b>K2.47225.0</b>	<b>Connection ring Ø 87 mm</b> for Zeiss Vario Sonnar reduces from Ø 100mm to Ø 87mm to use with K2.47222.0	<b>80,00 €</b>
-----		
<b>K2.52204.0</b>	<b>138mm Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø 114mm	<b>260,00 €</b>
<b>K2.52195.0</b>	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.52196.0</b>	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.49099.0</b>	<b>Adapter ring</b> for 4 1/2" round filter to use with: K2.47188.0, K2.47189.0, K2.47190.0, K2.47222.0, K2.47223.0, K2.52194.0 and K2.52204.0	<b>140,00 €</b>
-----		
<b>K2.47190.0</b>	<b>138mm Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø 114mm	<b>280,00 €</b>
-----		
<b>K2.49050.0</b>	<b>Case for MB-18</b> with variable dividers	<b>700,00 €</b>

Ident-No.	Article	Price / EURO
K2.47099.0	<b>4"x5,65" Prod.Matte Box MB-19</b> including 2-filter stage, 2 filter frames 4"x5.65" and french flag holder, (for lightweight support LWS)	1.590,00 €
K2.47101.0	<b>Adapter for bridge plate</b> with support rods Ø 19 mm	190,00 €
K2.47102.0	<b>Adapter for bridge plate</b> with support rods Ø 15 mm	190,00 €
K0.59995.0	<b>Light shield set</b> top flag (K2.47103.0) and pair of side flags (K2.47106.0)	690,00 €
K2.47103.0	<b>Top/bottom flags (spare)</b>	230,00 €
K2.47106.0	<b>Side flags pair (spare)</b>	460,00 €
K2.47108.0	<b>Set of masks</b> for 16mm lenses with focal length 9.5 - 180 mm	170,00 €
K2.47109.0	<b>Set of masks</b> for 35mm lenses with focal length 18 - 180 mm	170,00 €
K2.47100.0	<b>Supplementary filter stage</b> for one filter 4"x5.65" and one 138 mm round filter	410,00 €
K2.47104.0	<b>4"x4" Filter frame, horizontal</b>	210,00 €
K2.47105.0	<b>4"x4" Filter frame</b>	210,00 €
K4.47514.0	<b>4"x5.65" Filter frame, horizontal</b> (spare)	180,00 €
K4.47493.0	<b>4"x5.65" Filter frame</b> (spare)	180,00 €
K2.47115.0	<b>Reduction ring</b> for 4 1/2" filter ring and reflex prevention ring necessary for K2.34280.0, K2.34590.0, K2.49109.0, K2.49102.0, K2.32903.0, K2.32911.0 and K2.52205.0	90,00 €
K2.49109.0	<b>4 1/2" Filter ring</b> for Zeiss Vario Sonnar with rubber sleeve and connection ring Ø 87 mm	190,00 €
K2.47226.0	<b>Connection ring Ø 80 mm</b> for Zeiss Standard Primes reduces from Ø 87mm to Ø 80mm connection to filter ring K2.49109.0 or K2.47223.0	80,00 €



Ident-No.	Article	Price / EURO
<b>K2.49102.0</b>	<b>4 1/2" Filter ring</b> for Canon 8-64 and 11.5-138 and UP 16-135mm with rubber sleeve and connection ring Ø 95 mm  -----	<b>210,00 €</b>
<b>K2.52205.0</b>	<b>4 1/2" Filter ring</b> with rubber sleeve for UP14mm/180mm,and LDS UP 14mm/180mm Ø 114mm	<b>230,00 €</b>
<b>K2.52195.0</b>	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.52196.0</b>	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.32903.0</b>	<b>4 1/2" Filter ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10.4-52 with rubber sleeve and connection ring Ø 125 mm  -----	<b>160,00 €</b>
<b>K2.32911.0</b>	<b>Reflex prevention ring</b> for Zeiss T3/300, Vario Sonnar T3/10-100, Cooke 9-50/10,4-52 with rubber sleeve and connection ring Ø 125 mm	<b>80,00 €</b>
<b>K2.47223.0</b>	<b>138mm Filter ring</b> for Zeiss Vario Sonnar with rubber sleeve and connection ring Ø 87 mm	<b>220,00 €</b>
<b>K2.47226.0</b>	<b>Connection ring Ø 80 mm</b> for Zeiss Standard Primes reduces from Ø 87mm to Ø 80mm connection to filter ring K2.49109.0 or K2.47223.0  -----	<b>80,00 €</b>
<b>K2.47222.0</b>	<b>138mm Filter ring</b> with rubber sleeve and connection ring Ø 100 mm	<b>220,00 €</b>
<b>K2.47224.0</b>	<b>Connection ring Ø 95 mm</b> for Ultra Prime 16-135mm reduces from Ø 100mm to Ø 95mm to use with K2.47222.0	<b>80,00 €</b>
<b>K2.47225.0</b>	<b>Connection ring Ø 87 mm</b> for Zeiss Vario Sonnar reduces from Ø 100mm to Ø 87mm to use with K2.47222.0  -----	<b>80,00 €</b>
<b>K2.52204.0</b>	<b>138mm Filter ring</b> with rubber sleeve for UP14mm/180mm,and LDS UP 14mm/180mm Ø 114mm	<b>260,00 €</b>

Ident-No.	Article	Price / EURO
<b>K2.52195.0</b>	<b>Connection ring Ø 104 mm</b> for LDS Ultra Prime 16-135mm reduces from Ø 114mm to Ø 104mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.52196.0</b>	<b>Connection ring Ø 110 mm</b> for Cooke S4 and LDS Cooke S4 reduces from Ø 114mm to Ø 110mm to use with: K2.52194.0, K2.52197.0, K2.52204.0 or K2.52205.0	<b>80,00 €</b>
<b>K2.49099.0</b>	<b>Adapter ring</b> for 4 1/2" round filter to use with: K2.47188.0, K2.47189.0, K2.47190.0, K2.47222.0, K2.47223.0, K2.52194.0 and K2.52204.0 -----	<b>140,00 €</b>
<b>K2.47190.0</b>	<b>138mm Filter ring</b> with rubber sleeve for UP14mm/180mm, and LDS UP 14mm/180mm Ø 114mm	<b>280,00 €</b>
<b>K2.47116.0</b>	<b>Case for MB-19 and accessories</b>	<b>660,00 €</b>

Ident-No.	Article	Price / EURO
<b>K0.59996.0</b>	<b>Lightweight follow focus set</b> for ARRIFLEX 16SR consisting of: <ul style="list-style-type: none"><li>- focus drive LFD (K2.47238.0)</li><li>- focus knob left FK-1 (K2.47246.0)</li><li>- bracket FH-2 for lightweight support (K2.47249.0)</li><li>- gear for prime lenses and 16 mm zoom lenses (K2.47252.0)</li></ul>	<b>1.840,00 €</b>
<b>K2.47238.0</b>	<b>Focus drive LFD</b>	<b>1.190,00 €</b>
<b>K2.47246.0</b>	<b>Focus knob left FK-1</b>	<b>360,00 €</b>
<b>K2.47249.0</b>	<b>Bracket FH-2</b>	<b>210,00 €</b>
<b>K2.47252.0</b>	<b>Gear for prime lenses and 16 mm zoom lenses</b>	<b>80,00 €</b>
<b>K2.47250.0</b>	<b>Focus knob right FK-2</b>	<b>410,00 €</b>
<b>K2.32730.0</b>	<b>Focus lever</b>	<b>90,00 €</b>
<b>K2.32731.0</b>	<b>Flexible shaft long (900 mm)</b>	<b>270,00 €</b>
<b>K2.34100.0</b>	<b>Flexible shaft short (300 mm)</b>	<b>210,00 €</b>
<b>K2.47288.0</b>	<b>Square adapter</b> for connecting flexible shaft parallel to optical axis	<b>50,00 €</b>
<b>K4.47621.0</b>	<b>Marking disk bevelled</b> (spare)	<b>20,00 €</b>
<b>K2.47292.0</b>	<b>Marking disk flat</b>	<b>30,00 €</b>
<b>K2.47299.0</b>	<b>Bracket FH-1 (for single rod)</b>	<b>250,00 €</b>
<b>K2.47245.0</b>	<b>Single rod support SRS-4</b> for ARRIFLEX 35 III and 435 and ARRICAM	<b>370,00 €</b>
<b>K2.47290.0</b>	<b>Single rod support SRS-5</b> for ARRIFLEX 535/535B	<b>320,00 €</b>

Ident-No.	Article	Price / EURO
<b>K0.59979.0</b>	<b>2-Speed Follow Focus Set FF-3</b> for Ø 19 mm support rods suitable for 16SR II / 16SR 3 consisting of: - follow focus (K2.42540.0) and focus lever (K2.32730.0) - gear for prime and zoom lenses 10-100 and 11-110 (K2.32990.0) - focus knob right (K2.43702.0) (bridge plate BP required)	<b>3.540,00 €</b>
<b>K0.59989.0</b>	<b>2-Speed Follow Focus Set FF-3</b> for Ø 15 mm support rods suitable for 16SR II / 16SR 3 consisting of: - follow focus (K2.42540.A), accessory configuration same as K0.59979.0 (for conversion to Ø 19mm rods, adapter BA-2 necessary, bridge plate required)	<b>3.540,00 €</b>
<b>K0.59973.0</b>	<b>2-Speed Follow Focus Set FF-3</b> for Ø 19 mm support rods suitable for 35 mm cameras consisting of: - follow focus (K2.42540.0) and focus lever (K2.32730.0), - gear for prime and zoom lenses 10-100 and 11-110 (K2.32990.0) - gear for Cooke zoom lenses 25-250 MkII/IIB 25-250, 20-100, 18-100 (K2.32981.0) - focus knob right (K2.43702.0) and extension for focus knob right (K2.32985.0), (bridge plate required)	<b>4.060,00 €</b>
<b>K0.59988.0</b>	<b>2-Speed Follow Focus Set FF-3</b> for Ø 15 mm support rods suitable for 35 mm cameras consisting of: - follow focus (K2.42540.A), accessory configuration same as K0.59973.0 (for conversion to Ø 19mm rods, adapter BA-2 necessary, bridge plate required)	<b>4.060,00 €</b>
<b>K2.42540.0</b>	<b>Follow focus (spare)</b>	<b>2.310,00 €</b>
<b>K2.42540.A</b>	<b>Follow focus (spare)</b>	<b>2.310,00 €</b>
<b>K2.43702.0</b>	<b>Focus knob right</b>	<b>1.050,00 €</b>
<b>K2.32731.0</b>	<b>Flexible shaft long (900 mm)</b>	<b>270,00 €</b>
<b>K2.34100.0</b>	<b>Flexible shaft short (300 mm)</b>	<b>210,00 €</b>
<b>K4.32713.0</b>	<b>Marking disk flat</b> (spare)	<b>30,00 €</b>
<b>K2.47248.0</b>	<b>Marking disk bevelled</b>	<b>50,00 €</b>
<b>K2.43268.0</b>	<b>Adapter BA-2</b> for Ø 19 mm support rods	<b>380,00 €</b>
<b>K2.32995.0</b>	<b>Gear for lenses</b> with axial movement of focus ring	<b>120,00 €</b>
<b>K2.44965.0</b>	<b>Case for Follow Focus FF-3/FF-4</b>	<b>560,00 €</b>

Ident-No.	Article	Price / EURO
K2.47121.0	<b>Follow Focus Device FF-4</b> for lightweight support LWS-3 and bridge plates Ø 15 mm or Ø 19 mm (to be used with bridge plate adapter BA-2 for Ø 19 mm rods or adapter BA-3 for Ø 15 mm rods are necessary)	1.840,00 €
K2.32990.0	<b>Gear for prime lenses</b>	90,00 €
K2.32981.0	<b>Gear for Cooke Zooms</b> and Angénieux 25-250 HP/HR	90,00 €
K2.32995.0	<b>Gear for lenses</b> with axial movement of focus ring	120,00 €
K2.47215.0	<b>Focus knob right</b>	390,00 €
K2.32985.0	<b>Extension for focus knob</b>	430,00 €
K2.32730.0	<b>Focus lever</b>	90,00 €
K2.47235.0	<b>Coupling for flexible shaft</b>	160,00 €
K2.32731.0	<b>Flexible shaft long (900 mm)</b>	270,00 €
K2.34100.0	<b>Flexible shaft short (300 mm)</b>	210,00 €
K2.43268.0	<b>Adapter BA-2</b> for Ø 19 mm support rods	380,00 €
K4.47598.0	<b>Adapter BA-3</b> for Ø 15 mm support rods	440,00 €
K4.32713.0	<b>Marking disk flat</b> (spare)	30,00 €
K2.47248.0	<b>Marking disk bevelled</b>	50,00 €
K2.44965.0	<b>Case for Follow Focus FF-3/FF-4</b>	560,00 €

Ident-No.	Article	Price / EURO
	<b>LENS CONTROL UNITS *</b>	
<b>K2.52093.0</b>	<b>Zoom Control set ZMU-2</b> consisting of: - zoom main unit ZMU-2 with microforce zoom stick - lens motor CLM-1 for 19 mm rods and cable LC-Z1 - power supply module LC-S1 (with 3-pin plug for 12V or 24V battery)	<b>6.670,00 €</b>
<b>K4.52419.0</b>	<b>Zoom Main Unit (ZMU-2)</b> (spare)	<b>2.580,00 €</b>
<b>K2.41383.0</b>	<b>Focus/Iris Unit FIU-1</b> for focus/iris settings with coiled cable LC-F1	<b>2.540,00 €</b>
<b>K2.52030.0</b>	<b>Adapter</b> to attach two FIU-Units on zoom control set	<b>710,00 €</b>
<b>K2.41382.0</b>	<b>Memory Module MEM-1</b> for zoom, focus and iris movements  <b>* only as long as stock is available</b>	<b>2.880,00 €</b>
	<b>MOTOR AND ACCESSORIES</b>	
<b>K2.41378.0</b>	<b>Lens Motor unit CLM-1</b> (for Ø 19 mm rods) for zoom, focus or iris with coiled cable LC-M1	<b>3.140,00 €</b>
<b>K2.41379.0</b>	<b>Adapter for Ø 15 mm support rods</b>	<b>390,00 €</b>
<b>K2.41380.0</b>	<b>Adapter, offset,</b> for Ø 15 mm support rods	<b>530,00 €</b>
<b>K2.41381.0</b>	<b>Adapter, offset,</b> for Ø 19 mm support rods	<b>430,00 €</b>
<b>K2.41388.0</b>	<b>Iris Drive for CLM-1 lens motor</b> for lenses with axial movement of iris ring	<b>650,00 €</b>
<b>K2.41390.0</b>	<b>CLM-1 holder for 35 III</b>	<b>1.100,00 €</b>
	<b>CABLES</b>	
<b>K4.46859.0</b>	<b>LC-S1 Power supply module</b> for CLM-1 (connection between battery and CLM-1, spare)	<b>830,00 €</b>
<b>K2.47146.0</b>	<b>LC-S2 Power supply module</b> for 35III, 35BL, 435, 16SR II (connection between camera and CLM-1)	<b>620,00 €</b>
<b>K2.47147.0</b>	<b>LC-S3 Power supply module</b> for 435+FEM, 535, 535B, 16 SR3 (connection between camera and CLM-1)	<b>620,00 €</b>
<b>K2.41385.0</b>	<b>LC-A 1 Battery adapter</b> 4-pin XLR (connection between battery and power supply module)	<b>120,00 €</b>

Ident-No.	Article	Price / EURO
K2.41386.0	<b>LC-A 2 Battery adapter</b> 5-pin XLR (connection between battery and power supply module)	120,00 €
K2.44022.0	<b>LC-A 3 Cable</b> for 535, 435, 16 SR 3	140,00 €
K2.41398.0	<b>LC-C1 Run cable (coiled)</b> for 535/535B, 435+FEM, 16SR 3 (connection between camera and LC-S1)	180,00 €
K2.41399.0	<b>LC-C2 Run cable (coiled)</b> for 35BL, 35III, 16SR 2, 435 (connection between camera and LC-S1)	220,00 €
K4.41397.0	<b>LC-M1 Motor cable, 3 ft</b> (connection between CLM-1 and CLM-1, spare)	160,00 €
K2.43871.0	<b>LC-M2 Motor cable, 6 ft,flat</b> (connection between CLM-1 and CLM-1)	170,00 €
K4.41395.0	<b>LC-Z1 Zoom cable, 3,5 m/ 6 ft</b> (connection between ZMU-1 and CLM-1, spare)	160,00 €
K2.41396.0	<b>LC-Z2 Zoom cable, 7 m /23 ft</b> (connection between ZMU-1 and CLM-1, spare)	170,00 €
K2.41389.0	<b>LC-E1 Cable drum,75m/ 250 ft</b> (connection between LC-Z1 or LC-Z2 to CLM-1)	540,00 €
K4.41393.0	<b>LC-F1 Cable,2m/ 6 ft. coiled</b> (connection between ZMU-1 or FIU-1 to FIU-1, spare)	260,00 €
K2.41394.0	<b>LC-F2 Cable, 1m/ 3 ft. flat</b> (connection between ZMU-1 or FIU-1 to FIU-1)	260,00 €
<b>IRIS GEAR RING</b>		
K2.43351.0	<b>Iris gear ring</b> for Zeiss 10-100, 11-110	140,00 €
K2.44811.0	<b>Iris gear ring</b> for 35 mm high speed primes	140,00 €
K2.44825.0	<b>Iris gear ring</b> for standard primes	140,00 €
K2.44833.0	<b>Iris gear ring</b> for 16 mm high speed primes and T3 180 mm	140,00 €
K2.44835.0	<b>Iris gear ring</b> for Cooke T4 25-250	140,00 €
K2.44863.0	<b>Iris gear ring</b> for Cooke 10-30, 20-60	140,00 €
K2.44925.0	<b>Iris gear ring</b> for Angénieux T2.9 20-120	140,00 €
K2.44928.0	<b>Iris gear ring</b> for Angénieux T2.9 20-121	140,00 €
<b>ACCESSORIES</b>		

Ident-No.	Article	Price / EURO
K2.44809.0	Panhandle mount for ZMU-1 and ZMU-2	1.010,00 €
K2.41391.0	Case for LCS (3 axes)	700,00 €
K2.43868.0	Case for LCS (1 axis)	700,00 €
<b>IRIS CONTROL UNIT</b>		
K2.47028.0	ICU (lens motor CLM-1 K2.41378.0 required)	3.540,00 €
K2.47029.0	LC-D1 Cable for 535, 16SR 3, 435ES (connection between camera and ICU)	250,00 €
K2.47030.0	LC-D2 Cable for 35III, 35BL (connection between camera and ICU)	250,00 €
K2.47048.0	LC-D4 Cable for 16SR II (connection between camera and ICU)	250,00 €
K2.54137.0	ICU Cable (1m/3 feet) KC 72 Connects ICU (K2.47028.0) to Studio or Lite CAC connector Use for speed/iris ramps with non LDS lenses Note: If the WRC (K2.52087.0) is used, the ICU is not needed	260,00 €



Ident-No.	Article	Price / EURO
<b>WIRELESS LENS CONTROL UNITS</b>		
K2.52052.0	Wireless main unit WMU-1	5.020,00 €
K2.52054.0	Wireless zoom unit WZU-1	2.230,00 €
K2.52055.0	Wireless focus and iris unit WFU-1	2.970,00 €
K4.47621.0	Marking disk bevelled (spare)	20,00 €
K2.47292.0	Marking disk flat	30,00 €
<b>EXTENSION FOR WIRELESS MAIN UNIT</b>		
K2.52056.0	Extension unit WEU-1 for wireless main unit WMU-1	1.890,00 €
K2.52084.0	WC-E2 Extension cable for WEU-1, length: 3m/10 ft	260,00 €
K4.52336.0	WC-E1 Connection cable for WEU-1, length: 1m/3 ft (spare)	260,00 €
<b>MOTOR CONTROL AND RADIO RECEIVER</b>		
K2.52040.0	Universal motor controller UMC-1 radio modem URM-1 K2.52048.0 or URM-3 K2.52262.0 necessary	3.180,00 €
K2.52080.0	Quick change adapter 3/8" for UMC	390,00 €
K2.52048.0	Radio modem URM-1 for UMC-1	1.930,00 €
<b>BATTERY AND CHARGER</b>		
K2.52088.0	Battery WBU-2, 7.2V/2Ah f.WMU-1	420,00 €
K2.52072.0	Charger WAC-1 for WBU-2	780,00 €
<b>MOTOR AND ACCESSORIES</b>		
K2.52036.0	Controlled Lens Motor CLM-2 (UMC-1/URM-1/URM-3 or FEM 2 or LDS box of ARRICAM ST or LT necessary)	2.780,00 €
K2.52035.0	Console for CLM-2 motor	420,00 €
K2.52049.0	Gear for video lenses Module 0.5, 104 teeth	180,00 €
K2.52050.0	Gear for video lenses Module 0.5, 65 teeth	180,00 €
K2.52051.0	Gear for video lenses Module 0.5, 80 teeth	180,00 €
<b>CABLE</b>		
K2.52046.0	UC-C1 Cable for power supply of UMC-1 from the camera: 535/535B, 435/435ES or 16SR 3 (spare)	160,00 €

Ident-No.	Article	Price / EURO
<b>K2.52047.0</b>	<b>UC-A1 Cable for power supply</b> of UMC-1 from external battery	<b>160,00 €</b>
<b>K2.52075.0</b>	<b>UC-S1 Connection for UMC-1</b> (connection of UMC-1 with UC-C2 or -C4 or -C5 to the camera and with UC-A1 to battery)	<b>610,00 €</b>
<b>K2.52076.0</b>	<b>UC-C2 RUN cable</b> for 435, 35III, 35BL, 16SR II, (connection between camera and UC-S1)	<b>220,00 €</b>
<b>K2.52077.0</b>	<b>UC-C4 RUN cable</b> for 535/535B, 435+FEM, 16SR 3 (connection between camera and UC-S1)	<b>220,00 €</b>
<b>K2.52078.0</b>	<b>UC-C5 RUN cable</b> for 535B, 435, 16SR 3 (connection between camera and UC-S1)	<b>220,00 €</b>
<b>K2.52263.0</b>	<b>Cable WC-A3</b> to connect WMU-1 with URM-1 or WMU-3 with URM-3 length:15m/ 50 ft (optional)	<b>160,00 €</b>
<b>K2.52096.0</b>	<b>WC-A2 Extension Cable</b> for WMU-1; WMU-2; WMU-3; URM-1 or URM-3 antenna, length:3m/ 10 ft (optional)	<b>180,00 €</b>

Ident-No.	Article	Price / EURO
<b>WIRELESS LENS CONTROL UNITS WMU-3</b>		
K2.52240.0	Wireless Main Unit WMU-3	5.450,00 €
K2.52267.0	Wireless Zoom Unit WZU-3	2.490,00 €
K2.52268.0	Wireless Focus Unit WFU-3	3.490,00 €
K2.52241.0	Expansion Bracket for WMU-3	1.150,00 €
K4.47621.0	Marking disk bevelled (spare)	20,00 €
K2.47292.0	Marking disk flat	30,00 €
<b>MOTOR CONTROL AND RADIO RECEIVER</b>		
K2.52040.0	Universal motor controller UMC-1 radio modem URM-1 K2.52048.0 or URM-3 K2.52262.0 necessary	3.180,00 €
K2.52080.0	Quick change adapter 3/8" for UMC	390,00 €
K2.52262.0	Radio Modem URM-3	1.930,00 €
<b>BATTERY AND CHARGER</b>		
K2.52238.0	Wireless Battery Unit WBU-3 7,2 V 2,3 Ah	490,00 €
K2.65001.0	Wireless Battery Unit WBU-4 7,2 V 4,6 Ah	780,00 €
K2.52266.0	Charger WAC-3 for WBU-3 and WBU-4	110,00 €
<b>MOTOR AND ACCESSORIES</b>		
K2.52036.0	Controlled Lens Motor CLM-2 (UMC-1/URM-1/URM-3 or FEM 2 or LDS box of ARRICAM ST or LT necessary)	2.780,00 €
K2.52035.0	Console for CLM-2 motor	420,00 €
K2.52049.0	Gear for video lenses Module 0,5, 104 teeth	180,00 €
K2.52051.0	Gear for video lenses Module 0,5, 80 teeth	180,00 €
<b>CABLE</b>		
K2.52046.0	UC-C1 Cable for power supply of UMC-1 from the camera: 535/535B, 435/435ES or 16SR 3 (spare)	160,00 €
K2.52047.0	UC-A1 Cable for power supply of UMC-1 from external battery	160,00 €
K2.52075.0	UC-S1 Connection for UMC-1 (connection of UMC-1 with UC-C2 or -C4 or -C5 to the camera and with UC-A1 to battery)	610,00 €
K2.52076.0	UC-C2 RUN cable for 435, 35III, 35BL, 16SR II, (connection between camera and UC-S1)	220,00 €

Ident-No.	Article	Price / EURO
<b>K2.52077.0</b>	<b>UC-C4 RUN cable</b> for 535/535B, 435+FEM, 16SR 3 (connection between camera and UC-S1)	<b>220,00 €</b>
<b>K2.52078.0</b>	<b>UC-C5 RUN cable</b> for 535B, 435, 16SR 3 (connection between camera and UC-S1)	<b>220,00 €</b>
<b>K2.52263.0</b>	<b>Cable WC-A3</b> to connect WMU-1 with URM-1 or WMU-3 with URM-3 length:15m/ 50 ft (optional)	<b>160,00 €</b>
<b>K2.52096.0</b>	<b>WC-A2 Extension Cable</b> for WMU-1; WMU-2; WMU-3; URM-1 or URM-3 antenna, length:3m/ 10 ft (optional)	<b>180,00 €</b>

Ident-No.	Article	Price / EURO
<b>UNIVERSAL REMOTE CONTROL UNIT</b>		
<b>K2.47197.0</b>	<b>Universal Remote Control Unit RCU-1</b> with LCD display and cable KC-39 (K4.47329.0), manual and automatic control of frame rate and shutter angle, control of shutter angle only for cameras with electronically adjustable mirror shutter (For 435/435ES/435 ADVANCED: FEM-1 K2.47394.0 or FEM-2 K2.52226.0 necessary	<b>2.680,00 €</b>
<b>K4.47329.0</b>	<b>KC-39 Cable for RCU-1</b> (spare)	<b>170,00 €</b>
<b>K2.47350.0</b>	<b>KC-41 Extension cable</b> (20m/60 ft) for RCU-1	<b>320,00 €</b>
<b>WIRELESS REMOTE CONTROL</b>		
<b>K2.52087.0</b>	<b>Wireless Remote Control WRC-1</b> For 435/435ES/435Adv. with FEM-1 and 16SR3/ 535 WMU (K2.52052.0), UMC (K2.52040.0) and URM (K2.52048.0) necessary. For 435 Adv. with FEM-2 K2.52226.0, URM K2.52048.0 and WMU K2.52052.0 necessary. For ARRICAM ST Lens Data Box (K2.54014.0) and for ARRICAM LT LDB Box (K2.54025.0) and WMU (K2.52052.0) necessary. Cable config: For 435/435ES/435Adv with FEM-1 or 435Adv with FEM-2, 16SR3, 535 WHA-1 necessary, For Arricam and 435Adv. with FEM-2 WHA-2 necessary	<b>3.190,00 €</b>
<b>K2.52079.0</b>	<b>UC-R1 Cable</b> to connect UMC-1 with camera 16SR, 435, 535	<b>220,00 €</b>
<b>K2.52070.0</b>	<b>WHA-1 Handgrip attachment</b> for WRC-1 in cable configuration Attaches to WRC-1 and connects via cable WC-W1 (K2.52089.0) to 16SR3, 535, 435/435ES/435Adv. with FEM-1 and 435 Adv. with FEM-2.	<b>880,00 €</b>
<b>K2.52089.0</b>	<b>WC-W1 Cable for WHA-1</b> for WRC-1 in cable configuration	<b>270,00 €</b>
<b>REMOTE SWITCH</b>		
<b>K2.46942.0</b>	<b>Remote Switch RS-4</b>	<b>490,00 €</b>
<b>K2.47207.0</b>	<b>KC-40 Extension Cable(3m/9 ft)</b> for RS-4	<b>180,00 €</b>
<b>VARIABLE SPEED UNIT</b>		
<b>K2.47148.0</b>	<b>Variable Speed Unit VSU-4</b> (For 435 functional expansion module K4.52136.0 is necessary.)	<b>990,00 €</b>
<b>EXTERNAL SYNCHRONIZATION UNIT</b>		
<b>K2.46006.0</b>	<b>External Sync Unit ESU-1</b> (For 435 functional expansion module K4.52136.0 is necessary.)	<b>3.210,00 €</b>

Ident-No.	Article	Price / EURO
K2.52103.0	<b>CCB-1 Camera Control Box (HDD)</b> Main module that contains move storage and camera control Harddisk version (requires a camera cable)	25.990,00 €
K2.52231.0	<b>CCB-1 Camera Control Box (SSD)</b> Main module that contains move storage and camera control Solid State Disk version for extended temperature range alternative to K2.52103.0 (requires a camera cable)	28.600,00 €
K2.52206.0	<b>Head Adapter</b> Mounts CCB-1 to ARRIHEAD-2 (not compatible with ARRIHEAD 1, Motion accessory bracket required)	480,00 €
K2.52107.0	<b>MCB-1 Motor Control Box</b> Controls the Controlled Head Motors on the Arrihead	11.340,00 €
K2.52104.0	<b>LCB-1 Lens Control Box</b> Controls the Controlled Lens Motors 2 on the lens	11.130,00 €
K2.52108.0	<b>ACB-1 Auxiliary Control Box</b> Controller for external servo motors or dolly.	11.240,00 €
K2.52102.0	<b>JBO-1 Jogbox</b> Handheld controller with touch screen	17.430,00 €
K2.52135.0	<b>JCA-1 Jogbox Cable Adapter 1</b> Adapter necessary when connecting Jogbox with a cable to CCB	2.070,00 €
K2.52259.0	<b>Jogbox-Cradle</b> for mounting the Jogbox on various heads.	2.430,00 €
K2.52136.0	<b>JHC-1 Jogbox Handwheel Contr.2</b> Remote control station with 2 arms for the hand wheels, monitor platform and Jogbox holder	19.900,00 €
K2.52260.0	<b>JCA-2 Jogbox Cable Adapter</b> Adapter necessary when connecting Jogbox and encoded fluidheads to CCB	3.280,00 €
K2.52090.0	<b>ARRIHEAD 2</b> with integrated encoders and brake detection.	30.420,00 €
K2.52227.0	<b>Motion ACC Bracket</b> This bracket mounts to the ARRIHEAD-2. The Head Adapter slides into it and holds the CCB-1	210,00 €
K2.52134.0	<b>CHM-1 Controlled Head Motor</b> Motor to drive pan or tilt of an ARRIHEAD	9.530,00 €
K2.52222.0	<b>BLT-1 Bloop Light</b> Blooplight to record sync marks	2.640,00 €
K2.52223.0	<b>GPI-1 General Purpose Interface</b> Trigger Box to trigger external events by ARRIMOTION or vice versa	5.340,00 €
K2.52261.0	<b>Serial -Distribution</b> Splits Arrimotion SER2 into BLT and VTR connector	410,00 €
K2.52249.0	<b>Dolly Mod. Panther Evolution</b> Modification of Panther Evolution for Arrimotion incl. Booster for different power supplies	37.850,00 €
K2.47285.0	<b>Panther Evolution</b>	65.480,00 €

Ident-No.	Article	Price / EURO
K2.52255.0	<b>Booster 110/200/230V/3x400V</b> Booster that converts single phase power supplies to 3 phase 400 V for Dolly	3.340,00 €
K2.52256.0	<b>C20S Fluid</b> JBO and JCA-2 with Encoded Fluid Head	7.910,00 €
K2.47000.0	<b>Adapter Plate 2</b> A plate for the ARRIHEAD-2 for less play in camera mounting and better nodal mounting	2.620,00 €
K2.47351.0	<b>26V power supply NG 12/26 R</b> 12V 5-pin, 26V 3-pin 115-120V/60Hz, 220-240V/50Hz (power cable required, replaces K2.44481.A)	1.440,00 €
K2.52252.0	<b>Cable K-JCA-CCB (2m/6 feet)</b> Cable to connect JCA-1 or JCA-2, JHC-1, Bloopligh and/or GPI-1 to the CCB-1 (2m/6,6 feet long)	250,00 €
K2.52152.0	<b>Cable K-JBO-CCB</b> Cable to connect JCA-1 or JCA-2, JHC-1, Bloopligh and/or GPI-1 to the CCB-1 (10m/33 feet long)	260,00 €
K2.52253.0	<b>Cable K-JCA-CCB (25m/33 feet)</b> Cable to connect JCA-1 or JCA-2, JHC-1, Bloopligh and/or GPI-1 to the CCB-1 (25m/82,5 feet long)	300,00 €
K2.52215.0	<b>Cable K-LDD-LDS</b> Cable that connects LDD connector on ARRICAM or FEM-2 to LCB-1 LENS DATA connector	190,00 €
K2.52216.0	<b>Cable K-ARRIH-MCB</b> Cable from Encoded ARRIHEAD to CCB-1	205,00 €
K2.52098.0	<b>Cable K-MCB CHM</b> Cable from CHM-1 motors to MCB-1	280,00 €
K2.52219.0	<b>Cable K-CAM-CCB-1</b> Cable to connect 435 Advanced, 435ES, 535B, 16SR3, 16SR3 HS, 16SR 3 Advanced or 16SR3 HS Advanced to the CCB. Note: when used with the 435 Advanced, no special motion control and Stop/Go motion features are accessible. For those features, use cable K-CAM-CCB-2 instead	410,00 €
K2.52220.0	<b>Cable K-CAM-CCB-2</b> Cable to connect 435 Advanced/MCI-1 to the CCB-1	290,00 €
K2.52221.0	<b>Cable K-CAM-CCB-3</b> Cable to connect ARRICAM Studio or Lite to the CCB-1	290,00 €
K2.52230.0	<b>Update Cable Laptop</b> Update cable for direct connection from CCB-1 to Laptop / PC	50,00 €
K2.52250.0	<b>Cable K-SER-VTR</b> Connects CCB-1 to Sony Control 1 interface of VTRs	310,00 €
K2.41966.0	<b>Power cable KC-20</b>	130,00 €
K2.52251.0	<b>Cable K-JCA2-CAMS</b> Cable to connect Fluid Head	430,00 €

Ident-No.	Article	Price / EURO
K2.52224.0	<b>CC-M2 Long Cable for CLM-2</b> 0,8m/2.6 feet Longer replacement cable for CLM-2 cable (necessary for ARRIMOTION)	140,00 €
<b>MOTION Controll ADAPTER and CABLES for 435 Advanced</b>		
K2.52138.0	<b>Motion Control Interface MCI</b> for 435 Advanced	10.660,00 €
K2.52145.0	<b>Motion Control Adapter MCA-1</b>	930,00 €
K2.52147.0	<b>Cable K-MCI-ICS</b> connects single frame capping shutter with MCI	340,00 €
K2.52211.0	<b>Cable K-MCI-ICS WS</b> connects single frame capping shutter with MCI angled Fisher connector	420,00 €
K2.52148.0	<b>Cable K-Kuper-MCA</b> from Kuper to MCA-1	320,00 €
K2.52149.0	<b>Cable K-MCI-MCA</b> from MCA-1 to MCI-1	270,00 €
K2.52212.0	<b>Cable K-MCA-1-MCI-1 WS</b> connector on MCI side (angled Fischer connector)	330,00 €
<b>-&gt; FOR SYSTEM COMPILATIONS REFER TO INDEX</b>		



Ident-No.	Article	Price / EURO
	<b>DIRECTORS VIEWFINDER</b>	
K2.33657.0	ARRI director' s finder with PL-mount, without ground glass	2.820,00 €
	<b>GROUND GLASSES FOR 16 MM</b>	
K2.47051.0	Ground glass 1.66 (S16)	420,00 €
K2.47052.0	Ground glass 1.37	420,00 €
K2.47053.0	Ground glass TV 1.33/1.37	420,00 €
K2.47142.0	Ground glass 1.85 (S16)	420,00 €
K2.47143.0	Ground glass 1.66/TV1.33 (S16)	420,00 €
K2.47144.0	Ground glass HDTV 1.78/TV 1.33	420,00 €
	<b>GROUND GLASS FOR 35 MM</b>	
K2.32083.0	Academy format 1:1.37	420,00 €
K2.32083.A	Wide screen format 1:1.66	420,00 €
K2.32083.B	Wide screen format 1:1.85	420,00 €
K2.32083.C	Scope format (factor2) 1:2.35	420,00 €
K2.32083.E	TV-ISO format 1:1.33	420,00 €
K2.33063.0	Combined format 1.37/1.85/1.33	420,00 €

Ident-No.	Article	Price / EURO
K2.47149.0	<b>16 mm ARRI FIS reader head</b> for permanent installation	1.930,00 €
K2.47151.0	<b>16 mm ARRI FIS reader head</b> for quick change, space 10.75 mm	1.930,00 €
K2.41973.0	<b>35 mm ARRI FIS reader head</b> for SMPTE TIME CODE and KEYCODE	1.930,00 €
K2.45507.0	<b>Reader head mount</b> for Bosch scanner	430,00 €
K2.45508.0	<b>Reader head mount</b> for Rank scanner	430,00 €
K2.41318.0	<b>Reader head standard mount</b>	280,00 €
K2.41943.0	<b>ARRI-FIS FILM CODE CONVERTER</b>	3.210,00 €
K2.47198.0	<b>ARRI-FIS 2 VIDEO</b> (TIME/KEYCODE REGENERATOR)	10.070,00 €
K2.47296.0	<b>ARRI-FIS 2 VIDEO (DIGITAL)</b>	10.400,00 €
K2.41161.0	<b>TC Adapter TCA</b> (LTC Signal amplifier for 535 A)	550,00 €
K2.47023.0	<b>Cable KCT 1</b> M:535 - S: NAGRA	170,00 €
K2.47024.0	<b>Cable KCT 2</b> M:NAGRA - S: 535/535B/16SR3	170,00 €
K2.47025.0	<b>Cable KCT 3</b> M:535 - S: NAGRA	170,00 €
K2.47026.0	<b>Cable KCT 4</b> M:FOSTEX - S: 535/535B/16SR3	170,00 €
K2.47138.0	<b>Cable KCT 11</b> M:535B/16SR3 - S: NAGRA	170,00 €
K2.47139.0	<b>Cable KCT 13</b> M:535B/16SR3 - S: FOSTEX	170,00 €
K2.47140.0	<b>TC-Reference film 16mm</b> length: 40 m	140,00 €
K2.47141.0	<b>TC-Reference film 35mm</b> length: 60 m	210,00 €

Ident-No.	Article	Price / EURO
K2.43670.0	ARRIHEAD 2	26.780,00 €
K2.52090.0	ARRIHEAD 2 with integrated encoders and brake detection.	30.420,00 €
K2.34301.0	Reduction gear	1.970,00 €
K2.34385.0	Handwheel, small (spare)	1.200,00 €
K2.47001.0	Handwheel, big	1.060,00 €
K2.47038.0	ARRIHEAD Carrying handle	1.680,00 €
K2.47171.0	Wedge plate (spare)	210,00 €
K2.45349.0	Tripod long, for ARRIHEAD (flat base)	1.670,00 €
K2.45352.0	Aluminium off-ground spider with three rubber feet (set) 7007/7004	1.100,00 €
K2.47371.0	Ground spider SP 150 EX (7013)	500,00 €
K2.47372.0	Rubber feet EX (7014) 3 pieces	270,00 €
K2.47205.0	Cover for tripod long for K2.45349.0	540,00 €

Ident-No.	Article	Price / EURO
K2.50491.0	Fluid head STUDIO 9+9	7.310,00 €
K2.50495.0	Tripod long, Dural	1.180,00 €
K2.50527.0	Tripod long, carbon fiber	1.450,00 €
K2.50470.0	Tripod medium-long, Dural	1.100,00 €
K2.50528.0	Tripod medium-long, carbon fiber	1.380,00 €
K2.50496.0	Tripod medium, Dural	1.050,00 €
K2.50497.0	Tripod short, Dural	840,00 €
K2.50480.0	Rubber spider	460,00 €
K2.50506.0	Case for STUDIO 9+9	490,00 €
K2.50500.0	Cover for long legs	320,00 €
K2.50478.0	Cover for medium-long legs	540,00 €
K2.50501.0	Cover for medium legs	260,00 €
K2.50502.0	Cover for short legs	260,00 €
K2.45352.0	Aluminium off-ground spider with three rubber feet (set) 7007/7004	1.100,00 €
K2.45353.0	Dolly XL	1.670,00 €
K2.47373.0	Rubber feet (7004) 3 pieces for K2.45353.0	250,00 €

## APPENDIX

### ARRIMOTION System

<b>Standard Arrimotion System with Dolly (Iris, Focus, Zoom, Pan, Tilt, Dolly Drive, Dolly Lift, Handwheel Controller, Fluidhead)</b>		
Ident number	Article	Units required
K2.52103.0	CCB-1 Camera Control Box (HDD)	1
K2.52206.0	Head Adapter	1
K2.52107.0	MCB-1 Motor Control Box	1
K2.52104.0	LCB-1 Lens Control Box	1
K2.52108.0	ACB-1 Auxiliary Control Box	1
K2.52102.0	JBO-1 Jogbox	1
K2.52135.0	JCA-1 Jogbox Cable Adapter 1	1
K2.52259.0	Jogbox Cradle	1
K2.52136.0	JHC-1 Jogbox Handwheel Controller	1
K2.52260.0	JCA-2 Jogbox Cable Adapter 2	1
K2.52090.0	ARRIHEAD-2	1
K2.52227.0	Motion ACC Bracket	1
K2.52134.0	CHM-1 Controlled Head Motor	2
K2.52222.0	BLT-1 Bloop Light	1
K2.52223.0	GPI-1 General Purpose Interface	1
K2.52261.0	Serial –Distribution	1
K2.52249.0	Dolly Modification Panther Evolution	1
K2.47285.0	Panther Evolution	1
K5.15998.0	Encoded C20S Fluid	1
K2.47000.0	Adapterplatte 2	1
K2.47351.0	26V power supply NG 12/26 R	1
K2.52252.0	Cable-K-JCA-CCB (2m)	2
K2.52152.0	Cable-K-JCA-CCB (10m)	4
K2.52253.0	Cable-K-JCA-CCB (25m)	2
K2.52215.0	Cable K-LDD-LDS	2
K2.52216.0	Cable K-ARRIH-MCB	2
K2.52098.0	Cable K-MCB CHM	3
K2.52219.0	Cable K-CAM-CCB-1	2
K2.52220.0	Cable K-CAM-CCB-2 435 ADV MCI	2
K2.52221.0	Cable K-CAM-CCB-3 AC	2
K2.52230.0	Update Cable Laptop	2
K2.52250.0	Cable-K-SER-VTR	2
K2.41966.0	Power cable KC-20	2
K2.52251.0	Cable K-JCA2-CAMS	2

## APPENDIX

<b>Basic Arrimotion System (Iris, Focus, Zoom, Pan, Tilt)</b>		
Ident number	Article	Units required
K2.52103.0	CCB-1 Camera Control Box (HDD)	1
K2.52206.0	Head Adapter	1
K2.52107.0	MCB-1 Motor Control Box	1
K2.52104.0	LCB-1 Lens Control Box	1
K2.52102.0	JBO-1 Jogbox	1
K2.52135.0	JCA-1 Jogbox Cable Adapter 1	1
K2.52259.0	Jogbox Cradle	1
K2.52259.0	JCA-2 Jogbox Cable Adapter 2	1
K2.52090.0	ARRIHEAD-2	1
K2.52227.0	Motion ACC Bracket	1
K2.52134.0	CHM-1 Controlled Head Motor	2
K2.52222.0	BLT-1 Bloop Light	1
K2.52223.0	GPI-1 General Purpose Interface	1
K2.52261.0	Serial –Distribution	1
K2.47000.0	Adapterplatte 2	1
K2.47351.0	26V power supply NG 12/26 R	1
K2.52252.0	Cable-K-JCA-CCB (2m)	2
K2.52152.0	Cable-K-JCA-CCB (10m)	4
K2.52253.0	Cable-K-JCA-CCB (25m)	2
K2.52215.0	Cable K-LDD-LDS	2
K2.52216.0	Cable K-ARRIH-MCB	2
K2.52098.0	Cable K-MCB CHM	3
K2.52219.0	Cable K-CAM-CCB-1	2
K2.52220.0	Cable K-CAM-CCB-2 435 ADV MCI	2
K2.52221.0	Cable K-CAM-CCB-3 AC	2
K2.52230.0	Update Cable Laptop	2
K2.41966.0	Power cable KC-20	2

<b>Options - Arrimotion</b>		
Ident number	Article	Units required
K2.52137.0	LSW-1 Laptopsoftware	1
K2.52231.0	CCB-1 Camera Control Box (SSD) (alternative to CCB-1 with HDD option)	1

## APPENDIX

<b>Accessories - Arrimotion</b>		
Ident number	Article	Units required
K2.52224.0	Cable-CC-M2, 0.8 m/2.6 feet	1
K2.52229.0	Cable K-CCB-HUB	1

<b>Lens Control System Package</b>		
Ident number	Article	Units required
K2.52150.0	WHA-2 Rod Bracket	1
K4.41397.0	LC-M1-SP-S	2
K2.41396.0	LC-Z2	2
K2.54079.0	WHA-2	1
K2.52054.0	WZU-1	1
K2.52055.0	WFU-1	1
K2.52036.0	CLM-2	3

# GENERAL TERMS OF SALE AND DELIVERY (GTSD)

## Arnold & Richter Cine Technik GmbH & Co Betriebs KG for Merchants<sup>1</sup>

### 1. General; Scope

The terms and conditions delineated herein shall be the sole terms and conditions which apply to all of ARRI's current and future business transactions. Unless ARRI has approved of such in writing, any terms or conditions which conflict with, deviate from or modify the terms and conditions delineated herein shall not be binding on ARRI irrespective of whether ARRI had prior notice of such terms or conditions. ARRI hereby expressly objects to any such conflicting, deviating or modified terms or conditions.

### 2. Contract Formation

- 2.1 Any offers made by ARRI shall be without obligation and subject to change without notice provided that the parties have not agreed to a lock-up period.
- 2.2 The customer is bound to its order for a period of four weeks after its receipt by ARRI. A contract is deemed to exist upon the customer's receipt of ARRI's written confirmation regarding the order or the effective delivery of the applicable goods to the customer pursuant to the terms hereof.
- 2.3 The scope and type of delivery for an order shall be established solely through ARRI's written confirmation relating to such order. Any errors or omissions in ARRI's sales prospectus, pricelists, offer documents or other related documentation may be amended without ARRI incurring any liability for damages or compensation in relation to such errors or omissions.

### 3. Payment, Set-Off, Withholding

- 3.1 The purchase price for the contract shall be that price which is specified by ARRI for such contract and shall apply *ex works*, exclusive of any value-added tax; if the price is not indicated, the pricelist then in effect shall apply. If the sale has occurred through delivery to a place other than the place of performance (at the customer's request), any costs incurred for packaging, shipping, freight, customs or other related costs will be charged separately. If the customer fails to accept delivery when tendered by ARRI, it must nevertheless make payment.
- 3.2 In the event that the manufacturing costs for the contracted goods (including, but not limited to, wages, salaries, materials or production costs) rise subsequent to formation of the contract, ARRI shall have the right to increase the purchase price in accordance therewith.
- 3.3 Invoices from ARRI are due upon ARRI making the goods available to the customer and are payable without deductions within 10 days of the issuance thereof. Upon a default in payment, any overdue amounts will accrue interest at a rate of 8% above the basic interest rate. ARRI reserves its right to assert any further claims regarding damages resulting from a default.
- 3.4 The customer can offset its payments only if its counterclaim thereto have been judicially sustained or recognized by a declaratory judgment. A right to withholding shall only apply to counterclaims arising specifically from the contract which is the subject of such withholding.

### 4. Delivery

- 4.1 The dates for delivery and/or the making available of the goods are not binding unless a date for such has been agreed to in writing by ARRI.
- 4.2 ARRI is entitled to carry out advance and/or partial deliveries of the goods.
- 4.3 In the event that ARRI is unable to deliver or make the goods available to the customer due to events of force majeure lasting for a period of three months or more, ARRI's obligation to deliver or make the goods available shall be deemed extinguished in its entirety.
- 4.4 ARRI shall be entitled to postpone delivery or availability of the goods for the entire duration of the force majeure events.
- 4.5 Events of force majeure shall be deemed to be any events which are beyond ARRI's control and which make delivery impossible or unreasonably difficult, including, for example, strikes, lawful lockouts, war, import or export prohibitions, scarcity of energy supplies or raw materials, or the delayed delivery to ARRI of goods required for the performance of its obligations hereunder for reasons beyond ARRI's control. If ARRI is released from its obligations as described in Section 4.3 above, the customer shall be entitled to rescind the applicable contract. Compensation for damages for non-performance can be claimed by the customer only if the default in delivery is due to ARRI's gross negligence or is intentionally caused by ARRI.

### 5. Transfer of Risk

- 5.1 The risk of loss or damage to the goods passes to the buyer as soon as ARRI has dispatched the goods from its premises (i.e., plant, factory or warehouse) or upon the surrendering of the goods to the applicable carrier or to the customer itself, as the case may be. The above shall also apply in the event that ARRI serves as the carrier for the goods.
- 5.2 If the forwarding or collection of the goods is delayed due to reasons attributable to the customer, the risk of loss shall be transferred to the customer upon the readiness of the goods for dispatch.

### 6. Defective Goods

- 6.1 The customer must inspect the delivered goods immediately upon its receipt of such. The customer must notify ARRI in writing of any apparent defects within one week of the goods' receipt. ARRI must be notified of hidden defects in writing within two weeks of their emergence but in no event later than one year after delivery of such goods. In the event that the customer fails to meet the aforementioned notification obligations, the goods shall be deemed to have been accepted and the rights set forth in Sections 6.2 and 6.3 below shall not be in effect.
- 6.2 In the event that the customer has notified ARRI of defects in a timely manner and is thus eligible to make a claim for re-performance, ARRI shall have the right, at its own cost, either to remedy the defect or to redeliver conforming goods.
- 6.3 If ARRI twice fails to remedy a defect or if ARRI is otherwise unable to accomplish its re-performance obligation or fails to do so within a time period reasonably set forth by the customer, the customer shall be entitled to reduce the purchase price under the contract or to cancel the contract. Instead of seeking performance, the customer can make a claim for damages or for compensation for expenses. However, if the customer elects to rescind the contract it shall have no right to make any claim for damages with respect to the defective goods.
- 6.4 Provided that ARRI has not acted fraudulently, any claims of the customer regarding the goods shall become void and unenforceable one year after delivery of the applicable goods.

### 7. Liability

- 7.1 ARRI shall be liable for any damage hereunder caused by it intentionally or caused by its gross negligence.
- 7.2 In the event of simple negligence by ARRI, ARRI shall be liable only for ordinary and foreseeable damage arising from the contract, and only to the extent that ARRI has breached material contractual obligations. Further, in the event of simple negligence by ARRI, ARRI shall be liable for personal injury and/or health-related damage attributable to ARRI.
- 7.3 ARRI shall not be liable for consequential damages and unforeseen damages (including consequential damages resulting from defective goods) as well as loss of profits in the event it has acted with simple negligence.
- 7.4 ARRI shall be subject to no liability beyond that which is delineated in this Section 7.
- 7.5 To the extent that ARRI's liability is excluded or limited, such exclusion or limitation shall apply to any persons or entities employed by ARRI in the performance of its contractual obligations.
- 7.6 The limitations of liability delineated herein shall not apply to any legally prescribed strict liability, in particular any such strict liability arising from laws regarding guarantees or product warranties.

### 8. Retention of Title

- 8.1 Ownership of the delivered goods shall remain with ARRI until it has received full payment for such goods. Title to the goods shall first pass to the customer upon ARRI's receipt of all payments which are due under the current applicable contract.
- 8.2 Prior to obtaining title to the goods, the customer is not entitled to pledge, to assign by way of security, to process or to alter the goods. The customer is, however, authorized to sell the goods to third parties in the ordinary course of business unless a non-assignability agreement regarding the consideration exists between the customer and the third party. If a third party acquires an interest in the goods through a resale to such party, the customer agrees to assign to ARRI all of its correlating rights and claims against such third party. ARRI hereby accepts such assignment.
- 8.3 Any combination, amalgamation and/or processing of the goods (sections 947, 948 and 950 BGB [German Civil Code]) shall be deemed to have been made on behalf of ARRI. ARRI shall acquire title to the resulting product in the ratio of the invoiced value of the goods and services provided by ARRI to the total invoiced value of the resulting product. If the goods have been re-sold to a third party, the assignment of rights and claims performed in accordance with Section 8.2 above shall be valid solely up to the amount of the invoiced value of goods and services provided by ARRI.
- 8.4 Upon a default in payment by the customer, ARRI has the right to disclose to any applicable third party that it holds an interest in the goods pursuant to the assignment delineated above and to assert any of its claims directly. The customer is obligated to provide and deliver to ARRI all documentation required for the assertion of such claims. The customer must also make available to ARRI, completely and in a timely fashion, all information about any events that might affect the obligations described above.

### 9. Jurisdiction; Governing Law

- 9.1 The parties hereto agree that the exclusive jurisdiction for any transaction and/or contract between the parties is Munich, Germany.
- 9.2 The relationship of the parties hereto shall be exclusively governed by and in all respects construed in accordance with the laws of the Federal Republic of Germany with no application whatsoever of the United Nations sales law.

Munich, 15.06.2004

1) *Kaufleute* as defined in the HGB [German Commercial Code]



# Allgemeine Verkaufs- und Lieferbedingungen der Arnold & Richter Cine Technik GmbH & Co Betriebs KG für Kaufleute

## 1. Allgemeines – Geltungsbereich

Diese Geschäftsbedingungen gelten für die gesamte gegenwärtige und künftige Geschäftsbeziehung ausschließlich. Entgegenstehende oder abweichende Geschäftsbedingungen oder vertragsändernde Bestimmungen sind selbst bei Kenntnis unverbindlich, wenn ARRI ihrer Geltung nicht schriftlich zustimmt. Ihnen wird hiermit ausdrücklich widersprochen.

## 2. Vertragsschluss

- 2.1 Die Angebote von ARRI sind freibleibend und unverbindlich, sofern keine Bindungsdauer vereinbart wurde.
- 2.2 Der Kunde ist an seinen Auftrag vier Wochen nach Zugang bei ARRI gebunden. Ein Vertrag kommt mit Zugang der schriftlichen Bestätigung von ARRI oder Anlieferung beim Kunden zustande.
- 2.3 Art und Umfang der Lieferung bestimmt sich ausschließlich nach der Auftragsbestätigung durch ARRI. Etwaige irrtumsbedingte Fehler in Verkaufsprospekten, Preislisten, Angebotsunterlagen oder sonstigen Dokumentationen von ARRI dürfen berichtigt werden, ohne dass eine Schadensersatzpflicht entsteht.

## 3. Zahlung, Aufrechnung, Zurückbehaltungsrecht

- 3.1 Der Kaufpreis ist der von ARRI genannte Preis, und gilt ab Werk, exklusive MwSt., soweit nicht genannt gilt die gültige Preisliste. Beim Versandkauf werden Verpackungs-, Verladungs-, Frachtkosten, Zolllasten oder sonstige Kosten gesondert berechnet. Befindet sich der Kunde am Fälligkeitstag im Annahmeverzug, muss er dennoch den Kaufpreis zahlen.
- 3.2 Steigen nach Vertragsschluss die Kostenfaktoren für die Herstellung des Vertragsgegenstandes, insb. aber nicht abschließend Löhne, Gehälter, Material- oder Produktionskosten ist ARRI berechtigt die Preise entsprechend zu erhöhen.
- 3.3 Rechnungen von ARRI sind nach Bereitstellung der Ware ohne Abzug fällig und innerhalb von 10 Tagen nach Ausstellung zahlbar. Bei Verzug ist die Geldschuld mit 8% über dem Basiszinssatz zu verzinsen. Die Geltendmachung weitergehender Verzugschäden ist vorbehalten.
- 3.4 Der Kunde kann nur mit rechtskräftig festgestellten oder anerkannten Gegenansprüchen aufrechnen. Ein Zurückbehaltungsrecht des Kunden besteht nur bei Gegenansprüchen aus demselben Vertragsverhältnis.

## 4. Lieferung

- 4.1 Die Liefer- bzw. Bereitstellungszeiten sind unverbindlich, sofern nicht schriftlich ein Fixtermin vereinbart wurde.
  - 4.2 ARRI ist zu Vorab- und Teillieferungen berechtigt.
  - 4.3 Wird ARRI die Lieferung bzw. Bereitstellung infolge höherer Gewalt, mindestens für einen Zeitraum von 3 Monaten unmöglich, entfällt die Lieferpflicht.
  - 4.4 ARRI ist berechtigt, die Lieferung bzw. Bereitstellung um die Dauer der Behinderung hinauszuschieben.
  - 4.5 Unter den Begriff der höheren Gewalt fallen alle Umstände, welche ARRI nicht zu vertreten hat und durch die die Lieferung unmöglich oder unzumutbar erschwert wird, wie z.B. Streik, rechtmäßige Aussperrung, Krieg, Ein- und Ausfuhrverbote, Energie- und Rohstoffmangel und von ARRI nicht zu vertretende, nicht rechtzeitige Selbstlieferung. Wird ARRI von seiner Lieferpflicht frei, kann der Kunde vom Vertrag zurücktreten. Schadensersatz wegen Nichterfüllung darf der Kunde nur geltend machen wenn der Lieferverzug auf grobem Verschulden oder auf Vorsatz von ARRI beruht.
- ## 5. Gefahrübergang
- 5.1 Die Gefahr geht auf den Kunden über, sobald der Vertragsgegenstand ab Werk abgesendet bzw. an die den Transport ausführende Person oder den Kunden übergeben wird. Dies gilt auch beim Transport durch ARRI.
  - 5.2 Verzögert sich der Versand bzw. die Abholung infolge von Umständen, die der Kunde zu vertreten hat, so geht die Gefahr mit der Versandbereitschaft auf ihn über.

## 6. Rechte des Kunden bei Mängeln

- 6.1 Der Kunde hat die Sache unverzüglich zu untersuchen. Offensichtliche Mängel sind binnen einer Woche nach Zugang der Ware schriftlich anzuzeigen, verdeckte Mängel binnen 2 Wochen nach deren Auftreten, spätestens innerhalb eines Jahres. Versäumt der Kunde diese Ausschlussfristen gilt die Ware als genehmigt. Rechte aus Ziffer 6.2 und 6.3 bestehen nicht.
- 6.2 Steht dem Kunden aufgrund eines rechtzeitig angezeigten Mangels ein Nacherfüllungsanspruch zu, kann ARRI den Mangel unentgeltlich beseitigen oder eine mangelfreie Sache liefern.
- 6.3 Schlägt eine Nachbesserung durch ARRI zweimal fehl, erbringt ARRI die Nacherfüllung nicht oder nicht innerhalb der vom Kunden gesetzten angemessenen Nachfrist, kann der Kunde mindern oder vom Vertrag zurücktreten. Der Kunde kann statt der Leistung Aufwendungs- oder Schadensersatz verlangen. Wählt der Kunde den Rücktritt vom Vertrag, steht ihm daneben kein Schadensersatz wegen des Mangels zu.
- 6.4 Die Ansprüche des Kunden verjähren 1 Jahr nach Übergabe der Ware sofern ARRI nicht arglistig handelt.

## 7. Haftung

- 7.1 ARRI haftet für Vorsatz und grobe Fahrlässigkeit.
- 7.2 Für einfache Fahrlässigkeit haftet ARRI nur bei vertragstypischen und vorhersehbaren Schäden, sofern wesentliche Vertragspflichten (Kardinalpflichten) verletzt werden, sowie bei zurechenbaren Körper- und Gesundheitsschäden.
- 7.3 Eine Haftung für mittelbare und unvorhersehbare Schäden sowie Mangelfolgeschäden und entgangenem Gewinn ist bei einfacher Fahrlässigkeit ausgeschlossen.
- 7.4 Eine weitergehende Haftung von ARRI als in diesen Geschäftsbedingungen vorgesehen ist ausgeschlossen.
- 7.5 Soweit die Haftung von ARRI ausgeschlossen oder beschränkt ist, gilt dies auch für die persönliche Haftung von Erfüllungsgehilfen.
- 7.6 Diese Haftungsbeschränkungen gelten nicht für eine gesetzlich vorgeschriebene verschuldensunabhängige Haftung, insbesondere aus Garantie oder Produkthaftungsgesetz.

## 8. Eigentumsvorbehalt

- 8.1 Die gelieferten Waren bleiben bis zur vollständigen Bezahlung Eigentum von ARRI. Das Eigentum geht erst mit Ausgleich sämtlicher Verbindlichkeiten aus der laufenden Geschäftsbeziehung auf den Kunden über.
- 8.2 Der Kunde ist nicht berechtigt, die Vorbehaltsware zu verpfänden, zur Sicherung zu übereignen, zu verarbeiten oder umzugestalten. Er ist berechtigt, die Ware im ordentlichen Geschäftsgang an Dritte zu veräußern, es sei denn, es besteht für die Gegenleistung ein Abtretungsverbot zwischen dem Kunden und dem Dritten. Erwirbt ein Dritter Rechte an dem Sicherungsgut, so tritt der Kunde schon jetzt sämtliche hierdurch entstehenden Rechte an ARRI ab, die durch die Weiterveräußerung gegen den Dritten erwachsen. ARRI nimmt die Abtretung an.
- 8.3 Eine Verbindung, Vermischung oder Verarbeitung des Vertragsgegenstandes (§§ 947, 948 und 950 BGB) gilt als im Auftrag von ARRI erfolgt. ARRI erwirbt das Eigentum an der hergestellten Sache im Verhältnis des Rechnungswertes der eigenen Leistung zum Gesamtrechnungswert der hergestellten Sache. Im Falle der Weiterveräußerung gilt die Abtretung der Forderung aus dem Weiterverkauf entsprechend Ziffer 8.2 nur bis zur Höhe des Rechnungswertes der von ARRI erbrachten Leistung.
- 8.4 Bei Verzug des Kunden kann ARRI Sicherungsrechte offen legen und alle Rechte selbst geltend machen. Der Kunde muss ARRI alle Unterlagen zur Geltendmachung aushändigen sowie umfassend und rechtzeitig von jedem obige Verpflichtungen betreffenden Vorgang Auskunft erteilen.

## 9. Gerichtsstand, Anwendbares Recht

- 9.1 Beide Parteien erklären sich mit der ausschließlichen Zuständigkeit des Gerichtstandes München einverstanden.
- 9.2 Es gilt ausschließlich das Recht der Bundesrepublik Deutschland unter Ausschluss des UN-Kaufrechtes.

München, den 15.06.2004



ARNOLD & RICHTER CINE TECHNIK

TÜRKENSTRASSE 89 • D-80799 MÜNCHEN  
PHONE +49-89-3809-0 • FAX +49-89-3809-1244  
[www.arri.com](http://www.arri.com)